


## NOTES: (Anchoring and Joining Barrier)

1. Precast Concrete Barrier Type F can be installed in the following configurations:

A. Unanchored on hot mix asphalt (HMA), or cement concrete pavement in permanent or temporary installations, and on compacted soil in temporary installations. It is permissible to manufacture the Type F barrier without pin slots and pin slot bars when barrier is not anchored. B. Anchored on hot mix asphalt (HMA) or cement concrete pavement in permanent or temporary installations as shown on this plan. See Standard Plans K-80.35 and K-80.37 for anchoring Type F Narrow Base in temporary installations on cement concrete pavement or bridge decks.

- 2. See Standard Plan C-60.70 for anchoring patterns when transitioning from Type F anchored runs to another type of barrier run.
- 3. After removing the anchoring pins, clean the pin holes and fill them with sealant according to Std. Specification Section 9-04.2.
- 4. Remove slack between barrier segments after inserting the connecting pin.
- 5. Connecting Pin head designs vary among different Mfrs. Pin designs that are shaped differently than those shown in the details are acceptable if the bearing surface is within the minimum and maximum widths specified.



SECTION (B) **END DETAIL** 

APPROVED FOR PUBLICATION Oct 16, 2023 Moch a STATE DESIGN ENGINEER **Washington State Department of Transportation** 

1 1/2" (INO DIAMETER PER ASTM A36, HOT ROLL, HOT DIP GALVANIZE AFTER FABRICATION PER ASTM F2329

ANCHORING PIN ASSEMBLY DETAIL

**DETAIL ASTM A36** 

(SEE NOTE 5) 1" (IN) DIAMETER PER ASTM A449 HOT DIP GALVANIZE AFTER FABRICATION PER ASTM F2329

CONNECTING PIN ASSEMBLY DETAIL

(ALTERNATIVE)

JOINING TWO BARRIER SEGMENTS

(SEE NOTE 4)