

State Highway Log

Planning Report
2021

South Central Region



Washington State Department of Transportation
Multimodal Planning Division

February 2, 2022

Highway Log Users

Re: 2021 State Highway Log

Dear User:

The 2021 edition of the State Highway Log is available in electronic format. The electronic version is in Acrobat Reader file format. The Acrobat Reader software can be accessed from most Microsoft operating systems. If you do not have Acrobat Reader, you can download this software free of charge from the Internet at:
<http://www.adobe.com/acrobat/readstep.html>.

The State Highway Log is divided into 7 separate data files; 1 comprehensive log and 6 regional logs. Each of these 7 files, once opened, contain indexing for highways listed in the left hand margin. By clicking on a specific highway within this indexing area, the highway log will then open for that particular highway.

The GIS & Roadway Data Branch of the Transportation Data, GIS and Modeling Office (TDGMO) is committed to provide you with quality products while staying within our budget. The technology used to manage the State Highway Log data limits the accessibility of the files provided here. If you have any questions about our electronic versions or would like to request more accessible formats of this data, please contact our roadway data steward at (360) 570-2361, or roadway@wsdot.wa.gov

Sincerely,

Norene Pen
Manager, Transportation Data, GIS & Modeling Office
Multimodal Planning & Data Division

NP/lb
Enclosures

INTRODUCTION

The Washington State Department of Transportation is responsible for the administration of over 7000 miles of State Highways. This involves large expenditures for planning, design, construction, and maintenance which necessitate having reliable geometric data for the entire State Highway System.

The Roadway Data Section of the Multimodal Planning & Data Division provides roadway geometrics in several reports. These include the STATE HIGHWAY LOG, the Road Life Report, the Horizontal and Vertical Alignment Report, and the Classification Log. Portions of these and other reports can be accessed on remote terminals through the TRIPS (TRansportation Information and Planning Support) system.

The STATE HIGHWAY LOG, which is published annually from TRIPS, contains roadway data and mileage statistics for all State Highways. This information is representative of data collected through the previous year. It is designed to provide a record of current highway system information and a source for computing distances between major points. Detailed explanations of all fields are included starting on page "I-1", titled "State Highway Log Reference."

The Roadway Geometrics Section is responsible for updating and maintaining the roadway portion of the TRIPS system. The information TRIPS contains is provided by numerous WSDOT Regional, Headquarters and other sources. If you can provide us with updated information, find an error in the STATE HIGHWAY LOG or TRIPS, or have any questions regarding roadway data, please contact the GIS & Roadway Data Office at (360) 570-2361 or fax (360) 570-2400. We are continuously looking for sources to provide us with quality information.

NORENE PEN
Manager
Transportation Data, GIS & Modeling
Office
Multimodal Planning & Data Division

TABLE OF CONTENTS

| PAGE | |
|----------------|---|
| I - 1 | STATE HIGHWAY LOG REFERENCE |
| II - 1 | STATE ROUTE LIST |
| III - 1 | STATE ROUTE EQUATION LIST |
| IV - 1 | STATE ROUTE COINCIDENT LIST |
| V - 1 | MILEAGE SUMMARIES BY: DISTRICT, FUNCTIONAL CLASS, RURAL - URBAN DISTRICT, FUNCTIONAL CLASS, SURFACE TYPE DISTRICT, LEVEL OF DEVELOPMENT, RURAL - URBAN FUNCTIONAL CLASS, LEVEL OF DEVELOPMENT, RURAL - URBAN MAINTENANCE AREA, SECTION, SURFACE TYPE |
| 1 | 2021 STATE HIGHWAY LOG |

STATE HIGHWAY LOG REFERENCE

The following information provides an overview on how the State Highway Log Planning Report is compiled; broken out in the order they appear in the headers of each page of the publication.

Washington State's Highways are defined by the following: State Route (SR) number, Related Roadway Type (RRT) and Related Roadway Qualifier (RRQ). These three descriptors uniquely identify each and every piece of the highway system in Washington State.

The SR is a road for which the State of Washington has some level of responsibility and is identified by a three-digit number (e.g., 004).

The RRT is a two-character abbreviation for a type of roadway. The following is a list of RRTs in the system. (Asterisk indicates RRT included in this publication).

| | | | |
|-----|-------------------------|---------|---------------------------------------|
| AR* | Alternate Route | CD | Collector Distributor Dec |
| CO* | Couplet | CI | Collector Distributor Inc |
| FD | Frontage Road Dec | LX | Crossroad within Interchange |
| FI | Frontage Road Inc | P1 - P9 | Off Ramp, Inc |
| FS | Ferry Ship (Boat) | Q1 - Q9 | On Ramp, Inc |
| FT | Ferry Terminal | R1 - R9 | Off Ramp, Dec |
| PR | Proposed Route | S1 - S9 | On Ramp, Dec |
| RL* | Reversible Lane | X1 - X9 | Rest Area Ramp, Inc |
| HD* | Grade-Separated HOV-Dec | Y1 - Y9 | Rest Area Ramp, Dec |
| HI* | Grade-Separated HOV-Inc | U1 - U9 | Weigh Station Ramp, Inc |
| SP* | Spur | W1 - W9 | Weigh Station Ramp, Dec |
| TB | Transitional Turnback | ML* | Mainline (Implied RRT—field is blank) |
| TR | Temporary Route | UC | Under Construction |


The RRQ is a maximum six-character field that uniquely identifies the RRT since there may be more than one of the same types of RRT for a route. The assigning of RRQ is done in one of three ways depending on the RRT.

1) The following RRTs use descriptive location names (i.e., city, street, or junction) for the RRQ and the begin SRMP of that RRT is relative to the Mainline SRMP where the RRT intersects with the Mainline.

| | | | |
|----|-------------------|----|-----------------------|
| AR | **Alternate Route | SP | Spur |
| CO | Couplet | TB | Transitional Turnback |
| PR | Proposed Route | TR | Temporary Route |
| RL | Reversible Lane | | |

** Alternate Route contains no RRQ


COUPLET EXAMPLE



EXAMPLE: 101 CO ABERDN

Where: 101 = SR Number
CO = RRT for Couplet
ABERDN = Abbreviated name of city where RRT exists

SPUR EXAMPLE




EXAMPLE: 105 SP BOONE

| | | |
|------------|---|---------------------------------|
| Where: 105 | = | SR Number |
| SP | = | RRT for Spur |
| BOONE | = | Name of street where RRT exists |

2) The following RRTs use the Mainline SRMP where the RRT attaches to the Mainline. The begin SRMP for that RRT will be 0.00.

| | | | |
|----|------------------------------|---------|-------------------------|
| CD | Collector Distributor Dec | P1 - P9 | Off Ramp, Inc |
| CI | Collector Distributor Inc | Q1 - Q9 | On Ramp, Inc |
| FD | Frontage Road Dec | R1 - R9 | Off Ramp, Dec |
| FI | Frontage Road Inc | S1 - S9 | On Ramp, Dec |
| LX | Crossroad within Interchange | U1 - U9 | Weigh Station Ramp, Inc |
| HD | Grade-Separated HOV-Dec | W1 - W9 | Weigh Station Ramp, Dec |
| HI | Grade-Separated HOV-Inc | X1 - X9 | Rest Area Ramp, Inc |
| | | Y1 - Y9 | Rest Area Ramp, Dec |

DIAMOND INTERCHANGE EXAMPLE



EXAMPLE: 005 R1 09958

Where: 005 = SR Number
 R1 = RRT for decreasing MP direction off-ramp (R ramp)
 09958 = Mainline SRMP at beginning of the R ramp where it leaves the mainline

3) The following RRTs use descriptive names such as a city or ship name for the RRQ. The begin SRMP is always a zero value (000.00).

| | |
|----|----------------|
| FS | Ferry Ship |
| FT | Ferry Terminal |

An SR number of 999 is used for Ferry Ships since they are not assigned to a specific route. The RRQ represents the name or abbreviated name of the ship.

An SR number of 999 is used for Ferry Terminals only if the terminal is not located on a route. The RRQ represents the name or abbreviated name of the city where the terminal is located.

STATE ROUTE MILEPOST (SRMP)

State Route Milepost (SRMP) is a linear referencing system used to assign a logical number to a given point along a route. The SRMP is carried to the hundredth of a mile (123.45). If realignment shortens or lengthens a section of an SR, the SRMP will adjust with an equation and the SRMP will not change through the rest of the route.

The SRMP identifies reference points and should **NOT** be used for computing distance.

STATE ROUTE MILEPOST BACK (B) INDICATOR

The State Route Milepost Back (B) indicator designates whether the milepost value is the 'back' duplicate of a milepost value 'ahead' on the route. Ahead values have an implied 'A' (blank).

A back SRMP occurs as a result of:

- A realignment that lengthens a section of an SR other than at the end of the route.
- Adding mileage to the beginning of an SR.

ACCUMULATED ROUTE MILE (ARM)

Accumulated Route Mileage (ARM) is an accrual of mileage from the beginning of a route to the end of the route. It accrues through coincident sections where two or more SR's share one physical alignment. The ARM is an important factor in the realignment of a State Route. It does **not** contain equations - it flows through them to give true mileage (see section on equations). The ARM is carried to the hundredth of a mile (123.45).

All length measurements are calculated using the ARM value.

LANE MILE


One lane of highway for one mile, i.e. – a section of highway one mile long with 5 lanes has the equivalent of 5 lane miles.

EQUATION (EQ)


There are 3 kinds of Equations: Back, Gap & Physical Gap

The following page contains drawings of these three types of equations


This drawing shows the lengthening of a route due to realignment, creating a back equation



This drawing shows the shortening of a route due to realignment, creating a gap equation



This drawing shows a physical gap equation, due to a separation of alignment



COINCIDENT (COINC)

This occurs when two (or more) State Routes share the same physical alignment. A Coincident location carries one Major State Route and up to three Minor Routes. The Major SR carries all the highway data. The Minor SR will only contain Region and County line breaks.

The assignment of Major or Minor is first based on functional classification of the involved routes. For example, a Principal Arterial would take precedence over a Minor Arterial and/or a Collector. A Minor Arterial would take precedence over a Collector. An Interstate takes precedence over all other routes. If more than one highway has the same functional classification, the route with the lowest SR number will take precedence. ARM accumulates through the coincident section of the Minor SR. This publication contains a listing of Coincident Routes by SR, SRMP & ARM.

FEATURE Following is a list of how some of the features are entered in the “feature” column:

| | | |
|------------|------------|------------|
| Beg Bridge | Beg Eq | On Ramp |
| End Bridge | Uxing | Off Ramp |
| Enter Co | Intersectn | RR Xing |
| Beg Street | Misc Featr | Border Sta |
| End Street | Beg Ctlsec | Weigh Sta |
| Beg Tunnel | Flyer Stop | Leave City |
| End Tunnel | Prk & Ride | Toll Booth |
| Enter Dist | Rest Area | Ferry Term |

DIRECTION TO INVENTORY

Features that get tagged with this code occur ON the main traveled way.

I = INCREASING - Milepost increases when traveling the roadway in the increasing direction. Usually odd numbered routes run south to north increasing and even numbered routes run west to east increasing. There are some exceptions to this rule.

D = DECREASING - Milepost decreases when traveling the roadway in the decreasing direction. Usually odd numbered routes run north to south decreasing and even numbered routes run east to west decreasing. There are some exceptions to this rule.

B = BOTH - The feature affects both the increasing and decreasing direction of travel.

LEFT/RIGHT INDICATOR

Features that get tagged with this code occur **ALONG SIDE** the main traveled way. All Left Right Indicators are assigned based on the **INCREASING** direction of travel, starting from the left and working to the right.

L = LEFT Represents features located along side the decreasing traveled way.

LC = LEFT CENTER Represents features located along side the median side of the decreasing traveled way.

C = CENTER Represents a feature that occurs between the increasing and decreasing traveled way.

RC = RIGHT CENTER Represents features located along side the median side of the increasing traveled way.

R = RIGHT Represents features located along side the increasing traveled way.

B = BOTH The feature occurs along side both the increasing and decreasing traveled way.

DESCRIPTION – DESCRIPTION OF FEATURE

Bridge/UXing/XRoad - OW (Owner Code)

ST = State

CO = County

CT = City

FS = Forest Service

PK = Park Service

RS = Reservation

PV = Private

MY = Military

OT = Other

SO = State/County

SI = State/City

CC = County/City

Bridge/UXing/XRoad - TC (Traffic Control)

SS = Stop Sign

YS = Yield Sign

AF = Amber Flashing

RS = Railroad Signal

OT = Other Traffic Control

NO = No Traffic Control

SZ = School Zone

PC = Pedestrian Control

SG = Stop and Go

FS = Fire Signal

RF = Red Flashing

OF = Officer or Flagman

Bridge/UXing/XRoad - L (Illumination)

Y = Yes

N = No

WIDTH AND SURFACE INFORMATION

DECREAS/DIV (DECREASING/DIVIDED)

NBR LNS D = Number of lanes in decreasing direction of the roadway.

I = Number of lanes in increasing direction of the roadway.

LFT SHD W = Width of outside shoulder in decreasing direction of the roadway. No width will be shown when surface type = C or W.

S = Shoulder Surface Type

| | | |
|------------------------------|----------------|------------|
| A = Asphalt | B = Bituminous | G = Gravel |
| S = Soil | C = Curb | W = Wall |
| P = Portland Cement Concrete | | O = Other |

RDY W = Width of roadway in decreasing direction of the roadway.

S = Roadway Surface Type

| | |
|----------------|------------------------------|
| A = Asphalt | P = Portland Cement Concrete |
| B = Bituminous | G = Gravel |
| S = Soil | O = Other |

RHT SHD W = Width of inside shoulder in decreasing direction of the roadway. No width will be entered when surface type = C or W.

S = Shoulder Surface Type (same as left shoulder surface types).

MEDIAN

WD Median Width

S Median Surface Type

| | |
|----------------|------------------------------|
| S = Soil | G = Gravel |
| O = Other | A = Asphalt |
| B = Bituminous | P = Portland Cement Concrete |

BR Median Barrier Type

| | |
|------------------|-----------------------------|
| DE = Depressed | CU = Curb |
| FB = Flex Beam | JE = Jersey Type Barrier |
| GP = Guide Post | RG = Rock Wall * Gabion |
| UP = Unprotected | IA = Impact Attenuator |
| WA = Wall | FE = Fence |
| SS = Snow Shed | BE = Bridge End Guard Rails |
| GR = Guard Rail | CA = Cable |

INCRES/UNDI (INCREASING/UNDIVIDED)

Will be used for divided multilane in the direction of inventory, and for the entire roadway for two lane or undivided highways.

LFT SHD W = Width of inside shoulder in increasing direction of the roadway.

S = Shoulder Surface Type

RDY W = Width of roadway in increasing direction of the roadway.

S = Roadway Surface Type

RHT SHD W = Width of outside shoulder in increasing direction of the roadway.

S = Shoulder Surface Type

SPC USE LNS WID - Width of Special Use Lane

Special Use Lane Types - (Appears in Description Field)

| | | |
|----------|----------------------|-------------------------|
| Climbing | Two Way Turn | High Occupancy Vehicle |
| Bicycle | Reversible | Slow Vehicle Turnout |
| Chain Up | Transit | Truck Climbing Shoulder |
| Holding | Weaving/Speed Change | |

TOT RDY WIDTH - Total roadway width includes decreasing roadway, increasing roadway and special use lane widths. This total does not include shoulder and median widths.

CLASSIFICATIONS

MTCE Maintenance

A = Maintenance Area Number
SE = Maintenance Section Number

CITY NBR City Number assigned to a city by the Census.

STFC State Functional Classification

| | |
|-------------------------------|-------------------------------|
| R1 = Rural-Principal Arterial | U1 = Urban-Principal Arterial |
| R2 = Rural-Minor Arterial | U2 = Urban-Minor Arterial |
| R3 = Rural-Collector | U3 = Urban-Collector |
| R4 = Rural-Unclassified | U4 = Urban-Unclassified |
| R5 = Rural-Interstate | U5 = Urban-Interstate |

Urban Area - An area designated by WSDOT in cooperation with the Transportation Improvement Board and Region transportation planning organizations, subject to the approval of the FHWA.

Legal Speed

D = Official speed limit as designated for decreasing direction of the roadway.
IB = Official speed limit as designated for increasing or both directions of the roadway.

TR Terrain - The contour of the roadway as it relates to the frequency and steepness of hills and the effect on truck speed.

L = Level - Trucks maintain speed.
R = Rolling - Trucks slow down frequently.
M = Mountainous - Trucks slow to a crawl frequently.

PK Parking Zone - Type of parking that is permitted on a State Route (cities only).

B = Both sides parking permitted

L = Left side parking only permitted
P = Parking prohibited on both sides
R = Right side parking only permitted
X = Prohibited during peak hours

ST Street Name Alias - The local name of a street assigned to a State Route as the State Route passes through a city.
* = A street name alias is assigned to a State Route (The street name will appear in the description field).

\$ Designates when the previous feature is no longer valid.

INTERSECTION DETAIL

SRMP State Route Milepost at intersection.

B "Back" milepost indicator.

ARM Accumulated route mile at intersection.

TURN LANES

Entering an intersection in the increasing direction of travel would be "near approach."

Entering an intersection in the decreasing direction of travel would be "far approach."

LGT WD Length (in miles) and width (in feet) will appear in each category of turn and acceleration lanes.

L NEAR Left turn lane in near approach of intersection.
R NEAR Right turn lane in near approach of intersection.
L FAR Left turn lane in far approach of intersection.
R FAR Right turn lane in far approach of intersection.

ACCELERATION LANES


LEFT Left acceleration lane in near approach of intersection.
L CNTR Acceleration lane in near approach of intersection.
R CNTR Acceleration lane in far approach of intersection.
RIGHT Right acceleration lane in far approach of intersection.

Vehicles traveling in the decreasing direction of the roadway use Left and Left Center acceleration lanes.


Vehicles traveling in the increasing direction of the roadway use Right and Right Center acceleration lanes.

If you have any questions regarding the State Highway Log or the roadway data, or you can provide us with updated information, please contact the GIS & Roadway Data Office at (360) 570-2361 or fax (360) 570-2400. We are continuously looking for sources to provide us with quality information.


The following pages contain sketches to better explain how the State Highway Log Planning Report is compiled.




Roadway Measurements with and without curbs - Asphalt Surface
 Refer to SR 203 SRMP 5.32 - 6.19



Two Way Turn (Curb to Curb) Asphalt Surface
 Refer to SR 12 SRMP 433.09 - 433.72




Two Way Turn (with Shoulders) Asphalt Surface
 Refer to SR 530 SRMP 17.04 - 17.30



Intersection Channelization (Turn/Accel Lanes)
Examples of Turn/Acceleration Lanes Located at the Bottom of
State Highway Log Pages

SR 5 Decreasing




227.75

227.73

SR 5 Increasing

227.08

Divided Highway Measurements (Asphalt Surface w/Paved Median)
Refer to SR 5 SRMP 227.08 - 227.75



Divided Highway Measurements (Asphalt Surface w/Soil Median)
 Refer to SR 90 SRMP 149.78 - 150.07

**SRMP 7.64
End
Physical Gap**

**SRMP 7.62
Begin
Physical Gap**

BRIDGE 432/008N

BRIDGE 432/008S

Physical Gap = 0.01 mile

Equation: 7.63 = 7.64

SR 432 →
Increasing

↑
SR 432 Increasing

Physical Gap (Roadway Discontinuity)


Refer to SR 432 SRMP 7.62 - Vicinity



Coincident Route

Refer to SR 5 SRMP 68.41 - 88.33 and SR 12 46.62 - 66.54

N Not to Scale




Realignment - Shorten Route

Refer to SR 20 SRMP 45.97 - Vicinity







Not to Scale



Contract # 014330
Open to traffic: 7/11/94

Equation: 44.30B = 44.25
(Lengthen Route 0.05 miles)

-  Old Alignment & Mileage (SR 24)
-  Old Alignment & Mileage (SR 243)
-  New Alignment & Mileage (SR 24)
-  New Alignment & Mileage (SR 243)

Realignment - Lengthen Route

Refer to SR 24 SRMP 44.08 - Vicinity

South Central Region State Route List

| State Route | RRT/RRQ Identifier | Begin SRMP B | End SRMP B | Length |
|-------------|--------------------|--------------|------------|--------|
| 010 | | 88.29 | 104.45 | 16.16 |
| 012 | | 138.60 | 202.75 | 64.11 |
| 012 | | 291.67 | 434.19 | 142.07 |
| 014 | | 152.24 | 180.77 | 28.53 |
| 017 | | 7.43 | 14.69 | 7.20 |
| 022 | | 0.70 | 36.52 | 35.84 |
| 024 | | 0.00 | 43.98 | 43.70 |
| 082 | | 0.00 | 132.60 | 132.57 |
| 090 | | 33.29 | 137.67 | 104.27 |
| 097 | | 33.52 | 76.36 | 42.71 |
| 097 | | 133.90 | 149.69 | 15.92 |
| 124 | | 0.00 | 44.98 | 44.72 |
| 125 | | 0.00 | 23.67 | 23.65 |
| 125 | SP125SP | 6.09 | 6.82 | 0.73 |
| 127 | | 0.03 | 10.00 | 10.00 |
| 128 | | 0.00 | 2.24 | 2.24 |
| 129 | | 0.00 | 42.55 | 42.55 |
| 129 | SP6THST | 42.17 | 42.42 | 0.25 |
| 182 | | 0.00 | 15.19 | 15.19 |
| 193 | | 0.51 | 3.09 | 2.58 |
| 221 | | 0.00 | 26.07 | 25.95 |
| 223 | | 0.00 | 3.81 | 3.80 |
| 224 | | 0.00 B | 9.90 | 10.15 |
| 225 | | 0.00 B | 11.32 | 11.33 |
| 240 | | 0.00 | 34.87 | 33.10 |
| 240 | | 36.05 | 43.17 | 7.09 |
| 241 | | 0.00 | 25.21 | 25.18 |
| 260 | | 0.00 | 24.73 | 23.21 |
| 261 | | 0.00 | 15.20 | 15.18 |
| 395 | | 13.05 | 20.59 | 7.54 |
| 395 | | 22.72 | 65.70 | 42.78 |
| 397 | | 0.00 | 22.31 | 22.31 |
| 410 | | 69.21 | 116.37 | 47.12 |
| 730 | | 0.00 | 6.08 | 6.08 |
| 730 | SPWALULA | 5.82 | 6.12 | 0.30 |
| 821 | | 0.00 | 25.21 | 25.21 |
| 823 | | 0.00 B | 4.74 | 5.56 |
| 903 | | 0.00 | 10.06 | 10.06 |
| 903 | SPCLEELM | 0.19 | 0.52 | 0.33 |
| 906 | | 0.00 | 2.65 | 2.65 |
| 906 | SPHYAK | 2.55 | 2.98 | 0.43 |
| 970 | | 0.00 | 10.31 | 10.31 |

Washington State Department of Transportation
South Central Region SRMP Equation Listing

| State Route | RRT/RRQ Identifier | SRMP | B | ARM | Equation |
|-------------|--------------------|--------|---|--------|----------------|
| 012 | | 138.85 | | 138.52 | 138.75 =138.85 |
| 012 | | 177.36 | | 177.02 | 177.35 =177.36 |
| 012 | | 185.49 | B | 185.15 | BEGIN BACK |
| 012 | | 185.49 | | 185.20 | 185.54B=185.49 |
| 012 | | 192.80 | | 192.50 | 192.79 =192.80 |
| 012 | | 197.95 | B | 197.65 | BEGIN BACK |
| 012 | | 197.95 | | 197.68 | 197.98B=197.95 |
| 012 | | 291.67 | | 288.85 | 289.12 =291.67 |
| 012 | | 294.16 | B | 291.34 | BEGIN BACK |
| 012 | | 294.16 | | 291.38 | 294.20B=294.16 |
| 012 | | 335.88 | B | 333.10 | BEGIN BACK |
| 012 | | 335.88 | | 333.17 | 335.95B=335.88 |
| 012 | | 341.65 | | 338.48 | 341.19 =341.65 |
| 012 | | 345.00 | | 341.81 | 344.98 =345.00 |
| 012 | | 376.36 | | 373.13 | 376.32 =376.36 |
| 012 | | 390.84 | B | 387.61 | BEGIN BACK |
| 012 | | 390.84 | | 387.63 | 390.86B=390.84 |
| 012 | | 421.84 | | 418.56 | 421.77 =421.84 |
| 012 | | 432.61 | B | 429.33 | BEGIN BACK |
| 012 | | 432.61 | | 429.34 | 432.62B=432.61 |
| 017 | | 9.35 | | 1.86 | 009.29 =009.35 |
| 022 | | 2.57 | B | 1.87 | BEGIN BACK |
| 022 | | 2.57 | | 1.88 | 002.58B=002.57 |
| 022 | | 4.21 | B | 3.52 | BEGIN BACK |
| 022 | | 4.21 | | 3.53 | 004.22B=004.21 |
| 024 | | 5.37 | | 5.32 | 005.32 =005.37 |
| 024 | | 38.71 | | 38.43 | 038.48 =038.71 |
| 082 | | 26.59 | | 26.56 | 026.56 =026.59 |
| 090 | | 47.71 | | 46.09 | 047.70 =047.71 |
| 090 | | 52.14 | | 50.48 | 052.10 =052.14 |
| 090 | | 57.76 | | 56.08 | 057.74 =057.76 |
| 090 | | 71.25 | | 69.53 | 071.21 =071.25 |
| 097 | | 36.15 | | 35.84 | 036.14 =036.15 |
| 097 | | 51.91 | | 51.54 | 051.85 =051.91 |
| 097 | | 56.73 | | 56.34 | 056.71 =056.73 |
| 097 | | 74.57 | | 74.12 | 074.51 =074.57 |
| 097 | | 74.72 | B | 74.27 | BEGIN BACK |
| 097 | | 74.72 | | 74.29 | 074.74B=074.72 |
| 097 | | 133.90 | | 118.55 | 118.98 =133.90 |
| 097 | | 137.10 | B | 121.75 | BEGIN BACK |
| 097 | | 137.10 | | 121.88 | 137.23B=137.10 |
| 124 | | 0.31 | B | 0.31 | BEGIN BACK |
| 124 | | 0.31 | | 0.35 | 000.35B=000.31 |
| 124 | | 30.88 | | 30.67 | 030.63 =030.88 |
| 124 | | 44.50 | | 44.24 | 044.45 =044.50 |
| 125 | | 4.50 | | 4.49 | 004.49 =004.50 |
| 125 | | 6.17 | | 6.15 | 006.16 =006.17 |
| 127 | | 1.67 | B | 1.64 | BEGIN BACK |
| 127 | | 1.67 | | 1.67 | 001.70B=001.67 |
| 221 | | 2.63 | | 2.51 | 002.51 =002.63 |
| 223 | | 2.10 | | 2.09 | 002.09 =002.10 |
| 224 | | 0.00 | B | 0.00 | BEGIN BACK |

Washington State Department of Transportation
South Central Region SRMP Equation Listing

| State Route | RRT/RRQ Identifier | SRMP | B | ARM | Equation |
|--------------------|---------------------------|-------------|----------|------------|-----------------|
| 224 | | 0.00 | | 0.25 | 000.25B=000.00 |
| 224 | | 4.00 | | 4.23 | 003.98 =004.00 |
| 224 | | 9.87 | B | 10.10 | BEGIN BACK |
| 224 | | 9.87 | | 10.12 | 009.89B=009.87 |
| 225 | | 0.00 | B | 0.00 | BEGIN BACK |
| 225 | | 0.00 | | 0.01 | 000.01B=000.00 |
| 240 | | 30.63 | | 28.86 | 028.86 =030.63 |
| 240 | | 36.05 | | 34.22 | 035.99 =036.05 |
| 240 | | 38.25 | | 36.39 | 038.22 =038.25 |
| 241 | | 20.64 | | 20.63 | 020.63 =020.64 |
| 241 | | 21.15 | | 21.12 | 021.13 =021.15 |
| 260 | | 13.71 | | 12.19 | 012.19 =013.71 |
| 261 | | 8.09 | | 8.07 | 008.07 =008.09 |
| 395 | | 13.05 | B | 13.05 | BEGIN BACK |
| 395 | | 13.05 | | 19.81 | 019.81B=013.05 |
| 395 | | 54.79 | | 61.35 | 054.59 =054.79 |
| 410 | | 88.44 | | 79.51 | 088.40 =088.44 |
| 823 | | 0.00 | B | 0.00 | BEGIN BACK |
| 823 | | 0.00 | | 0.88 | 000.88B=000.00 |
| 823 | | 1.54 | | 2.36 | 001.48 =001.54 |

Washington State Department of Transportation
South Central Region Coincident Route List

| State Route | RRT/RRQ Identifier | SRMP | B | MA ARM | BEG MI | END | Coinc State Route | RRT/RRQ Identifier | Coinc SRMP | B | Coincident Description |
|-------------|--------------------|--------|---|--------|--------|-----|-------------------|--------------------|------------|---|------------------------|
| 012 | | 202.75 | | 202.48 | MI | BEG | 082 | | 31.38 | | 1ST COINCIDENT RT |
| 012 | | 273.93 | | 273.66 | MI | END | 082 | | 102.56 | | 1ST COINCIDENT RT |
| 012 | | 273.93 | | 273.66 | MI | BEG | 182 | | 0.00 | | 2ND COINCIDENT RT |
| 012 | | 291.67 | | 288.85 | MI | END | 182 | | 15.19 | | 1ST COINCIDENT RT |
| 082 | | 0.00 | | 0.00 | MA | BEG | 097 | | 114.17 | | 1ST COINCIDENT RT |
| 082 | | 31.38 | | 31.35 | MA | BEG | 012 | | 202.75 | | 2ND COINCIDENT RT |
| 082 | | 37.84 | | 37.81 | MA | END | 097 | | 76.36 | | 1ST COINCIDENT RT |
| 082 | | 102.56 | | 102.53 | MA | END | 012 | | 273.93 | | 1ST COINCIDENT RT |
| 082 | | 112.79 | | 112.76 | MA | BEG | 395 | | 13.05 | | 1ST COINCIDENT RT |
| 082 | | 132.60 | | 132.57 | MA | END | 395 | | 0.00 | | 1ST COINCIDENT RT |
| 090 | | 106.06 | | 104.34 | MA | BEG | 097 | | 133.90 | | 1ST COINCIDENT RT |
| 090 | | 110.87 | | 109.15 | MA | END | 097 | | 114.17 | | 1ST COINCIDENT RT |
| 097 | | 76.36 | | 75.93 | MI | BEG | 082 | | 37.84 | | 1ST COINCIDENT RT |
| 097 | | 114.17 | | 113.74 | MI | END | 082 | | 0.00 | | 1ST COINCIDENT RT |
| 097 | | 114.17 | | 113.74 | MI | BEG | 090 | | 110.87 | | 2ND COINCIDENT RT |
| 097 | | 133.90 | | 118.55 | MI | END | 090 | | 106.06 | | 1ST COINCIDENT RT |
| 182 | | 0.00 | | 0.00 | MA | BEG | 012 | | 273.93 | | 1ST COINCIDENT RT |
| 182 | | 3.83 | | 3.83 | MA | BEG | 240 | | 34.87 | | 2ND COINCIDENT RT |
| 182 | | 4.95 | | 4.95 | MA | END | 240 | | 36.05 | | 2ND COINCIDENT RT |
| 182 | | 12.24 | | 12.24 | MA | BEG | 395 | | 20.59 | | 2ND COINCIDENT RT |
| 182 | | 14.37 | | 14.37 | MA | END | 395 | | 22.72 | | 2ND COINCIDENT RT |
| 182 | | 15.19 | | 15.19 | MA | END | 012 | | 291.67 | | 1ST COINCIDENT RT |
| 240 | | 34.87 | | 33.10 | MI | BEG | 182 | | 3.83 | | 1ST COINCIDENT RT |
| 240 | | 36.05 | | 34.22 | MI | END | 182 | | 4.95 | | 1ST COINCIDENT RT |
| 395 | | 0.00 | | 0.00 | MI | BEG | 082 | | 132.60 | | 1ST COINCIDENT RT |
| 395 | | 13.05 | | 19.81 | MI | END | 082 | | 112.79 | | 1ST COINCIDENT RT |
| 395 | | 20.59 | | 27.35 | MI | BEG | 182 | | 12.24 | | 1ST COINCIDENT RT |
| 395 | | 22.72 | | 29.48 | MI | END | 182 | | 14.37 | | 1ST COINCIDENT RT |

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 STATE HIGHWAY MILES AND GENERAL PURPOSE LANE MILES
 BY DISTRICT, FUNCTION CLASS, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: DISTRICT 5
 MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

SPECIAL USE LANES: (NON RAMP) -HOV, CLIMBING

| DIST | FUNCT CLASS | RURAL HIGHWAY MILES | RURAL LANE MILES | URBAN HIGHWAY MILES | URBAN LANE MILES | URBANIZED HIGHWAY MILES | URBANIZED LANE MILES | TOT URBAN HIGHWAY MILES | TOT URBAN LANE MILES | TOTAL HIGHWAY MILES | TOTAL LANE MILES |
|-------------------|---------------|---------------------------|------------------------|---------------------------|------------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|---------------------------|------------------------|
| 5 | PRIN ARTERIAL | 286.05 | 701.76 | 19.95 | 66.82 | 71.40 | 256.44 | 91.35 | 323.26 | 377.40 | 1,025.02 |
| 5 | MINR ARTERIAL | 203.68 | 422.43 | 11.12 | 36.56 | 25.13 | 53.60 | 36.25 | 90.16 | 239.93 | 512.59 |
| 5 | COLLECTOR | 226.47 | 455.24 | 6.90 | 13.80 | 7.93 | 15.86 | 14.83 | 29.66 | 241.30 | 484.90 |
| 5 | UNCLASSIFIED | | | | | | | | | | |
| 5 | INTERSTATE | 189.20 | 838.07 | 21.97 | 91.20 | 40.86 | 175.27 | 62.83 | 266.47 | 252.03 | 1,104.54 |
| DISTRICT SUBTOTAL | | 905.40 | 2,417.50 | 59.94 | 208.38 | 145.32 | 501.17 | 205.26 | 709.55 | 1,110.66 | 3,127.05 |
| STATE | PRIN ARTERIAL | 286.05 | 701.76 | 19.95 | 66.82 | 71.40 | 256.44 | 91.35 | 323.26 | 377.40 | 1,025.02 |
| STATE | MINR ARTERIAL | 203.68 | 422.43 | 11.12 | 36.56 | 25.13 | 53.60 | 36.25 | 90.16 | 239.93 | 512.59 |
| STATE | COLLECTOR | 226.47 | 455.24 | 6.90 | 13.80 | 7.93 | 15.86 | 14.83 | 29.66 | 241.30 | 484.90 |
| STATE | UNCLASSIFIED | | | | | | | | | | |
| STATE | INTERSTATE | 189.20 | 838.07 | 21.97 | 91.20 | 40.86 | 175.27 | 62.83 | 266.47 | 252.03 | 1,104.54 |
| STATE | TOTAL | 905.40 | 2,417.50 | 59.94 | 208.38 | 145.32 | 501.17 | 205.26 | 709.55 | 1,110.66 | 3,127.05 |

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 STATE HIGHWAY SPECIAL USE LANE/RAMP MILES
 BY DISTRICT, FUNCTION CLASS, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: DISTRICT 5
 ALL RAMPS,REST AREAS,WEIGH STATIONS,COLLECTORS I/D

SPEC USE LN: HOV,CHAIN UP,HOLDING,SLOW VEH,TWO WAY TURN,WEAVING/SPEED CHANGE,BICYCLE,TRANSIT,TRUCK CLIMBING,TURN/ACCEL

| DIST | FUNCT CLASS | RURAL HIGHWAY MILES | RURAL LANE MILES | URBAN HIGHWAY MILES | URBAN LANE MILES | URBANIZED HIGHWAY MILES | URBANIZED LANE MILES | TOT URBAN HIGHWAY MILES | TOT URBAN LANE MILES | TOTAL HIGHWAY MILES | TOTAL LANE MILES |
|-------------------|---------------|---------------------------|------------------------|---------------------------|------------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|---------------------------|------------------------|
| 5 | PRIN ARTERIAL | | 31.14 | | 10.65 | | 62.47 | | 73.12 | | 104.26 |
| 5 | MINR ARTERIAL | | 2.48 | | 5.07 | | 10.06 | | 15.13 | | 17.61 |
| 5 | COLLECTOR | | 14.09 | | 1.64 | | 2.68 | | 4.32 | | 18.41 |
| 5 | UNCLASSIFIED | | 2.41 | | | | .36 | | .36 | | 2.77 |
| 5 | INTERSTATE | | 90.56 | | 19.15 | | 64.04 | | 83.19 | | 173.75 |
| DISTRICT SUBTOTAL | | | 140.68 | | 36.51 | | 139.61 | | 176.12 | | 316.80 |
| STATE | PRIN ARTERIAL | | 31.14 | | 10.65 | | 62.47 | | 73.12 | | 104.26 |
| STATE | MINR ARTERIAL | | 2.48 | | 5.07 | | 10.06 | | 15.13 | | 17.61 |
| STATE | COLLECTOR | | 14.09 | | 1.64 | | 2.68 | | 4.32 | | 18.41 |
| STATE | UNCLASSIFIED | | 2.41 | | | | .36 | | .36 | | 2.77 |
| STATE | INTERSTATE | | 90.56 | | 19.15 | | 64.04 | | 83.19 | | 173.75 |
| STATE TOTAL | | | 140.68 | | 36.51 | | 139.61 | | 176.12 | | 316.80 |

T R I P S S Y S T E M

STATE HIGHWAY TOTAL LANE/RAMP MILES

BY DISTRICT, FUNCTION CLASS, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: DISTRICT 5

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV, ALL RAMPS, REST AREAS, WEIGH STATIONS,
COLLECTORS I/D

SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

| DIST | FUNCT CLASS | RURAL HIGHWAY MILES | RURAL LANE MILES | URBAN HIGHWAY MILES | URBAN LANE MILES | URBANIZED HIGHWAY MILES | URBANIZED LANE MILES | TOT URBAN HIGHWAY MILES | TOT URBAN LANE MILES | TOTAL HIGHWAY MILES | TOTAL LANE MILES |
|-------------------|---------------|---------------------------|------------------------|---------------------------|------------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|---------------------------|------------------------|
| 5 | PRIN ARTERIAL | 286.05 | 732.90 | 19.95 | 77.47 | 71.40 | 318.91 | 91.35 | 396.38 | 377.40 | 1,129.28 |
| 5 | MINR ARTERIAL | 203.68 | 424.91 | 11.12 | 41.63 | 25.13 | 63.66 | 36.25 | 105.29 | 239.93 | 530.20 |
| 5 | COLLECTOR | 226.47 | 469.33 | 6.90 | 15.44 | 7.93 | 18.54 | 14.83 | 33.98 | 241.30 | 503.31 |
| 5 | UNCLASSIFIED | | 2.41 | | | | .36 | | .36 | | 2.77 |
| 5 | INTERSTATE | 189.20 | 928.63 | 21.97 | 110.35 | 40.86 | 239.31 | 62.83 | 349.66 | 252.03 | 1,278.29 |
| DISTRICT SUBTOTAL | | 905.40 | 2,558.18 | 59.94 | 244.89 | 145.32 | 640.78 | 205.26 | 885.67 | 1,110.66 | 3,443.85 |
| STATE | PRIN ARTERIAL | 286.05 | 732.90 | 19.95 | 77.47 | 71.40 | 318.91 | 91.35 | 396.38 | 377.40 | 1,129.28 |
| STATE | MINR ARTERIAL | 203.68 | 424.91 | 11.12 | 41.63 | 25.13 | 63.66 | 36.25 | 105.29 | 239.93 | 530.20 |
| STATE | COLLECTOR | 226.47 | 469.33 | 6.90 | 15.44 | 7.93 | 18.54 | 14.83 | 33.98 | 241.30 | 503.31 |
| STATE | UNCLASSIFIED | | 2.41 | | | | .36 | | .36 | | 2.77 |
| STATE | INTERSTATE | 189.20 | 928.63 | 21.97 | 110.35 | 40.86 | 239.31 | 62.83 | 349.66 | 252.03 | 1,278.29 |
| STATE | TOTAL | 905.40 | 2,558.18 | 59.94 | 244.89 | 145.32 | 640.78 | 205.26 | 885.67 | 1,110.66 | 3,443.85 |

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 STATE HIGHWAY MILES AND GENERAL PURPOSE LANE MILES
 BY DISTRICT, FUNCTION CLASS, AND SURFACE TYPE

SELECTION: DISTRICT 5
 MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

SPECIAL USE LANES: (NON RAMP) -HOV, CLIMBING

| DIST | FUNCT CLASS | HIGHWAY MILES OTHER | LANE MILES OTHER | HIGHWAY MILES GRAVEL | LANE MILES GRAVEL | HIGHWAY MILES BITUM | LANE MILES BITUM | HIGHWAY MILES ASPHALT | LANE MILES ASPHALT | HIGHWAY MILES CONCRETE | LANE MILES CONCRETE | TOTAL HIGHWAY MILES | TOTAL LANE MILES |
|---------------------|-------------|---------------------|------------------|----------------------|-------------------|---------------------|------------------|-----------------------|--------------------|------------------------|---------------------|---------------------|------------------|
| 5 | R1 | | | | | 182.07 | 392.01 | 62.45 | 225.97 | 41.53 | 83.78 | 286.05 | 701.76 |
| 5 | R2 | | | | | 163.81 | 329.58 | 39.25 | 93.86 | .62 | 1.26 | 203.68 | 424.70 |
| 5 | R3 | | | | | 188.75 | 379.19 | 36.55 | 73.71 | 1.17 | 2.34 | 226.47 | 455.24 |
| 5 | R4 | | | | | | | | | | | | |
| 5 | R5 | | | | | | | 58.62 | 243.53 | 130.58 | 594.54 | 189.20 | 838.07 |
| 5 | U1 | | | | | 11.60 | 27.60 | 70.57 | 260.14 | 9.18 | 35.52 | 91.35 | 323.26 |
| 5 | U2 | | | | | 6.78 | 13.56 | 28.94 | 73.25 | .53 | 1.08 | 36.25 | 87.89 |
| 5 | U3 | | | | | 13.34 | 26.68 | 1.44 | 2.88 | .05 | .10 | 14.83 | 29.66 |
| 5 | U4 | | | | | | | | | | | | |
| 5 | U5 | | | | | | | 18.16 | 72.70 | 44.67 | 193.77 | 62.83 | 266.47 |
| DIST RURAL SUBTOTAL | | | | | | 534.63 | 1,100.78 | 196.87 | 637.07 | 173.90 | 681.92 | 905.40 | 2,419.77 |
| DIST URBAN SUBTOTAL | | | | | | 31.72 | 67.84 | 119.11 | 408.97 | 54.43 | 230.47 | 205.26 | 707.28 |
| DISTRICT TOTAL | | | | | | 566.35 | 1,168.62 | 315.98 | 1,046.04 | 228.33 | 912.39 | 1,110.66 | 3,127.05 |

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 STATE HIGHWAY SPECIAL USE LANE/RAMP MILES
 BY DISTRICT, FUNCTION CLASS, AND SURFACE TYPE

SELECTION: DISTRICT 5
 ALL RAMPS, REST AREAS, WEIGH STATIONS, COLLECTORS I/D

SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

| DIST | FUNCT CLASS | HIGHWAY MILES OTHER | LANE MILES OTHER | HIGHWAY MILES GRAVEL | LANE MILES GRAVEL | HIGHWAY MILES BITUM | LANE MILES BITUM | HIGHWAY MILES ASPHALT | LANE MILES ASPHALT | HIGHWAY MILES CONCRETE | LANE MILES CONCRETE | TOTAL HIGHWAY MILES | TOTAL LANE MILES |
|---------------------|-------------|---------------------|------------------|----------------------|-------------------|---------------------|------------------|-----------------------|--------------------|------------------------|---------------------|---------------------|------------------|
| 5 | R1 | | | | | | 6.24 | | 19.48 | | 5.45 | | 31.17 |
| 5 | R2 | | | | | | .73 | | 1.78 | | | | 2.51 |
| 5 | R3 | | | | | | 3.39 | | 9.93 | | .76 | | 14.08 |
| 5 | R4 | | | | | | .70 | | 1.16 | | .58 | | 2.44 |
| 5 | R5 | | | | | | 2.57 | | 72.07 | | 15.35 | | 89.99 |
| 5 | U1 | | | | | | 1.86 | | 60.21 | | 11.08 | | 73.15 |
| 5 | U2 | | | | | | .46 | | 12.83 | | 1.71 | | 15.00 |
| 5 | U3 | | | | | | .65 | | 2.52 | | 1.17 | | 4.34 |
| 5 | U4 | | | | | | | | .28 | | .08 | | .36 |
| 5 | U5 | | | | | | .95 | | 67.88 | | 14.93 | | 83.76 |
| DIST RURAL SUBTOTAL | | | | | | | 13.63 | | 104.42 | | 22.14 | | 140.19 |
| DIST URBAN SUBTOTAL | | | | | | | 3.92 | | 143.72 | | 28.97 | | 176.61 |
| DISTRICT TOTAL | | | | | | | 17.55 | | 248.14 | | 51.11 | | 316.80 |

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 STATE HIGHWAY TOTAL LANE/RAMP MILES
 BY DISTRICT, FUNCTION CLASS, AND SURFACE TYPE

SELECTION: DISTRICT 5
 MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV, ALL RAMPS, REST AREAS, WEIGH STATIONS,
 COLLECTORS I/D
 SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

| DIST | FUNCT CLASS | HIGHWAY MILES OTHER | LANE MILES OTHER | HIGHWAY MILES GRAVEL | LANE MILES GRAVEL | HIGHWAY MILES BITUM | LANE MILES BITUM | HIGHWAY MILES ASPHALT | LANE MILES ASPHALT | HIGHWAY MILES CONCRETE | LANE MILES CONCRETE | TOTAL HIGHWAY MILES | TOTAL LANE MILES |
|---------------------|-------------|---------------------|------------------|----------------------|-------------------|---------------------|------------------|-----------------------|--------------------|------------------------|---------------------|---------------------|------------------|
| 5 | R1 | | | | | 182.07 | 398.25 | 62.45 | 245.45 | 41.53 | 89.23 | 286.05 | 732.93 |
| 5 | R2 | | | | | 163.81 | 330.31 | 39.25 | 95.64 | .62 | 1.26 | 203.68 | 427.21 |
| 5 | R3 | | | | | 188.75 | 382.58 | 36.55 | 83.64 | 1.17 | 3.10 | 226.47 | 469.32 |
| 5 | R4 | | | | | | .70 | | 1.16 | | .58 | | 2.44 |
| 5 | R5 | | | | | | 2.57 | 58.62 | 315.60 | 130.58 | 609.89 | 189.20 | 928.06 |
| 5 | U1 | | | | | 11.60 | 29.46 | 70.57 | 320.35 | 9.18 | 46.60 | 91.35 | 396.41 |
| 5 | U2 | | | | | 6.78 | 14.02 | 28.94 | 86.08 | .53 | 2.79 | 36.25 | 102.89 |
| 5 | U3 | | | | | 13.34 | 27.33 | 1.44 | 5.40 | .05 | 1.27 | 14.83 | 34.00 |
| 5 | U4 | | | | | | | | .28 | | .08 | | .36 |
| 5 | U5 | | | | | | .95 | 18.16 | 140.58 | 44.67 | 208.70 | 62.83 | 350.23 |
| DIST RURAL SUBTOTAL | | | | | | 534.63 | 1,114.41 | 196.87 | 741.49 | 173.90 | 704.06 | 905.40 | 2,559.96 |
| DIST URBAN SUBTOTAL | | | | | | 31.72 | 71.76 | 119.11 | 552.69 | 54.43 | 259.44 | 205.26 | 883.89 |
| DISTRICT TOTAL | | | | | | 566.35 | 1,186.17 | 315.98 | 1,294.18 | 228.33 | 963.50 | 1,110.66 | 3,443.85 |

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 STATE HIGHWAY MILES AND GENERAL PURPOSE LANE MILES
 BY DISTRICT, LEVEL OF DEVELOPMENT, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: DISTRICT 5
 MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

SPECIAL USE LANES: (NON RAMP) -HOV, CLIMBING

| DIST | LEVEL OF DEVEL | RURAL HIGHWAY MILES | RURAL LANE MILES | URBAN HIGHWAY MILES | URBAN LANE MILES | URBANIZED HIGHWAY MILES | URBANIZED LANE MILES | TOT URBAN HIGHWAY MILES | TOT URBAN LANE MILES | TOTAL HIGHWAY MILES | TOTAL LANE MILES |
|-------------------|----------------|---------------------|------------------|---------------------|------------------|-------------------------|----------------------|-------------------------|----------------------|---------------------|------------------|
| 5 | DS | 297.40 | 1,154.14 | 32.78 | 125.21 | 89.02 | 362.60 | 121.80 | 487.81 | 419.20 | 1,641.95 |
| 5 | 3R | 353.80 | 752.66 | 16.69 | 62.23 | 48.60 | 119.87 | 65.29 | 182.10 | 419.09 | 934.76 |
| 5 | MO | 254.20 | 510.70 | 10.47 | 20.94 | 7.70 | 18.70 | 18.17 | 39.64 | 272.37 | 550.34 |
| DISTRICT SUBTOTAL | | 905.40 | 2,417.50 | 59.94 | 208.38 | 145.32 | 501.17 | 205.26 | 709.55 | 1,110.66 | 3,127.05 |
| STATE | DS | 297.40 | 1,154.14 | 32.78 | 125.21 | 89.02 | 362.60 | 121.80 | 487.81 | 419.20 | 1,641.95 |
| STATE | 3R | 353.80 | 752.66 | 16.69 | 62.23 | 48.60 | 119.87 | 65.29 | 182.10 | 419.09 | 934.76 |
| STATE | MO | 254.20 | 510.70 | 10.47 | 20.94 | 7.70 | 18.70 | 18.17 | 39.64 | 272.37 | 550.34 |
| STATE TOTAL | | 905.40 | 2,417.50 | 59.94 | 208.38 | 145.32 | 501.17 | 205.26 | 709.55 | 1,110.66 | 3,127.05 |

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 STATE HIGHWAY SPECIAL USE LANE/RAMP MILES
 BY DISTRICT, LEVEL OF DEVELOPMENT, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: DISTRICT 5
 RAMPS, REST AREAS, WEIGH STATIONS, COLLECTORS I/D

SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

| DIST | LEVEL OF DEVEL | RURAL HIGHWAY MILES | RURAL LANE MILES | URBAN HIGHWAY MILES | URBAN LANE MILES | URBANIZED HIGHWAY MILES | URBANIZED LANE MILES | TOT URBAN HIGHWAY MILES | TOT URBAN LANE MILES | TOTAL HIGHWAY MILES | TOTAL LANE MILES |
|-------------------|----------------|---------------------|------------------|---------------------|------------------|-------------------------|----------------------|-------------------------|----------------------|---------------------|------------------|
| 5 | DS | | 121.81 | | 27.94 | | 125.42 | | 153.36 | | 275.17 |
| 5 | 3R | | 10.71 | | 6.83 | | 12.25 | | 19.08 | | 29.79 |
| 5 | MO | | 8.16 | | 1.74 | | 1.94 | | 3.68 | | 11.84 |
| DISTRICT SUBTOTAL | | | 140.68 | | 36.51 | | 139.61 | | 176.12 | | 316.80 |
| STATE | DS | | 121.81 | | 27.94 | | 125.42 | | 153.36 | | 275.17 |
| STATE | 3R | | 10.71 | | 6.83 | | 12.25 | | 19.08 | | 29.79 |
| STATE | MO | | 8.16 | | 1.74 | | 1.94 | | 3.68 | | 11.84 |
| STATE TOTAL | | | 140.68 | | 36.51 | | 139.61 | | 176.12 | | 316.80 |

T R I P S S Y S T E M

STATE HIGHWAY TOTAL LANE/RAMP MILES

BY DISTRICT, LEVEL OF DEVELOPMENT, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: DISTRICT 5

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV, ALL RAMPS, REST AREAS, WEIGH STATIONS,
COLLECTORS I/D

SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

| DIST | LEVEL OF DEVEL | RURAL HIGHWAY MILES | RURAL LANE MILES | URBAN HIGHWAY MILES | URBAN LANE MILES | URBANIZED HIGHWAY MILES | URBANIZED LANE MILES | TOT URBAN HIGHWAY MILES | TOT URBAN LANE MILES | TOTAL HIGHWAY MILES | TOTAL LANE MILES |
|-------------------|----------------|---------------------|------------------|---------------------|------------------|-------------------------|----------------------|-------------------------|----------------------|---------------------|------------------|
| 5 | DS | 297.40 | 1,275.95 | 32.78 | 153.15 | 89.02 | 488.02 | 121.80 | 641.17 | 419.20 | 1,917.12 |
| 5 | 3R | 353.80 | 763.37 | 16.69 | 69.06 | 48.60 | 132.12 | 65.29 | 201.18 | 419.09 | 964.55 |
| 5 | MO | 254.20 | 518.86 | 10.47 | 22.68 | 7.70 | 20.64 | 18.17 | 43.32 | 272.37 | 562.18 |
| DISTRICT SUBTOTAL | | 905.40 | 2,558.18 | 59.94 | 244.89 | 145.32 | 640.78 | 205.26 | 885.67 | 1,110.66 | 3,443.85 |
| STATE | DS | 297.40 | 1,275.95 | 32.78 | 153.15 | 89.02 | 488.02 | 121.80 | 641.17 | 419.20 | 1,917.12 |
| STATE | 3R | 353.80 | 763.37 | 16.69 | 69.06 | 48.60 | 132.12 | 65.29 | 201.18 | 419.09 | 964.55 |
| STATE | MO | 254.20 | 518.86 | 10.47 | 22.68 | 7.70 | 20.64 | 18.17 | 43.32 | 272.37 | 562.18 |
| STATE TOTAL | | 905.40 | 2,558.18 | 59.94 | 244.89 | 145.32 | 640.78 | 205.26 | 885.67 | 1,110.66 | 3,443.85 |

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 DISTRICT 5 STATE HIGHWAY MILES AND GENERAL PURPOSE LANE MILES
 BY FUNCTION CLASS, LEVEL OF DEVELOPMENT, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: DISTRICT 5
 MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

SPECIAL USE LANES: (NON RAMP) -HOV, CLIMBING

| FUNCT CLASS | LEVEL OF DEVEL | RURAL HIGHWAY MILES | RURAL LANE MILES | URBAN HIGHWAY MILES | URBAN LANE MILES | URBANIZED HIGHWAY MILES | URBANIZED LANE MILES | TOT URBAN HIGHWAY MILES | TOT URBAN LANE MILES | TOTAL HIGHWAY MILES | TOTAL LANE MILES |
|----------------------|----------------|---------------------|------------------|---------------------|------------------|-------------------------|----------------------|-------------------------|----------------------|---------------------|------------------|
| PRIN ARTERIAL | DS | 108.20 | 316.07 | 10.75 | 33.89 | 45.24 | 181.30 | 55.99 | 215.19 | 164.19 | 531.26 |
| PRIN ARTERIAL | 3R | 177.85 | 385.69 | 8.47 | 31.47 | 25.36 | 72.67 | 33.83 | 104.14 | 211.68 | 489.83 |
| PRIN ARTERIAL | MO | | | .73 | 1.46 | .80 | 2.47 | 1.53 | 3.93 | 1.53 | 3.93 |
| PRIN ARTERL SUBTOTAL | | 286.05 | 701.76 | 19.95 | 66.82 | 71.40 | 256.44 | 91.35 | 323.26 | 377.40 | 1,025.02 |
| MINOR ARTERIAL | DS | | | .06 | .12 | 2.77 | 5.73 | 2.83 | 5.85 | 2.83 | 5.85 |
| MINOR ARTERIAL | 3R | 152.99 | 321.05 | 7.39 | 29.10 | 17.66 | 36.04 | 25.05 | 65.14 | 178.04 | 386.19 |
| MINOR ARTERIAL | MO | 50.69 | 101.38 | 3.67 | 7.34 | 4.70 | 11.83 | 8.37 | 19.17 | 59.06 | 120.55 |
| MINOR ARTERL SBTOTAL | | 203.68 | 422.43 | 11.12 | 36.56 | 25.13 | 53.60 | 36.25 | 90.16 | 239.93 | 512.59 |
| COLLECTOR | DS | | | | | .15 | .30 | .15 | .30 | .15 | .30 |
| COLLECTOR | 3R | 22.96 | 45.92 | .83 | 1.66 | 5.58 | 11.16 | 6.41 | 12.82 | 29.37 | 58.74 |
| COLLECTOR | MO | 203.51 | 409.32 | 6.07 | 12.14 | 2.20 | 4.40 | 8.27 | 16.54 | 211.78 | 425.86 |
| COLLECTOR SUBTOTAL | | 226.47 | 455.24 | 6.90 | 13.80 | 7.93 | 15.86 | 14.83 | 29.66 | 241.30 | 484.90 |
| UNCLASSIFIED | DS | | | | | | | | | | |
| UNCLASSIFIED | 3R | | | | | | | | | | |
| UNCLASSIFIED | MO | | | | | | | | | | |
| UNCLASSIFIED SBTOTAL | | | | | | | | | | | |
| INTERSTATE | DS | 189.20 | 838.07 | 21.97 | 91.20 | 40.86 | 175.27 | 62.83 | 266.47 | 252.03 | 1,104.54 |
| INTERSTATE | 3R | | | | | | | | | | |
| INTERSTATE | MO | | | | | | | | | | |
| INTERSTATE SUBTOTAL | | 189.20 | 838.07 | 21.97 | 91.20 | 40.86 | 175.27 | 62.83 | 266.47 | 252.03 | 1,104.54 |
| DISTRICT | DS | 297.40 | 1,154.14 | 32.78 | 125.21 | 89.02 | 362.60 | 121.80 | 487.81 | 419.20 | 1,641.95 |
| DISTRICT | 3R | 353.80 | 752.66 | 16.69 | 62.23 | 48.60 | 119.87 | 65.29 | 182.10 | 419.09 | 934.76 |
| DISTRICT | MO | 254.20 | 510.70 | 10.47 | 20.94 | 7.70 | 18.70 | 18.17 | 39.64 | 272.37 | 550.34 |
| DISTRICT TOTAL | | 905.40 | 2,417.50 | 59.94 | 208.38 | 145.32 | 501.17 | 205.26 | 709.55 | 1,110.66 | 3,127.05 |

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 DISTRICT 5 STATE HIGHWAY SPECIAL USE LANE/RAMP MILES
 BY FUNCTION CLASS, LEVEL OF DEVELOPMENT, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: DISTRICT 5
 ALL RAMPS, REST AREAS, WEIGH STATIONS, COLLECTORS I/D

SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

| FUNCT CLASS | LEVEL OF DEVEL | RURAL HIGHWAY MILES | RURAL LANE MILES | URBAN HIGHWAY MILES | URBAN LANE MILES | URBANIZED HIGHWAY MILES | URBANIZED LANE MILES | TOT URBAN HIGHWAY MILES | TOT URBAN LANE MILES | TOTAL HIGHWAY MILES | TOTAL LANE MILES |
|----------------------|----------------|---------------------|------------------|---------------------|------------------|-------------------------|----------------------|-------------------------|----------------------|---------------------|------------------|
| PRIN ARTERIAL | DS | | 22.73 | | 5.48 | | 51.69 | | 57.17 | | 79.90 |
| PRIN ARTERIAL | 3R | | 8.41 | | 5.15 | | 9.43 | | 14.58 | | 22.99 |
| PRIN ARTERIAL | MO | | | | .02 | | 1.35 | | 1.37 | | 1.37 |
| PRIN ARTERL SUBTOTAL | | | 31.14 | | 10.65 | | 62.47 | | 73.12 | | 104.26 |
| MINOR ARTERIAL | DS | | .38 | | 1.84 | | 7.34 | | 9.18 | | 9.56 |
| MINOR ARTERIAL | 3R | | 1.84 | | 1.68 | | 2.23 | | 3.91 | | 5.75 |
| MINOR ARTERIAL | MO | | .26 | | 1.55 | | .39 | | 1.94 | | 2.20 |
| MINOR ARTERL SBTOTAL | | | 2.48 | | 5.07 | | 9.96 | | 15.03 | | 17.51 |
| COLLECTOR | DS | | 5.73 | | 1.47 | | 2.19 | | 3.66 | | 9.39 |
| COLLECTOR | 3R | | .46 | | | | .59 | | .59 | | 1.05 |
| COLLECTOR | MO | | 7.90 | | .17 | | | | .17 | | 8.07 |
| COLLECTOR SUBTOTAL | | | 14.09 | | 1.64 | | 2.78 | | 4.42 | | 18.51 |
| UNCLASSIFIED | DS | | 2.41 | | | | .16 | | .16 | | 2.57 |
| UNCLASSIFIED | 3R | | | | | | | | | | |
| UNCLASSIFIED | MO | | | | | | .20 | | .20 | | .20 |
| UNCLASSIFIED SBTOTAL | | | 2.41 | | | | .36 | | .36 | | 2.77 |
| INTERSTATE | DS | | 90.56 | | 19.15 | | 64.04 | | 83.19 | | 173.75 |
| INTERSTATE | 3R | | | | | | | | | | |
| INTERSTATE | MO | | | | | | | | | | |
| INTERSTATE SUBTOTAL | | | 90.56 | | 19.15 | | 64.04 | | 83.19 | | 173.75 |
| DISTRICT | DS | | 121.81 | | 27.94 | | 125.42 | | 153.36 | | 275.17 |
| DISTRICT | 3R | | 10.71 | | 6.83 | | 12.25 | | 19.08 | | 29.79 |
| DISTRICT | MO | | 8.16 | | 1.74 | | 1.94 | | 3.68 | | 11.84 |
| DISTRICT TOTAL | | | 140.68 | | 36.51 | | 139.61 | | 176.12 | | 316.80 |

T R I P S S Y S T E M

DISTRICT 5 STATE HIGHWAY TOTAL LANE/RAMP MILES

BY FUNCTION CLASS, LEVEL OF DEVELOPMENT, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: DISTRICT 5

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV, ALL RAMPS, REST AREAS, WEIGH STATIONS,
COLLECTORS I/D

SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

| FUNCT CLASS | LEVEL OF DEVEL | RURAL HIGHWAY MILES | RURAL LANE MILES | URBAN HIGHWAY MILES | URBAN LANE MILES | URBANIZED HIGHWAY MILES | URBANIZED LANE MILES | TOT URBAN HIGHWAY MILES | TOT URBAN LANE MILES | TOTAL HIGHWAY MILES | TOTAL LANE MILES |
|----------------------|----------------|---------------------|------------------|---------------------|------------------|-------------------------|----------------------|-------------------------|----------------------|---------------------|------------------|
| PRIN ARTERIAL | DS | 108.20 | 338.80 | 10.75 | 39.37 | 45.24 | 232.99 | 55.99 | 272.36 | 164.19 | 611.16 |
| PRIN ARTERIAL | 3R | 177.85 | 394.10 | 8.47 | 36.62 | 25.36 | 82.10 | 33.83 | 118.72 | 211.68 | 512.82 |
| PRIN ARTERIAL | MO | | | .73 | 1.48 | .80 | 3.82 | 1.53 | 5.30 | 1.53 | 5.30 |
| PRIN ARTERL SUBTOTAL | | 286.05 | 732.90 | 19.95 | 77.47 | 71.40 | 318.91 | 91.35 | 396.38 | 377.40 | 1,129.28 |
| MINOR ARTERIAL | DS | | .38 | .06 | 1.96 | 2.77 | 13.07 | 2.83 | 15.03 | 2.83 | 15.41 |
| MINOR ARTERIAL | 3R | 152.99 | 322.89 | 7.39 | 30.78 | 17.66 | 38.27 | 25.05 | 69.05 | 178.04 | 391.94 |
| MINOR ARTERIAL | MO | 50.69 | 101.64 | 3.67 | 8.89 | 4.70 | 12.22 | 8.37 | 21.11 | 59.06 | 122.75 |
| MINOR ARTERL SBTOTAL | | 203.68 | 424.91 | 11.12 | 41.63 | 25.13 | 63.56 | 36.25 | 105.19 | 239.93 | 530.10 |
| COLLECTOR | DS | | 5.73 | | 1.47 | .15 | 2.49 | .15 | 3.96 | .15 | 9.69 |
| COLLECTOR | 3R | 22.96 | 46.38 | .83 | 1.66 | 5.58 | 11.75 | 6.41 | 13.41 | 29.37 | 59.79 |
| COLLECTOR | MO | 203.51 | 417.22 | 6.07 | 12.31 | 2.20 | 4.40 | 8.27 | 16.71 | 211.78 | 433.93 |
| COLLECTOR SUBTOTAL | | 226.47 | 469.33 | 6.90 | 15.44 | 7.93 | 18.64 | 14.83 | 34.08 | 241.30 | 503.41 |
| UNCLASSIFIED | DS | | 2.41 | | | | .16 | | .16 | | 2.57 |
| UNCLASSIFIED | 3R | | | | | | | | | | |
| UNCLASSIFIED | MO | | | | | | .20 | | .20 | | .20 |
| UNCLASSIFIED SBTOTAL | | | 2.41 | | | | .36 | | .36 | | 2.77 |
| INTERSTATE | DS | 189.20 | 928.63 | 21.97 | 110.35 | 40.86 | 239.31 | 62.83 | 349.66 | 252.03 | 1,278.29 |
| INTERSTATE | 3R | | | | | | | | | | |
| INTERSTATE | MO | | | | | | | | | | |
| INTERSTATE SUBTOTAL | | 189.20 | 928.63 | 21.97 | 110.35 | 40.86 | 239.31 | 62.83 | 349.66 | 252.03 | 1,278.29 |
| DISTRICT | DS | 297.40 | 1,275.95 | 32.78 | 153.15 | 89.02 | 488.02 | 121.80 | 641.17 | 419.20 | 1,917.12 |
| DISTRICT | 3R | 353.80 | 763.37 | 16.69 | 69.06 | 48.60 | 132.12 | 65.29 | 201.18 | 419.09 | 964.55 |
| DISTRICT | MO | 254.20 | 518.86 | 10.47 | 22.68 | 7.70 | 20.64 | 18.17 | 43.32 | 272.37 | 562.18 |
| DISTRICT TOTAL | | 905.40 | 2,558.18 | 59.94 | 244.89 | 145.32 | 640.78 | 205.26 | 885.67 | 1,110.66 | 3,443.85 |

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 DISTRICT 5 STATE HIGHWAY MILES AND GENERAL PURPOSE LANE MILES
 BY MAINTENANCE AREA AND SECTION AND SURFACE TYPE

SELECTION: DISTRICT 5
 MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

SPECIAL USE LANES: (NON RAMP) -HOV, CLIMBING

| MAINTENANCE AREA | SECTION | HIGHWAY MILES OTHER | LANE MILES OTHER | HIGHWAY MILES GRAVEL | LANE MILES GRAVEL | HIGHWAY MILES BITUM | LANE MILES BITUM | HIGHWAY MILES ASPHALT | LANE MILES ASPHALT | HIGHWAY MILES CONCRETE | LANE MILES CONCRETE | TOTAL HIGHWAY MILES | TOTAL LANE MILES |
|------------------|---------|---------------------|------------------|----------------------|-------------------|---------------------|------------------|-----------------------|--------------------|------------------------|---------------------|---------------------|------------------|
| 1 | 01 | | | | | 38.30 | 78.29 | 43.37 | 172.55 | 21.64 | 87.95 | 103.31 | 338.79 |
| 1 | 02 | | | | | | | 10.92 | 34.42 | 31.46 | 200.00 | 42.38 | 234.42 |
| 1 | 03 | | | | | 9.18 | 18.36 | 11.43 | 22.86 | 21.12 | 86.81 | 41.73 | 128.03 |
| AREA SUBTOTAL | | | | | | 47.48 | 96.65 | 65.72 | 229.83 | 74.22 | 374.76 | 187.42 | 701.24 |
| 2 | 01 | | | | | 41.11 | 86.02 | 36.35 | 112.12 | 10.04 | 38.29 | 87.50 | 236.43 |
| 2 | 02 | | | | | 54.37 | 112.04 | 23.46 | 82.75 | 31.08 | 123.05 | 108.91 | 317.84 |
| 2 | 03 | | | | | 66.40 | 133.17 | 40.34 | 98.20 | .45 | .98 | 107.19 | 232.35 |
| AREA SUBTOTAL | | | | | | 161.88 | 331.23 | 100.15 | 293.07 | 41.57 | 162.32 | 303.60 | 786.62 |
| 3 | 01 | | | | | 71.93 | 143.86 | 54.26 | 272.34 | 90.25 | 292.25 | 216.44 | 708.45 |
| 3 | 02 | | | | | 82.28 | 164.56 | 36.30 | 102.99 | 20.07 | 79.62 | 138.65 | 347.17 |
| AREA SUBTOTAL | | | | | | 154.21 | 308.42 | 90.56 | 375.33 | 110.32 | 371.87 | 355.09 | 1,055.62 |
| 4 | 01 | | | | | 119.13 | 259.10 | 43.24 | 110.51 | 1.30 | 3.34 | 163.67 | 372.95 |
| 4 | 02 | | | | | 83.65 | 174.94 | 16.31 | 33.64 | .92 | 2.04 | 100.88 | 210.62 |
| AREA SUBTOTAL | | | | | | 202.78 | 434.04 | 59.55 | 144.15 | 2.22 | 5.38 | 264.55 | 583.57 |
| DISTRICT TOTAL | | | | | | 566.35 | 1,170.34 | 315.98 | 1,042.38 | 228.33 | 914.33 | 1,110.66 | 3,127.05 |

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 DISTRICT 5 STATE HIGHWAY SPECIAL USE LANE/RAMP MILES
 BY MAINTENANCE AREA AND SECTION AND SURFACE TYPE

SELECTION: DISTRICT 5
 ALL RAMPS, REST AREAS, WEIGH STATIONS, COLLECTORS I/D

SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

| MAINTENANCE AREA | SECTION | HIGHWAY MILES OTHER | LANE MILES OTHER | HIGHWAY MILES GRAVEL | LANE MILES GRAVEL | HIGHWAY MILES BITUM | LANE MILES BITUM | HIGHWAY MILES ASPHALT | LANE MILES ASPHALT | HIGHWAY MILES CONCRETE | LANE MILES CONCRETE | TOTAL HIGHWAY MILES | TOTAL LANE MILES |
|------------------|---------|---------------------|------------------|----------------------|-------------------|---------------------|------------------|-----------------------|--------------------|------------------------|---------------------|---------------------|------------------|
| 1 | 01 | | | | | | 1.89 | | 21.41 | | .17 | | 23.47 |
| 1 | 02 | | | | | | | | 31.64 | | 9.08 | | 40.72 |
| 1 | 03 | | | | | | | | 11.74 | | 2.41 | | 14.15 |
| AREA SUBTOTAL | | | | | | | 1.89 | | 64.79 | | 11.66 | | 78.34 |
| 2 | 01 | | | | | | .27 | | 31.02 | | 1.58 | | 32.87 |
| 2 | 02 | | | | | | 1.15 | | 25.14 | | 3.32 | | 29.61 |
| 2 | 03 | | | | | | 4.71 | | 3.05 | | | | 7.76 |
| AREA SUBTOTAL | | | | | | | 6.13 | | 59.21 | | 4.90 | | 70.24 |
| 3 | 01 | | | | | | 2.23 | | 89.11 | | 30.01 | | 121.35 |
| 3 | 02 | | | | | | 2.01 | | 17.71 | | 5.09 | | 24.81 |
| AREA SUBTOTAL | | | | | | | 4.24 | | 106.82 | | 35.10 | | 146.16 |
| 4 | 01 | | | | | | 5.11 | | 11.41 | | .42 | | 16.94 |
| 4 | 02 | | | | | | .26 | | 4.72 | | .14 | | 5.12 |
| AREA SUBTOTAL | | | | | | | 5.37 | | 16.13 | | .56 | | 22.06 |
| DISTRICT TOTAL | | | | | | | 17.63 | | 246.95 | | 52.22 | | 316.80 |

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 STATE HIGHWAY TOTAL LANE/RAMP MILES
 BY MAINTENANCE AREA AND SECTION AND SURFACE TYPE

SELECTION: DISTRICT 5
 MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV, ALL RAMPS, REST AREAS, WEIGH STATIONS,
 COLLECTORS I/D
 SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

| MAINTENANCE | HIGHWAY | LANE | HIGHWAY | LANE | HIGHWAY | LANE | HIGHWAY | LANE | HIGHWAY | LANE | TOTAL | TOTAL |
|--------------|---------|-------|---------|--------|---------|----------|---------|----------|----------|----------|----------|----------|
| AREA SECTION | MILES | MILES | MILES | MILES | MILES | MILES | MILES | MILES | MILES | MILES | HIGHWAY | LANE |
| ----- | ----- | ----- | ----- | ----- | ----- | ----- | ----- | ----- | ----- | ----- | ----- | ----- |
| | OTHER | OTHER | GRAVEL | GRAVEL | BITUM | BITUM | ASPHALT | ASPHALT | CONCRETE | CONCRETE | MILES | MILES |
| STATE TOTAL | | | | | 566.35 | 1,187.97 | 315.98 | 1,289.33 | 228.33 | 966.55 | 1,110.66 | 3,443.85 |

SR 010 MAINLINE

STATE ROUTE - SRSH

COUNTY KITTITAS

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | |
|-------|---|-------------------------|------------|---|----|--------------------------|----|--------------|---|---|---------|-----|------|-----|---------------------------|----|-------|-----|-----|--------|-----|----|----|-----|----|----|----|----|---|---|
| | | :DIRECTION TO INVENTORY | | -BRIDGE | | DECREAS/DIV | | INCREAS/UNDI | | | SPC | | | | LEGAL | | T P S | | | | | | | | | | | | | |
| | | : :LEFT/RIGHT INDICATOR | | -UXING- | | LFT RHT | | LFT RHT | | | USE TOT | | MTCE | | CITY | | ST | | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T |
| 88.29 | | 0.00 | BEG ROUTE | | | MAIN ROUTE | | | | 1 | 1 | | | | | | 10B | 24B | 10B | | | 24 | 1 | 01 | | R3 | | 55 | R | |
| | | | BEG CTLSEC | | | SR 970/TEANAWAY TO SR 97 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | B | | CONTROL SECTION 1923 | | | | | | | | | | | | | | | | | | | | | | | | |
| 88.37 | | 0.08 | | | | | | | | | | | | | | | 5B | 21B | 4B | | | 21 | 1 | 01 | | R3 | | 55 | R | |
| 88.93 | | 0.64 | MP MARKER | R | | 89 | | | | | | | | | | | | | | | | | | | | | | | | |
| 89.34 | | 1.05 | BEG BRIDGE | B | | TEANAWAY RIVER | | | | | | | | | | | \$C | 24A | \$C | | | 24 | 1 | 01 | | R3 | | 55 | R | |
| | | | | | | BRDG NUM 010/142 | | | | | | | | | | | | | | | | | | | | | | | | |
| 89.37 | | 1.08 | END BRIDGE | B | | TEANAWAY RIVER | | | | | | | | | | | 5B | 21B | 4B | | | 21 | 1 | 01 | | R3 | | 55 | R | |
| 90.00 | | 1.71 | MP MARKER | R | | 90 | | | | | | | | | | | | | | | | | | | | | | | | |
| 90.11 | | 1.82 | BEG BRIDGE | B | | BRISTOL FILL | | | | | | | | | | | \$W | 28P | \$W | | | 28 | 1 | 01 | | R3 | | 55 | R | |
| | | | | | | BRDG NUM 010/143 | | | | | | | | | | | | | | | | | | | | | | | | |
| 90.20 | | 1.91 | END BRIDGE | B | | BRISTOL FILL | | | | | | | | | | | 2B | 20B | 4B | | | 20 | 1 | 01 | | R3 | | 55 | R | |
| 90.21 | | 1.92 | INTRSECTN | L | | TAYLOR RD | | | | | | | | | | | | | | | | | | | | | | | | |
| 90.99 | | 2.70 | MP MARKER | R | | 91 | | | | | | | | | | | | | | | | | | | | | | | | |
| 91.34 | | 3.05 | | | | | | | | | | | | | | | 5B | 21B | 5B | | | 21 | 1 | 01 | | R3 | | 55 | R | |
| 91.99 | | 3.70 | MP MARKER | R | | 92 | | | | | | | | | | | | | | | | | | | | | | | | |
| 92.56 | | 4.27 | | | | | | | | | | | | | | | 4B | 20B | 4B | | | 20 | 1 | 01 | | R3 | | 55 | R | |
| 92.98 | | 4.69 | MP MARKER | R | | 93 | | | | | | | | | | | | | | | | | | | | | | | | |
| 93.97 | | 5.68 | MP MARKER | R | | 94 | | | | | | | | | | | | | | | | | | | | | | | | |
| 94.68 | | 6.39 | BEG SU LN | L | | CLIMBING | | | | | | | | | | | 4B | 20B | 4B | 10 | | 30 | 1 | 01 | | R3 | | 55 | R | |
| 94.97 | | 6.68 | MP MARKER | R | | 95 | | | | | | | | | | | | | | | | | | | | | | | | |
| 95.31 | | 7.02 | END SU LN | L | | CLIMBING | | | | | | | | | | | 4B | 20B | 4B | \$\$\$ | | 20 | 1 | 01 | | R3 | | 55 | R | |
| 95.39 | | 7.10 | BEG BRIDGE | B | | SWAUK CREEK | | | | | | | | | | | \$C | 27B | \$C | | | 27 | 1 | 01 | | R3 | | 55 | R | |
| | | | | | | BRDG NUM 010/145 | | | | | | | | | | | | | | | | | | | | | | | | |
| 95.42 | | 7.13 | END BRIDGE | B | | SWAUK CREEK | | | | | | | | | | | 4B | 20B | 4B | | | 20 | 1 | 01 | | R3 | | 55 | R | |
| 95.47 | | 7.18 | BEG BRIDGE | B | | CASCADE IRRIGATION | | | | | | | | | | | \$C | 28A | \$C | | | 28 | 1 | 01 | | R3 | | 55 | R | |
| | | | | | | BRDG NUM 010/146 | | | | | | | | | | | | | | | | | | | | | | | | |
| 95.51 | | 7.22 | END BRIDGE | B | | CASCADE IRRIGATION | | | | | | | | | | | 4B | 20B | 4B | | | 20 | 1 | 01 | | R3 | | 55 | R | |
| 95.99 | | 7.70 | MP MARKER | R | | 96 | | | | | | | | | | | | | | | | | | | | | | | | |
| 96.14 | | 7.85 | BEG SU LN | R | | CLIMBING | | | | | | | | | | | 2B | 20B | 2B | 10 | | 30 | 1 | 01 | | R3 | | 55 | R | |
| 96.84 | | 8.55 | END SU LN | R | | CLIMBING | | | | | | | | | | | 4B | 20B | 4B | \$\$\$ | | 20 | 1 | 01 | | R3 | | 55 | R | |
| 96.99 | | 8.70 | MP MARKER | R | | 97 | | | | | | | | | | | | | | | | | | | | | | | | |
| 97.27 | | 8.98 | INTRSECTN | R | | THORP HWY | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | HAYWARD RD | | | | | | | | | | | | | | | | | | | | | | | | |
| 97.64 | | 9.35 | BEG SU LN | L | | CLIMBING | | | | | | | | | | | 4B | 20B | 4B | 10 | | 30 | 1 | 01 | | R3 | | 55 | R | |
| 97.98 | | 9.69 | MP MARKER | R | | 98 | | | | | | | | | | | | | | | | | | | | | | | | |
| 98.00 | | 9.71 | END SU LN | L | | CLIMBING | | | | | | | | | | | 4B | 20B | 4B | \$\$\$ | | 20 | 1 | 01 | | R3 | | 55 | R | |
| 98.65 | | 10.36 | BEG BRIDGE | B | | CREEK | | | | | | | | | | | \$C | 27A | \$C | | | 27 | 1 | 01 | | R3 | | 55 | R | |
| | | | | | | BRDG NUM 010/148.25 | | | | | | | | | | | | | | | | | | | | | | | | |
| 98.66 | | 10.37 | END BRIDGE | B | | CREEK | | | | | | | | | | | 12B | 20B | 12B | | | 20 | 1 | 01 | | R3 | | 55 | R | |
| 98.98 | | 10.69 | MP MARKER | R | | 99 | | | | | | | | | | | | | | | | | | | | | | | | |
| 99.21 | | 10.92 | | | | | | | | | | | | | | | 4B | 20B | 4B | | | 20 | 1 | 01 | | R3 | | 55 | R | |

SR 012 MAINLINE

U.S. ROUTE - USSH

COUNTY LEWIS

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | |
|-------------------------|--------|-----|--------------|---|----|--------------------------|-----|-----|------------|---------|-----|-----|-----|-----|------|---------------------------|------|-----|-------|-----|-----|---|----|-----|----|---|----|---|---|---|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | |
| 138.60 | 138.37 | | BEG ROUTE | | | MAIN ROUTE | | | | 1 | 1 | | | | | | 4A | 24A | 4A | 12 | 36 | 2 | 03 | | R1 | | 55 | M | | | | |
| | | | BEG CTLSEC | | | SR 101/ABERDEEN TO IDAHO | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG SU LN | R | | CONTROL SECTION 2106 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG SU LN | R | | CLIMBING | | | 12A | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | SR 123 | | | | ST | Y | | | | | | | | | | | | | | | | | | | | | |
| | | | WYE CONN | L | | SR 123 | | | | ST | N | | | | | | | | | | | | | | | | | | | | | |
| 138.61 | 138.38 | | | | | | | | | | | | | | | | 4A | 24A | 4A | 12 | 36 | 2 | 03 | | R1 | | 50 | M | | | | |
| 138.65 | 138.42 | | | | | | | | | 1 | 1 | | | | | | 2A | 24A | 6A | 12 | 36 | 2 | 03 | | R1 | | 50 | M | | | | |
| 138.66 | 138.43 | | | | | | | | | 1 | 1 | | | | | | 2A | 24A | 6A | 12 | 36 | 2 | 03 | | R1 | | 50 | M | | | | |
| 138.70 | 138.47 | | | | | | | | | 1 | 1 | | | | | | 9A | 24A | 6A | 12 | 36 | 2 | 03 | | R1 | | 50 | M | | | | |
| 138.85 | 138.52 | | EQUATION | | | 138.75 =138.85 | | | | 1 | 1 | | | | | | 7A | 24A | 6A | 12 | 36 | 2 | 03 | | R1 | | 50 | M | | | | |
| 138.90 | 138.57 | | | | | | | | | 1 | 1 | | | | | | 4A | 24A | 6A | 12 | 36 | 2 | 03 | | R1 | | 50 | M | | | | |
| 138.94 | 138.61 | | | | | | | | | 1 | 1 | | | | | | 7A | 24A | 6A | 12 | 36 | 2 | 03 | | R1 | | 50 | M | | | | |
| 139.02 | 138.69 | | | | | | | | | 1 | 1 | | | | | | 4A | 24A | 6A | 12 | 36 | 2 | 03 | | R1 | | 50 | M | | | | |
| 139.04 | 138.71 | | | | | | | | | 1 | 1 | | | | | | 9A | 24A | 6A | 12 | 36 | 2 | 03 | | R1 | | 50 | M | | | | |
| 139.06 | 138.73 | | MP MARKER | R | | 139 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 139.08 | 138.75 | | | | | | | | | 1 | 1 | | | | | | 5A | 24A | 6A | 12 | 36 | 2 | 03 | | R1 | | 50 | M | | | | |
| 139.10 | 138.77 | | | | | | | | | 1 | 1 | | | | | | 4A | 24A | 6A | 12 | 36 | 2 | 03 | | R1 | | 50 | M | | | | |
| 139.12 | 138.79 | | | | | | | | | 1 | 1 | | | | | | 10A | 24A | 6A | 12 | 36 | 2 | 03 | | R1 | | 50 | M | | | | |
| 139.18 | 138.85 | | | | | | | | | 1 | 1 | | | | | | 8A | 24A | 6A | 12 | 36 | 2 | 03 | | R1 | | 50 | M | | | | |
| 139.31 | 138.98 | | | | | | | | | 1 | 1 | | | | | | 6A | 24A | 6A | 12 | 36 | 2 | 03 | | R1 | | 50 | M | | | | |
| 139.35 | 139.02 | | | | | | | | | 1 | 1 | | | | | | 9A | 24A | 6A | 12 | 36 | 2 | 03 | | R1 | | 50 | M | | | | |
| 139.38 | 139.05 | | | | | | | | | 1 | 1 | | | | | | 6A | 24A | 6A | 12 | 36 | 2 | 03 | | R1 | | 50 | M | | | | |
| 139.40 | 139.07 | | | | | | | | | 1 | 1 | | | | | | 9A | 24A | 6A | 12 | 36 | 2 | 03 | | R1 | | 50 | M | | | | |
| 139.42 | 139.09 | | | | | | | | | 1 | 1 | | | | | | 11A | 24A | 6A | 12 | 36 | 2 | 03 | | R1 | | 50 | M | | | | |
| 139.44 | 139.11 | | | | | | | | | 1 | 1 | | | | | | 12A | 24A | 6A | 12 | 36 | 2 | 03 | | R1 | | 50 | M | | | | |
| 139.46 | 139.13 | | | | | | | | | 1 | 1 | | | | | | 14A | 24A | 6A | 12 | 36 | 2 | 03 | | R1 | | 50 | M | | | | |
| 139.49 | 139.16 | | | | | | | | | 1 | 1 | | | | | | 5A | 24A | 6A | 12 | 36 | 2 | 03 | | R1 | | 50 | M | | | | |
| 139.55 | 139.22 | | | | | | | | | 1 | 1 | | | | | | 7A | 24A | 6A | 12 | 36 | 2 | 03 | | R1 | | 50 | M | | | | |
| 139.58 | 139.25 | | | | | | | | | 1 | 1 | | | | | | 9A | 24A | 6A | 12 | 36 | 2 | 03 | | R1 | | 50 | M | | | | |
| 139.59 | 139.26 | | | | | | | | | 1 | 1 | | | | | | 7A | 24A | 6A | 12 | 36 | 2 | 03 | | R1 | | 50 | M | | | | |
| 139.61 | 139.28 | | | | | | | | | 1 | 1 | | | | | | 5A | 24A | 6A | 12 | 36 | 2 | 03 | | R1 | | 50 | M | | | | |
| 139.66 | 139.33 | | | | | | | | | 1 | 1 | | | | | | 2A | 24A | 4A | 12 | 36 | 2 | 03 | | R1 | | 50 | M | | | | |
| 140.02 | 139.69 | | INTRSECTN | L | | FS RD #45 | | | | FS | N | 1 | 1 | | | | 5A | 24A | 5A | 12 | 36 | 2 | 03 | | R1 | | 50 | M | | | | |
| 140.05 | 139.72 | | MP MARKER | R | | 140 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 140.30 | 139.97 | | CHG SU LN | R | | CLIMBING | | | 11P | | | 1 | 1 | | | | \$W | 45P | \$W | 11 | 56 | 2 | 03 | | R1 | | 50 | M | | | | |
| | | | BEG BRIDGE B | B | | CORTWRIGHT CREEK | | | | ST | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|--------|--------|--|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| | | | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 138.60 | 138.37 | | | .03 | 12 | | | | | | |
| 138.61 | 138.38 | | | | | .04 | 14 | | | | |

SR 012 MAINLINE

U.S. ROUTE - USSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | |
|-------------------------|--------|-----|------------|---|----|-------------------------|-----|-----|------------|---------|-----|-----|-----|-----|---------------------------|------|--------|-----|--------|--------|-----|----|----|-----|----|----|----|----|---|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | T | P | S | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T |
| 170.00 | 169.67 | | MP MARKER | R | | 170 | | | | 1 | 1 | | | | | | 2B | 24B | 2B | | | 24 | 2 | 03 | | R1 | | 55 | M | |
| 170.33 | 170.00 | | ENT/EXIT | R | | WILLOWS CAMPGROUND | | | | | N | | | | | | | | | | | | | | | | | | | |
| 170.72 | 170.39 | | INTRSECTN | L | | FS RD #2923 | | | | | N | | | | | | | | | | | | | | | | | | | |
| 171.00 | 170.67 | | MP MARKER | R | | 171 | | | | | | | | | | | | | | | | | | | | | | | | |
| 171.99 | 171.66 | | MP MARKER | R | | 172 | | | | | | | | | | | | | | | | | | | | | | | | |
| 172.52 | 172.19 | | | | | | | | | 1 | 1 | | | | | | 2B | 24B | 2B | | | 24 | 2 | 03 | | R1 | | 45 | M | |
| 172.64 | 172.31 | | MISC FEATR | R | | SGN ENT RIMROCK RETREAT | | | | | | | | | | | | | | | | | | | | | | | | |
| 172.67 | 172.34 | | | | | | | | | 1 | 1 | | | | | | 4B | 24B | 4B | | | 24 | 2 | 03 | | R1 | | 45 | M | |
| 172.99 | 172.66 | | MISC FEATR | L | | SGN ENT RIMROCK RETREAT | | | | | | | | | | | | | | | | | | | | | | | | |
| 173.01 | 172.68 | | | | | | | | | 1 | 1 | | | | | | 2B | 24B | 2B | | | 24 | 2 | 03 | | R1 | | 45 | M | |
| 173.04 | 172.71 | | MP MARKER | R | | 173 | | | | | | | | | | | | | | | | | | | | | | | | |
| 173.14 | 172.81 | | | | | | | | | 1 | 1 | | | | | | 2B | 24B | 2B | | | 24 | 2 | 03 | | R1 | | 60 | M | |
| 173.99 | 173.66 | | MP MARKER | R | | 174 | | | | | | | | | | | | | | | | | | | | | | | | |
| 174.95 | 174.62 | | BEG SU LN | R | | SLOW VEHICLE | | | 13B | 1 | 1 | | | | | | 2B | 24B | \$\$\$ | 13 | 37 | 2 | 03 | | R1 | | 60 | M | | |
| 174.99 | 174.66 | | MP MARKER | R | | 175 | | | | | | | | | | | | | | | | | | | | | | | | |
| 175.19 | 174.86 | | END SU LN | R | | SLOW VEHICLE | | | 13B | 1 | 1 | | | | | | 2B | 24B | 2B | \$\$\$ | 24 | 2 | 03 | | R1 | | 60 | M | | |
| 175.90 | 175.57 | | BEG SU LN | L | | SLOW VEHICLE | | | 13B | 1 | 1 | | | | | | \$\$\$ | 24B | 2B | 13 | 37 | 2 | 03 | | R1 | | 60 | M | | |
| 176.00 | 175.67 | | MP MARKER | R | | 176 | | | | | | | | | | | | | | | | | | | | | | | | |
| 176.10 | 175.77 | | END SU LN | L | | SLOW VEHICLE | | | 13B | 1 | 1 | | | | | | 2B | 24B | 2B | \$\$\$ | 24 | 2 | 03 | | R1 | | 60 | M | | |
| 176.36 | 176.03 | | | | | | | | | 1 | 1 | | | | | | 2A | 24A | 2A | | | 24 | 2 | 03 | | R1 | | 60 | M | |
| 176.38 | 176.05 | | | | | | | | | 1 | 1 | | | | | | 4A | 24A | 4A | | | 24 | 2 | 03 | | R1 | | 60 | M | |
| 176.62 | 176.29 | | BEG BRIDGE | B | | TIETON RIVER | | | | 1 | 1 | | | | | | \$\$W | 32P | \$\$W | | | 32 | 2 | 03 | | R1 | | 60 | M | |
| | | | | | | BRDG NUM 012/316 | | | | | | | | | | | | | | | | | | | | | | | | |
| 176.65 | 176.32 | | END BRIDGE | B | | TIETON RIVER | | | | 1 | 1 | | | | | | 4A | 24A | 4A | | | 24 | 2 | 03 | | R1 | | 60 | M | |
| 177.10 | 176.77 | | BEG BRIDGE | B | | TIETON RIVER | | | | 1 | 1 | | | | | | \$\$W | 32P | \$\$W | | | 32 | 2 | 03 | | R1 | | 60 | M | |
| | | | | | | BRDG NUM 012/317 | | | | | | | | | | | | | | | | | | | | | | | | |
| 177.15 | 176.82 | | END BRIDGE | B | | TIETON RIVER | | | | 1 | 1 | | | | | | 4A | 24A | 4A | | | 24 | 2 | 03 | | R1 | | 60 | M | |
| 177.21 | 176.88 | | BEG SU LN | R | | SLOW VEHICLE | | | 12A | 1 | 1 | | | | | | 4A | 24A | 4A | 12 | 36 | 2 | 03 | | R1 | | 60 | M | | |
| 177.36 | 177.02 | | EQUATION | | | 177.35 =177.36 | | | | 1 | 1 | | | | | | 4A | 24A | 4A | 12 | 36 | 2 | 03 | | R1 | | 60 | R | | |
| 177.42 | 177.08 | | CHG SU LN | R | | SLOW VEHICLE | | | 11B | 1 | 1 | | | | | | 4B | 24B | 4B | 11 | 35 | 2 | 03 | | R1 | | 60 | R | | |
| 177.43 | 177.09 | | ENT/EXIT | R | | WINDY POINT CAMPGROUND | | | | FS | N | 1 | 1 | | | | 4B | 22B | 3B | 11 | 33 | 2 | 03 | | R1 | | 60 | R | | |
| 177.50 | 177.16 | | END SU LN | R | | SLOW VEHICLE | | | 11B | 1 | 1 | | | | | | 4B | 22B | 3B | \$\$\$ | 22 | 2 | 03 | | R1 | | 60 | R | | |
| 177.63 | 177.29 | | | | | | | | | 1 | 1 | | | | | | 4B | 22B | 4B | | | 22 | 2 | 03 | | R1 | | 60 | R | |
| 177.90 | 177.56 | | | | | | | | | 1 | 1 | | | | | | 3B | 22B | 3B | | | 22 | 2 | 03 | | R1 | | 60 | R | |
| 178.00 | 177.66 | | MP MARKER | R | | 178 | | | | | | | | | | | | | | | | | | | | | | | | |
| 178.11 | 177.77 | | | | | | | | | 1 | 1 | | | | | | 4B | 22B | 4B | | | 22 | 2 | 03 | | R1 | | 60 | R | |
| 178.28 | 177.94 | | | | | | | | | 1 | 1 | | | | | | 3B | 22B | 3B | | | 22 | 2 | 03 | | R1 | | 60 | R | |
| 178.54 | 178.20 | | | | | | | | | 1 | 1 | | | | | | 4B | 22B | 4B | | | 22 | 2 | 03 | | R1 | | 60 | R | |
| 178.81 | 178.47 | | | | | | | | | 1 | 1 | | | | | | 2B | 22B | 2B | | | 22 | 2 | 03 | | R1 | | 60 | R | |
| 178.86 | 178.52 | | INTRSECTN | L | | BEAR CANYON RD | | | | CO | N | | | | | | | | | | | | | | | | | | | |
| 179.00 | 178.66 | | MP MARKER | R | | 179 | | | | | | | | | | | | | | | | | | | | | | | | |
| 179.07 | 178.73 | | | | | | | | | 1 | 1 | | | | | | 4B | 22B | 4B | | | 22 | 2 | 03 | | R1 | | 60 | R | |
| 179.38 | 179.04 | | | | | | | | | 1 | 1 | | | | | | 4B | 22B | 2B | | | 22 | 2 | 03 | | R1 | | 60 | R | |

SR 012 MAINLINE

U.S. ROUTE - USSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | |
|-------------------------|---|--------|------------|---|----|-------------------|-----|-----|--------------|---------|-----|-----|-----|-----|---------------------------|------|-------|-----|-------|--------|-----|---|----|-----|----|---|----|---|---|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T |
| 179.44 | | 179.10 | | | | | | | | 1 | 1 | | | | | | 4B | 22B | 2B | | 22 | 2 | 03 | | R1 | | 60 | R | | |
| 179.60 | | 179.26 | | | | | | | | 1 | 1 | | | | | | 2B | 22B | 2B | | 22 | 2 | 03 | | R1 | | 60 | R | | |
| 179.71 | | 179.37 | | | | | | | | 1 | 1 | | | | | | 4B | 22B | 4B | | 22 | 2 | 03 | | R1 | | 60 | R | | |
| 179.99 | | 179.65 | MP MARKER | R | | 180 | | | | | | | | | | | | | | | | | | | | | | | | |
| 180.03 | | 179.69 | | | | | | | | 1 | 1 | | | | | | 2B | 22B | 2B | | 22 | 2 | 03 | | R1 | | 60 | R | | |
| 180.28 | | 179.94 | | | | | | | | 1 | 1 | | | | | | 4B | 22B | 4B | | 22 | 2 | 03 | | R1 | | 60 | R | | |
| 180.56 | | 180.22 | BEG SU LN | R | | SLOW VEHICLE | | | | 11B | | | | | | | 2B | 22B | 2B | 11 | 33 | 2 | 03 | | R1 | | 60 | R | | |
| 180.58 | | 180.24 | BEG SU LN | L | | SLOW VEHICLE | | | | 11B | | | | | | | 2B | 22B | 2B | 22 | 44 | 2 | 03 | | R1 | | 60 | R | | |
| 180.71 | | 180.37 | END SU LN | R | | SLOW VEHICLE | | | | 11B | | | | | | | 2B | 22B | 2B | 11 | 33 | 2 | 03 | | R1 | | 60 | R | | |
| 180.81 | | 180.47 | END SU LN | L | | SLOW VEHICLE | | | | 11B | | | | | | | 2B | 22B | 2B | \$\$\$ | 22 | 2 | 03 | | R1 | | 60 | R | | |
| 180.94 | | 180.60 | | | | | | | | 1 | 1 | | | | | | 4B | 22B | 4B | | 22 | 2 | 03 | | R1 | | 60 | R | | |
| 180.99 | | 180.65 | MP MARKER | R | | 181 | | | | | | | | | | | | | | | | | | | | | | | | |
| 182.00 | | 181.66 | MP MARKER | R | | 182 | | | | | | | | | | | | | | | | | | | | | | | | |
| 182.15 | | 181.81 | | | | | | | | 1 | 1 | | | | | | 2B | 22B | 2B | | 22 | 2 | 03 | | R1 | | 60 | R | | |
| 182.30 | | 181.96 | | | | | | | | 1 | 1 | | | | | | 4B | 22B | 4B | | 22 | 2 | 03 | | R1 | | 60 | R | | |
| 182.61 | | 182.27 | | | | | | | | 1 | 1 | | | | | | 2B | 22B | 2B | | 22 | 2 | 03 | | R1 | | 60 | R | | |
| 182.69 | | 182.35 | | | | | | | | 1 | 1 | | | | | | 3B | 22B | 3B | | 22 | 2 | 03 | | R1 | | 60 | R | | |
| 182.96 | | 182.62 | | | | | | | | 1 | 1 | | | | | | 2B | 22B | 2B | | 22 | 2 | 03 | | R1 | | 60 | R | | |
| 183.00 | | 182.66 | MP MARKER | R | | 183 | | | | | | | | | | | | | | | | | | | | | | | | |
| 183.15 | | 182.81 | BEG BRIDGE | B | | OAK CREEK | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 012/319C | | | | ST | | | | | | | | | | | | | | | | | | | | |
| 183.16 | | 182.82 | END BRIDGE | B | | OAK CREEK | | | | | | | | | | | | | | | | | | | | | | | | |
| 183.18 | | 182.84 | INTRSECTN | L | | OAK CREEK RD | | | | CO | N | | | | | | | | | | | | | | | | | | | |
| 183.29 | | 182.95 | | | | | | | | 1 | 1 | | | | | | 4B | 22B | 4B | | 22 | 2 | 03 | | R1 | | 60 | R | | |
| 183.43 | | 183.09 | MISC FEATR | B | | DRAINAGE OXING | | | | | | | | | | | | | | | | | | | | | | | | |
| 183.45 | | 183.11 | INTRSECTN | L | | BETHEL RIDGE RD | | | | CO | N | | | | | | | | | | | | | | | | | | | |
| 183.70 | | 183.36 | | | | | | | | 1 | 1 | | | | | | 2B | 22B | 2B | | 22 | 2 | 03 | | R1 | | 60 | R | | |
| 184.00 | | 183.66 | MP MARKER | R | | 184 | | | | | | | | | | | | | | | | | | | | | | | | |
| 184.25 | | 183.91 | | | | | | | | 1 | 1 | | | | | | 4B | 22B | 4B | | 22 | 2 | 03 | | R1 | | 60 | R | | |
| 184.94 | | 184.60 | MP MARKER | R | | 185 | | | | | | | | | | | | | | | | | | | | | | | | |
| 184.95 | | 184.61 | | | | | | | | 1 | 1 | | | | | | 2B | 22B | 2B | | 22 | 2 | 03 | | R1 | | 60 | R | | |
| 185.05 | | 184.71 | | | | | | | | 1 | 1 | | | | | | 8B | 24B | 8B | | 24 | 2 | 03 | | R1 | | 60 | R | | |
| 185.25 | | 184.91 | TRAF RCDR | B | | S818 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| 185.28 | | 184.94 | BEG BRIDGE | B | | NACHES RIVER | | | | ST | | 1 | 1 | | | | \$\$W | 40P | \$\$W | | 40 | 2 | 03 | | R1 | | 60 | R | | |
| | | | | | | BRDG NUM 012/320 | | | | | | | | | | | | | | | | | | | | | | | | |
| 185.34 | | 185.00 | END BRIDGE | B | | NACHES RIVER | | | | 1 | 1 | | | | | | 8B | 24B | 8B | | 24 | 2 | 03 | | R1 | | 60 | R | | |
| 185.44 | | 185.10 | WYE CONN | R | | SR 12 | | | | ST | Y | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|--------|---|--------|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B | ARM | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 185.44 | | 185.10 | | | | .04 | 12 | | | | |

SR 012 MAINLINE

U.S. ROUTE - USSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | |
|-------------------------|--------|-----|-------------------|---|----|-----------------|-----|-----|------------|---------|-----|-----|-----|-----|---------------------------|------|------|-----|-------|--------|-----|----|----|-----|------|----|----|----|---|---|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | |
| 185.45 | 185.11 | | WYE CONN | L | | SR 410 | ST | Y | 1 | 1 | | | | | | | 8B | 24B | 8B | | | 24 | 2 | 03 | | R1 | | 60 | R | | |
| 185.46 | 185.12 | | INTRSECTN | L | | SR 410 | ST | RF | Y | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | OLD NACHES HWY | CO | RF | Y | | | | | | | | | | | | | | | | | | | | | | |
| 185.48 | 185.14 | | WYE CONN | R | | SR 12 | ST | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 185.49B | 185.15 | | BEG EQ | | | BEGIN BACK | | | | | | | | | | | | | | | | | | | | | | | | | |
| 185.49 | 185.20 | | EQUATION | | | 185.54B=185.49 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 185.62 | 185.33 | | TRAF RCDR | B | | S818 3 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 185.65 | 185.36 | | | | | | | | | 1 | 1 | | | | | | 2B | 24B | 3B | | | 24 | 2 | 03 | | R1 | | 60 | R | | |
| 185.82 | 185.53 | | BEG BRIDGE | B | | WAPATOX CANAL | ST | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BRDG NUM 012/321C | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 185.83 | 185.54 | | END BRIDGE | B | | WAPATOX CANAL | | | | | | | | | | | | | | | | | | | | | | | | | |
| 186.00 | 185.71 | | MP MARKER | R | | 186 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 187.00 | 186.71 | | MP MARKER | R | | 187 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 188.00 | 187.71 | | MP MARKER | R | | 188 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 188.65 | 188.36 | | INTRSECTN | L | | W NACHES RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | |
| 188.99 | 188.70 | | UXING | B | | MILL PIPE TRUSS | ST | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BRDG NUM 012/322 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 189.00 | 188.71 | | MP MARKER | R | | 189 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 189.24 | 188.95 | | | | | | | | | 1 | 1 | | | | | | 2B | 24B | 3B | | | 24 | 2 | 03 | | U1 | | 60 | R | | |
| 189.36 | 189.07 | | | | | | | | | 1 | 1 | | | | | | 2B | 24B | 3B | | | 24 | 2 | 03 | | U1 | | 35 | R | | |
| 189.38 | 189.09 | | | | | | | | | 1 | 1 | | | | | | 4A | 24A | 4A | | | 24 | 2 | 03 | | U1 | | 35 | R | | |
| 189.42 | 189.13 | | MISC FEATR | R | | SGN ENT NACHES | | | | | | | | | | | | | | | | | | | | | | | | | |
| 189.46 | 189.17 | | BEG SU LN | C | | TWO WAY TURN | 13A | | | 1 | 1 | | | | | | 4A | 24A | 4A | 13 | | 37 | 2 | 03 | | U1 | | 35 | R | | |
| 189.59 | 189.30 | | ENTER CITY | | | NACHES | | | | 1 | 1 | | | | | | 4A | 24A | 4A | 13 | | 37 | 2 | 03 | 0835 | U1 | | 35 | R | B | |
| 189.80 | 189.51 | | END SU LN | C | | TWO WAY TURN | 13A | | | 1 | 1 | | | | | | 8A | 24A | 8A | \$\$\$ | | 24 | 2 | 03 | 0835 | U1 | | 35 | R | B | |
| 189.87 | 189.58 | | INTRSECTN | L | | NACHES AVE | CT | | SG | Y | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | S NACHES RD | CT | | SG | Y | | | | | | | | | | | | | | | | | | | | | |
| 189.95 | 189.66 | | BEG SU LN | C | | TWO WAY TURN | 13A | | | 1 | 1 | | | | | | 8A | 24A | 8A | 13 | | 37 | 2 | 03 | 0835 | U1 | | 35 | R | B | |
| 190.00 | 189.71 | | MP MARKER | R | | 190 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 190.14 | 189.85 | | INTRSECTN | L | | SHAFFER AVE | CT | | | Y | | | | | | | | | | | | | | | | | | | | | |
| 190.19 | 189.90 | | END SU LN | C | | TWO WAY TURN | 13A | | | 1 | 1 | | | | | | 8A | 24A | 8A | \$\$\$ | | 24 | 2 | 03 | 0835 | U1 | | 35 | R | B | |
| 190.42 | 190.13 | | MISC FEATR | L | | SGN ENT NACHES | | | | 1 | 1 | | | | | | 8A | 24A | 4A | | | 24 | 2 | 03 | 0835 | U1 | | 35 | R | P | |
| 190.45 | 190.16 | | INTRSECTN | L | | KEL-LOWRY RD | CT | | | Y | | | | | | | | | | | | | | | | | | | | | |
| 190.46 | 190.17 | | | | | | | | | 1 | 1 | | | | | | 8A | 24A | 4A | | | 24 | 2 | 03 | 0835 | U1 | | 60 | L | P | |

INTERSECTION DETAIL

| | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|--------|--------|----------------------|--------|-------|-------|------------------------------|--------|--------|---------|
| | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT-- |
| SRMP | B ARM | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 185.46 | 185.12 | | | .04 | 12 | | | | |
| 185.48 | 185.14 | | | | | | | .11 | 12 |
| 189.87 | 189.58 | .04 | 13 | | .04 | 13 | | | |
| 190.45 | 190.16 | .04 | 12 | | | | | | |

SR 012 MAINLINE

U.S. ROUTE - USSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | |
|-------------------------|---|--------|------------|---|----|------------------------|-----|-----|--------------|---------|-----|-------|-----|-------|------|------|---------------------------|-----|-------|-----|-----|---|----|----------|----|----|----|----|---|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T |
| 190.60 | | 190.31 | | | | | | | | 1 | 1 | | | | | | 8A | 24A | 4A | | 24 | 2 | 03 | 0835 | U1 | 60 | L | P | | |
| 190.65 | | 190.36 | | | | | | | | 1 | 1 | 4A | 14A | 4A | 82S | DE | 4A | 14A | 10A | | 28 | 2 | 03 | 0835 | U1 | 60 | L | P | | |
| 190.77 | | 190.48 | | | | | | | | 2 | 2 | 4A | 24A | 3A | 82S | DE | 4A | 24A | 10A | | 48 | 2 | 03 | 0835 | U1 | 60 | L | P | | |
| 190.99 | | 190.70 | MP MARKER | B | | 191 | | | | | | | | | | | | | | | | | | | | | | | | |
| 191.10 | | 190.81 | WYE CONN | L | | ALLAN RD | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 191.11 | | 190.82 | INTRSECTN | B | | ALLAN RD | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | | Y | | | | | | | | | | | | | | | | | | | | | |
| 191.24 | | 190.95 | OFF RAMP | R | | WEIGH STATION | ST | | Y | | | | | | | | | | | | | | | | | | | | | |
| 191.34 | | 191.05 | MISC FEATR | R | | GORE (U119124) | | | | | | | | | | | | | | | | | | | | | | | | |
| 191.39 | | 191.10 | LEAVE CITY | | | NACHES | | | | 2 | 2 | 4A | 24A | 3A | 82S | DE | 4A | 24A | 10A | | 48 | 2 | 03 | \$\$\$\$ | U1 | 60 | L | \$ | | |
| | | | WEIGH STA | R | | NUMBER 47 | | | | | | | | | | | | | | | | | | | | | | | | |
| 191.43 | | 191.14 | MISC FEATR | R | | GORE (U119124) | | | | | | | | | | | | | | | | | | | | | | | | |
| 191.61 | | 191.32 | ON RAMP | R | | WEIGH STATION | ST | | Y | | | | | | | | | | | | | | | | | | | | | |
| 191.99 | | 191.70 | MP MARKER | B | | 192 | | | | | | | | | | | | | | | | | | | | | | | | |
| 192.01 | | 191.72 | INTRSECTN | L | | LOCUST LN | CO | | N | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | | N | | | | | | | | | | | | | | | | | | | | | |
| 192.49 | | 192.20 | ENT/EXIT | R | | PUBLIC FISHING | ST | | N | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | | N | | | | | | | | | | | | | | | | | | | | | |
| 192.80 | | 192.50 | EQUATION | | | 192.79 =192.80 | | | | | | | | | | | | | | | | | | | | | | | | |
| 192.97 | | 192.67 | | | | | | | | 2 | 2 | 4A | 24A | 3A | 84S | DE | 4A | 24A | 10A | | 48 | 2 | 03 | | U1 | 60 | L | | | |
| 192.99 | | 192.69 | MP MARKER | B | | 193 | | | | | | | | | | | | | | | | | | | | | | | | |
| 193.01 | | 192.71 | | | | | | | | 2 | 2 | 4A | 24A | 3A | 84S | GR | 4A | 24A | 10A | | 48 | 2 | 03 | | U1 | 60 | L | | | |
| 193.02 | | 192.72 | | | | | | | | 2 | 2 | 4A | 25A | 3A | 84S | GR | 4A | 24A | 10A | | 49 | 2 | 03 | | U1 | 60 | L | | | |
| 193.04 | | 192.74 | BEG BRIDGE | I | | PACIFIC POWER SPILLWAY | ST | | | 2 | 2 | \$\$C | 30A | \$\$C | 84O | \$\$ | \$\$C | 38A | \$\$C | | 68 | 2 | 03 | | U1 | 60 | L | | | |
| | | | BEG BRIDGE | D | | BRDG NUM 012/323S | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE | D | | PACIFIC POWER SPILLWAY | ST | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE | D | | BRDG NUM 012/323N | | | | | | | | | | | | | | | | | | | | | | | | |
| 193.06 | | 192.76 | END BRIDGE | I | | PACIFIC POWER SPILLWAY | | | | 2 | 2 | 10A | 25A | 4A | 84S | GR | 4A | 25A | 10A | | 50 | 2 | 03 | | U1 | 60 | L | | | |
| | | | END BRIDGE | D | | PACIFIC POWER SPILLWAY | | | | | | | | | | | | | | | | | | | | | | | | |
| 193.09 | | 192.79 | | | | | | | | 2 | 2 | 10A | 25A | 4A | 84S | DE | 4A | 25A | 10A | | 50 | 2 | 03 | | U1 | 60 | L | | | |
| 193.67 | | 193.37 | INTRSECTN | B | | LOW RD | CO | | N | 2 | 2 | 10A | 25A | 4A | 60S | CA | 4A | 25A | 10A | | 50 | 2 | 03 | | U1 | 60 | L | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | | N | | | | | | | | | | | | | | | | | | | | | |
| 194.00 | | 193.70 | MP MARKER | B | | 194 | | | | | | | | | | | | | | | | | | | | | | | | |
| 194.38 | | 194.08 | | | | | | | | 2 | 2 | 4A | 24A | 4A | 60S | CA | 4A | 25A | 10A | | 49 | 2 | 03 | | U1 | 60 | L | | | |
| 194.68 | | 194.38 | INTRSECTN | C | | MEDIAN XROAD | ST | | N | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | B | | KERSHAW DR | CO | | N | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|--------|---|--------|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B | ARM | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 191.11 | | 190.82 | | .04 | 12 | | | | | .20 | 12 |
| 193.67 | | 193.37 | | | | | | | | .23 | 12 |

SR 012 MAINLINE

U.S. ROUTE - USSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | |
|-------------------------|---|--------|------------|---|----|-------------------|-----|-----|-----|------------|-----|-------|-----|-------|------|---------------------------|-------|-----|-------|-----|-----|---|----|-----|----|---|----|---|---|---|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | | INCRS/UNDI | | | | SPC | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | |
| 194.85 | | 194.55 | | | | | | | | 2 | 2 | 4A | 24A | 4A | 60S | CA | 4A | 25A | 10A | | 49 | 2 | 03 | | U1 | | 60 | L | | | | |
| 195.00 | | 194.70 | MP MARKER | B | | 195 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 195.29 | | 194.99 | INTRSECTN | L | | ESCHBACH RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | | N | | | | | | | | | | | | | | | | | | | | | | | |
| 195.83 | | 195.53 | | | | | | | | 2 | 2 | 10A | 25A | 4A | 60S | CA | 4A | 25A | 10A | | 50 | 2 | 03 | | U1 | | 60 | L | | | | |
| 195.99 | | 195.69 | MP MARKER | B | | 196 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 196.14 | | 195.84 | INTRSECTN | C | | MEDIAN XROAD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | MAPLEWAY RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | MCLAUGHLIN RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 196.67 | | 196.37 | INTRSECTN | B | | MCCORMICK RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 197.00 | | 196.70 | MP MARKER | B | | 197 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 197.29 | | 196.99 | | | | | | | | 2 | 2 | 10A | 25A | 4A | 110S | CA | 4A | 25A | 10A | | 50 | 2 | 03 | | U1 | | 60 | L | | | | |
| 197.52 | | 197.22 | INTRSECTN | B | | MITCHELL RD | CO | | N | 2 | 2 | 10A | 25A | 4A | 50S | CA | 4A | 25A | 10A | | 50 | 2 | 03 | | U1 | | 60 | L | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | | N | | | | | | | | | | | | | | | | | | | | | | | |
| 197.69 | | 197.39 | | | | | | | | 2 | 2 | 10A | 25A | 4A | 38S | CA | 4A | 25A | 10A | | 50 | 2 | 03 | | U1 | | 60 | L | | | | |
| 197.75 | | 197.45 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 38S | CA | 4A | 24A | 10A | | 48 | 2 | 03 | | U1 | | 60 | L | | | | |
| 197.95B | | 197.65 | BEG EQ | | | BEGIN BACK | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 197.95 | | 197.68 | EQUATION | | | 197.98B=197.95 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 197.99 | | 197.72 | MP MARKER | B | | 198 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 198.08 | | 197.81 | INTRSECTN | L | | OLD NACHES HWY | CO | | SG | Y | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | W POWERHOUSE RD | CO | | SG | Y | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | | SG | Y | | | | | | | | | | | | | | | | | | | | | | |
| 198.09 | | 197.82 | WYE CONN | L | | OLD NACHES HWY | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 198.62 | | 198.35 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 38S | GR | 4A | 24A | 10A | | 48 | 2 | 03 | | U1 | | 60 | L | | | | |
| 198.65 | | 198.38 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 38S | DE | 4A | 24A | 10A | | 48 | 2 | 03 | | U1 | | 60 | L | | | | |
| 198.66 | | 198.39 | BEG BRIDGE | I | | NACHES RIVER | ST | | | 2 | 2 | \$\$C | 28A | \$\$C | 380 | \$\$ | \$\$C | 30A | \$\$C | | 58 | 2 | 03 | | U1 | | 60 | L | | | | |
| | | | BEG BRIDGE | D | | NACHES RIVER | ST | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 012/328S | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 012/328N | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 198.71 | | 198.44 | END BRIDGE | I | | NACHES RIVER | | | | 2 | 2 | 10A | 24A | 2A | 10S | GR | 2A | 24A | 10A | | 48 | 2 | 03 | | U1 | | 60 | L | | | | |
| | | | END BRIDGE | D | | NACHES RIVER | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|--------|---|--------|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B | ARM | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 195.29 | | 194.99 | | .03 | 13 | | | | | | |
| 196.14 | | 195.84 | | .04 | 13 | | | | | .25 | 12 |
| 196.67 | | 196.37 | | .03 | 13 | | | | | .20 | 13 |
| 197.52 | | 197.22 | | | | | | | | .04 | 13 |
| 198.08 | | 197.81 | | .06 | 12 | | | | | .06 | 12 |
| 198.09 | | 197.82 | | | | | | | | .10 | 12 |

SR 012 MAINLINE

U.S. ROUTE - USSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | |
|-------------------------|---|--------|------------|---|----|---------------------|-----|-----|--------------|---------|-----|-------|-----|--------|---------------------------|------|-------|-----|-------|-----|-----|---|----|------|----|----|----|---|---|---|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | |
| 198.75 | | 198.48 | | | | | | | | 2 | 2 | 10A | 24A | 2A | 10S | DE | 2A | 24A | 10A | | 48 | 2 | 01 | | U1 | 60 | L | | | | |
| 198.84 | | 198.57 | | | | | | | | 2 | 2 | 10A | 24A | 2A | 16A | UP | 2A | 24A | 10A | | 48 | 2 | 01 | | U1 | 60 | L | | | | |
| 198.97 | | 198.70 | INTRSECTN | R | | ACKLEY RD | CO | Y | | 2 | 2 | 10A | 24A | 4A | 16A | UP | 4A | 24A | 10A | | 48 | 2 | 01 | | U1 | 60 | L | | | | |
| | | | INTRSECTN | L | | CLOVER LN | CO | Y | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 198.98 | | 198.71 | WYE CONN | R | | ACKLEY RD | CO | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 199.12 | | 198.85 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 16A | GR | 4A | 24A | 10A | | 48 | 2 | 01 | | U1 | 60 | L | | | | |
| 199.21 | | 198.94 | BEG BRIDGE | B | | COWICHE CREEK | ST | | | 2 | 2 | \$\$C | 34P | \$\$\$ | 17P | GR | \$\$C | 34A | \$\$C | | 68 | 2 | 01 | | U1 | 60 | L | | | | |
| | | | | | | BRDG NUM 012/329 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 199.22 | | 198.95 | END BRIDGE | B | | COWICHE CREEK | | | | 2 | 2 | 8A | 24A | 4A | 16A | GR | 4A | 24A | 10A | | 48 | 2 | 01 | | U1 | 60 | L | | | | |
| 199.35 | | 199.08 | | | | | | | | 2 | 2 | 8A | 24A | 4A | 16A | UP | 4A | 24A | 10A | | 48 | 2 | 01 | | U1 | 60 | L | | | | |
| 199.37 | | 199.10 | ON RAMP | L | | FRUITVALE BLVD | ST | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 199.48 | | 199.21 | ENTER CITY | | | YAKIMA | | | | 2 | 2 | 8A | 24A | 4A | 16A | UP | 4A | 24A | 10A | | 48 | 2 | 01 | 1485 | U1 | 60 | L | P | | | |
| 199.50 | | 199.23 | OFF RAMP | R | | FRUITVALE BLVD | ST | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 199.54 | | 199.27 | | | | | | | | 2 | 2 | 8A | 24A | 4A | 54S | DE | 4A | 24A | 10A | | 48 | 2 | 01 | 1485 | U1 | 60 | L | P | | | |
| 199.64 | | 199.37 | MISC FEATR | R | | GORE (P119950) | | | | | | | | | | | | | | | | | | | | | | | | | |
| 199.65 | | 199.38 | MISC FEATR | L | | GORE (S119937) | | | | 2 | 2 | 10A | 24A | 4A | 54S | DE | 4A | 24A | 10A | | 48 | 2 | 01 | 1485 | U1 | 60 | L | P | | | |
| 199.89 | | 199.62 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 54S | GR | 4A | 24A | 10A | | 48 | 2 | 01 | 1485 | U1 | 60 | L | P | | | |
| 199.92 | | 199.65 | BEG BRIDGE | D | | W-W RAMP/BN RR | ST | | | 2 | 2 | \$\$C | 38A | \$\$C | 54S | GR | 4A | 24A | 10A | | 62 | 2 | 01 | 1485 | U1 | 60 | L | P | | | |
| | | | | | | BRDG NUM 012/331N | | | | | | | | | | | | | | | | | | | | | | | | | |
| 199.93 | | 199.66 | BEG BRIDGE | I | | PP&L CANAL | ST | | | 2 | 2 | C | 38A | C | 54S | DE | 4A | 24A | 10A | | 62 | 2 | 01 | 1485 | U1 | 60 | L | P | | | |
| | | | | | | BRDG NUM 012/330.25 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 199.94 | | 199.67 | END BRIDGE | I | | PP&L CANAL | | | | | | | | | | | | | | | | | | | | | | | | | |
| 199.95 | | 199.68 | BEG BRIDGE | I | | W-W RAMP/BN RR | ST | | | 2 | 2 | C | 38A | C | 54O | \$\$ | \$\$C | 38A | \$\$C | | 76 | 2 | 01 | 1485 | U1 | 60 | L | P | | | |
| | | | | | | BRDG NUM 012/331S | | | | | | | | | | | | | | | | | | | | | | | | | |
| 200.01 | | 199.74 | END BRIDGE | D | | W-W RAMP/BN RR | | | | 2 | 2 | 10A | 24A | 4A | 60S | GR | C | 38A | C | | 62 | 2 | 01 | 1485 | U1 | 60 | L | P | | | |
| 200.03 | | 199.76 | END BRIDGE | I | | W-W RAMP/BN RR | | | | 2 | 2 | 10A | 24A | 4A | 60S | GR | 4A | 24A | 10A | | 48 | 2 | 01 | 1485 | U1 | 60 | L | P | | | |
| 200.04 | | 199.77 | MP MARKER | B | | 200 | | | | 2 | 2 | 10A | 24A | 4A | 60S | DE | 4A | 24A | 10A | | 48 | 2 | 01 | 1485 | U1 | 60 | L | P | | | |
| 200.10 | | 199.83 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 60S | GR | 4A | 24A | 10A | | 48 | 2 | 01 | 1485 | U1 | 60 | L | P | | | |
| 200.13 | | 199.86 | BEG BRIDGE | I | | W-E RAMP | ST | | | 2 | 2 | \$\$C | 38P | \$\$C | 60O | \$\$ | \$\$C | 38P | \$\$C | | 76 | 2 | 01 | 1485 | U1 | 60 | L | P | | | |
| | | | | | | BRDG NUM 012/342S | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE | D | | W-E RAMP | ST | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 012/342N | | | | | | | | | | | | | | | | | | | | | | | | | |
| 200.16 | | 199.89 | END BRIDGE | I | | W-E RAMP | | | | 2 | 2 | 10A | 24A | 4A | 60S | GR | 4A | 24A | 10A | | 48 | 2 | 01 | 1485 | U1 | 60 | L | P | | | |
| | | | END BRIDGE | D | | W-E RAMP | | | | | | | | | | | | | | | | | | | | | | | | | |
| 200.20 | | 199.93 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 60S | DE | 4A | 24A | 10A | | 48 | 2 | 01 | 1485 | U1 | 60 | L | P | | | |
| 200.27 | | 200.00 | MISC FEATR | R | | GORE (Q120096) | | | | | | | | | | | | | | | | | | | | | | | | | |

| INTERSECTION DETAIL | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|---------------------|--|--------|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| | | | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 198.97 | | 198.70 | | .05 | 16 | | | .06 | 16 | | |

SR 012 MAINLINE

U.S. ROUTE - USSH

COUNTY FRANKLIN

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | |
|-------------------------|---|--------|------------|---|----|----------------------|-----|-----|------------|---------|-----|-------|-----|-------|------|---------------------------|-------|-----|-------|-----|-----|----|----|-----|----------|----|----|----|---|----|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | |
| 279.97 | | 279.70 | ENTER CO | | | FRANKLIN | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 291.67 | | 288.85 | ENTER CITY | | | PASCO | | | | 2 | 2 | 10A | 24A | 8A | 40S | DE | 4A | 24A | 10A | | | 48 | 3 | 01 | 0960 | U1 | | 60 | L | P | | |
| | | | EQUATION | | | 289.12 =291.67 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG CTLSEC | | | CONTROL SECTION 1102 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | END COINCI | | | SR 182 MP015.19 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 291.71 | | 288.89 | ON RAMP | L | | PASCO KAHLOTUS RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 291.80 | | 288.98 | OFF RAMP | R | | E LEWIS ST | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 291.95 | | 289.13 | MISC FEATR | R | | GORE (P129180) | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 292.00 | | 289.18 | MISC FEATR | L | | GORE (S129171) | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 292.02 | | 289.20 | MP MARKER | B | | 292 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 292.27 | | 289.45 | OFF RAMP | R | | PASCO KAHLOTUS RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 292.30 | | 289.48 | | | | | | | | 2 | 2 | 10A | 24A | 8A | 40S | CA | 4A | 24A | 10A | | | 48 | 3 | 01 | 0960 | U1 | | 60 | L | P | | |
| 292.33 | | 289.51 | MISC FEATR | L | | GORE (R529248) | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 292.39 | | 289.57 | UXING | B | | E LEWIS ST | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 012/502 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 292.42 | | 289.60 | MISC FEATR | R | | GORE (P529227) | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 292.48 | | 289.66 | OFF RAMP | L | | E LEWIS ST | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 292.64 | | 289.82 | MISC FEATR | L | | GORE (R129279) | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 292.75 | | 289.93 | | | | | | | | 2 | 2 | 10A | 24A | 10A | 40S | DE | 4A | 24A | 10A | | | 48 | 3 | 01 | 0960 | U1 | | 60 | R | P | | |
| 292.79 | | 289.97 | OFF RAMP | L | | PASCO KAHLOTUS RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | MISC FEATR | R | | GORE (Q129310) | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 293.03 | | 290.21 | MP MARKER | B | | 293 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 293.10 | | 290.28 | ON RAMP | R | | E LEWIS ST | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 293.21 | | 290.39 | LEAVE CITY | | | PASCO | | | | 2 | 2 | 10A | 24A | 8A | 40S | DE | 4A | 24A | 10A | | | 48 | 3 | 01 | \$\$\$\$ | U1 | | 60 | L | \$ | | |
| 293.43 | | 290.61 | | | | | | | | 2 | 2 | 10A | 24A | 10A | 40S | DE | 4A | 24A | 10A | | | 48 | 3 | 01 | | U1 | | 60 | L | | | |
| 293.62 | | 290.80 | INTRSECTN | R | | A ST | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 293.71 | | 290.89 | WYE CONN | R | | A ST | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 294.04 | | 291.22 | MP MARKER | B | | 294 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 294.16B | | 291.34 | BEG EQ | | | BEGIN BACK | | | | 2 | 2 | 10A | 24A | 8A | 40S | DE | 4A | 24A | 10A | | | 48 | 3 | 01 | | U1 | | 60 | L | | | |
| 294.16 | | 291.38 | EQUATION | | | 294.20B=294.16 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 294.38 | | 291.60 | INTRSECTN | L | | TANK FARM RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | ENT/EXIT | R | | STATE PARK | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 294.47 | | 291.69 | | | | | | | | 2 | 2 | 10A | 24A | 8A | 40S | JE | 4A | 24A | 10A | | | 48 | 3 | 01 | | U1 | | 60 | L | | | |
| 294.51 | | 291.73 | BEG BRIDGE | I | | SNAKE RIVER | | | | 2 | 2 | \$\$W | 28P | \$\$W | 400 | \$\$ | \$\$W | 38P | \$\$W | | | 66 | 3 | 01 | | U1 | | 60 | L | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | | | | | | | | | | | |
|--------|---|--------|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|----|-----|----|-----|----|--|--|--|--|--|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- | | | | | | | | | | |
| SRMP | B | ARM | | LGT | WD | LGT | WD | LGT | WD | LGT | WD | | | | | | | | | | |
| 293.62 | | 290.80 | | .03 | 13 | | | .05 | 13 | | | | | | | | | | | | |
| 294.38 | | 291.60 | | .03 | 12 | | .04 | 12 | .04 | 18 | .12 | 12 | .05 | 17 | .03 | 12 | | | | | |

SR 012 MAINLINE

U.S. ROUTE - USSH

COUNTY WALLA WALLA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|--------|-----|------------------------------|---|----|-------------------------------------|-----|-----|------------|----------|--------|-----|-----|--------|---------------------------|------|--------|-----|-------|-----|-----|----|----|-----|----|----|----|----|---|----|---|--|--|--|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE- | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | | | | |
| 294.70 | 291.92 | | ENTER CO BEG CTLSEC | | | WALLA WALLA CONTROL SECTION 3601 | | | | 2 | 2 | W | 28P | W | 400 | | W | 38P | W | | | 66 | 3 | 01 | | U1 | | 60 | L | | | | | | | |
| 294.85 | 292.07 | | END BRIDGE I END BRIDGE D | | | SNAKE RIVER SNAKE RIVER | | | | 2 | 2 | 10A | 24A | 10A | 40S | GR | 4A | 24A | 10A | | | 48 | 3 | 01 | | U1 | | 60 | L | | | | | | | |
| 294.89 | 292.11 | | | | | | | | | 2 | 2 | 10A | 24A | 10A | 40S | DE | 4A | 24A | 10A | | | 48 | 3 | 01 | | U1 | | 60 | L | | | | | | | |
| 294.95 | 292.17 | | ON RAMP | L | | SR 124 | | | | ST | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 295.00 | 292.22 | | MP MARKER | B | | 295 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 295.22 | 292.44 | | MISC FEATR | L | | GORE (S129495) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 295.29 | 292.51 | | | | | | | | | 2 | 2 | 10A | 24A | 10A | 40S | GR | 4A | 24A | 10A | | | 48 | 3 | 01 | | U1 | | 60 | L | | | | | | | |
| 295.31 | 292.53 | | OFF RAMP | R | | FIFTH AVE | | | | ST | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 295.36 | 292.58 | | UXING | B | | SR 124 BRDG NUM 124/001 | | | | ST | | 2 | 2 | 10A | 24A | 10A | 60S | GR | 4A | 24A | 10A | | | 48 | 3 | 01 | | U1 | | 60 | L | | | | | |
| 295.40 | 292.62 | | | | | | | | | 2 | 2 | 10A | 24A | 10A | 60S | DE | 4A | 24A | 10A | | | 48 | 3 | 01 | | U1 | | 60 | L | | | | | | | |
| 295.48 | 292.70 | | MISC FEATR | R | | GORE (P529531) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 295.57 | 292.79 | | MISC FEATR | L | | GORE (R129571) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 295.65 | 292.87 | | MISC FEATR | R | | GORE (Q129587) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 295.71 | 292.93 | | OFF RAMP | L | | SR 124 | | | | ST | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 295.87 | 293.09 | | ON RAMP | R | | FIFTH AVE | | | | ST | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 296.00 | 293.22 | | MP MARKER | R | | 296 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 296.38 | 293.60 | | | | | | | | | 2 | 2 | 10A | 24A | 4A | 60S | GR | 4A | 24A | 4A | | | 48 | 3 | 01 | | U1 | | 60 | L | | | | | | | |
| 296.45 | 293.67 | | UXING | B | | HUMORIST RD BRDG NUM 012/602 | | | | ST | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 296.49 | 293.71 | | | | | | | | | 2 | 2 | 10A | 24A | 4A | 60S | GR | 4A | 24A | 10A | | | 48 | 3 | 01 | | U1 | | 60 | L | | | | | | | |
| 296.50 | 293.72 | | | | | | | | | 2 | 2 | 10A | 24A | 4A | 60S | DE | 4A | 24A | 10A | | | 48 | 3 | 01 | | U1 | | 60 | L | | | | | | | |
| 296.55 | 293.77 | | | | | | | | | 2 | 2 | 4A | 24A | 4A | 60S | DE | 4A | 24A | 10A | | | 48 | 3 | 01 | | U1 | | 60 | L | | | | | | | |
| 296.67 | 293.89 | | | | | | | | | 2 | 2 | 10A | 24A | 10A | 60S | DE | 4A | 24A | 10A | | | 48 | 3 | 01 | | U1 | | 60 | L | | | | | | | |
| 297.00 | 294.22 | | MP MARKER | R | | 297 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 297.47 | 294.69 | | | | | | | | | 2 | 2 | 10A | 24A | 10A | 60S | DE | 4A | 24A | 10A | | | 48 | 3 | 01 | | R1 | | 60 | L | | | | | | | |
| 298.00 | 295.22 | | MP MARKER | R | | 298 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 298.35 | 295.57 | | | | | | | | | 2 | 2 | 10A | 24A | 4A | 60S | DE | 4A | 24A | 10A | | | 48 | 3 | 01 | | R1 | | 60 | L | | | | | | | |
| 298.64 | 295.86 | | INTRSECTN INTRSECTN | B C | | HANSON LP RD MEDIAN XROAD | | | | CO ST | Y Y | 2 | 2 | 10A | 24A | 4A | 35S | DE | 4A | 24A | 10A | | | 48 | 3 | 01 | | R1 | | 60 | L | | | | | |
| 298.87 | 296.09 | | | | | | | | | 2 | 2 | 10A | 24A | 4A | 20S | JE | 4A | 24A | 10A | | | 48 | 3 | 01 | | R1 | | 60 | L | | | | | | | |
| 299.00 | 296.22 | | MP MARKER | R | | 299 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 299.33 | 296.55 | | | | | | | | | 2 | 2 | 10A | 24A | \$\$\$ | 14A | JE | \$\$\$ | 24A | 10A | | | 48 | 3 | 01 | | R1 | | 60 | L | | | | | | | |
| 299.71 | 296.93 | | BEG BRIDGE B | B | | MCNARY POOL BRDG NUM 012/603 | | | | ST | | 2 | 2 | \$\$W | 34P | 14P | JE | 34P | \$\$W | | | 68 | 3 | 01 | | R1 | | 60 | L | | | | | | | |

INTERSECTION DETAIL

| | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|--------|--------|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B ARM | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 298.64 | 295.86 | .11 | 13 | .11 | 12 | .12 | 13 | .12 | 12 |

SR 012 MAINLINE

U.S. ROUTE - USSH

COUNTY WALLA WALLA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|--------|------------|---|----|--------------------------|-----|-----|--------------|---------|-----|--------|--------|--------|--------|---------------------------|--------|-----|--------|-----|--------|----|----|-----|----|----|----|----|---|---|--|--|--|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | | | |
| 299.72 | | 296.94 | | | | | | | | 2 | 2 | W | 34P | | 14P | JE | | 34P | W | | 68 | 3 | 01 | | R1 | | 60 | L | | | | | | | |
| 299.73 | | 296.95 | END BRIDGE | B | | MCNARY POOL | | | | 2 | 2 | 10A | 24A | | 14A | JE | | 24A | 10A | | 48 | 3 | 01 | | R1 | | 60 | L | | | | | | | |
| 300.00 | | 297.22 | MP MARKER | R | | 300 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 300.91 | | 298.13 | | | | | | | | 2 | 2 | 10A | 24A | 10A | 42S | DE | | 4A | 24A | 10A | | 48 | 3 | 01 | | R1 | | 60 | L | | | | | | |
| 301.00 | | 298.22 | MP MARKER | R | | 301 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 301.11 | | 298.33 | INTRSECTN | L | | IVARSON RD | CO | | Y | 2 | 2 | 10A | 24A | 10A | 47S | DE | | 4A | 24A | 10A | | 48 | 3 | 01 | | R1 | | 60 | L | | | | | | |
| 301.18 | | 298.40 | BEG SU LN | RC | | WEAVING/SPEED CHANGE 13A | | | | 2 | 2 | 10A | 24A | 10A | 47S | DE | | 4A | 24A | 10A | 13 | 61 | 3 | 01 | | R1 | | 60 | L | | | | | | |
| 301.52 | | 298.74 | END SU LN | RC | | WEAVING/SPEED CHANGE 13A | | | | 2 | 2 | 10A | 24A | 10A | 47S | DE | | 4A | 24A | 10A | \$\$\$ | 48 | 3 | 01 | | R1 | | 60 | L | | | | | | |
| 301.60 | | 298.82 | WYE CONN | L | | DODD-IOWA BEEF RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 301.61 | | 298.83 | INTRSECTN | L | | DODD-IOWA BEEF RD | CO | | Y | 2 | 2 | 10A | 24A | 4A | 47S | DE | | 4A | 24A | 10A | | 48 | 3 | 01 | | R1 | | 60 | L | | | | | | |
| | | | INTRSECTN | R | | TWO RIVERS RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 301.62 | | 298.84 | WYE CONN | L | | DODD-IOWA BEEF RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 301.99 | | 299.21 | MP MARKER | R | | 302 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 302.23 | | 299.45 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 58S | DE | | 4A | 24A | 10A | | 48 | 3 | 01 | | R1 | | 60 | L | | | | | | |
| 302.99 | | 300.21 | MP MARKER | R | | 303 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 303.11 | | 300.33 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 58S | DE | | 4A | 24A | 10A | | 48 | 3 | 01 | | R1 | | 60 | R | | | | | | |
| 303.24 | | 300.46 | WYE CONN | R | | RAINDANCE RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 303.25 | | 300.47 | INTRSECTN | B | | RAINDANCE RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 303.26 | | 300.48 | WYE CONN | B | | RAINDANCE RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 304.00 | | 301.22 | MP MARKER | R | | 304 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 304.07 | | 301.29 | BEG BRIDGE | I | | BN&UP RR | ST | | | 2 | 2 | \$\$\$ | 40A | \$\$\$ | 58O | \$\$ | \$\$\$ | 38P | \$\$\$ | | 78 | 3 | 01 | | R1 | | 60 | R | | | | | | | |
| | | | | | | BRDG NUM 012/606S | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | RR XING | B | | NUM 844395F STRUCTURE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | RR XING | B | | NUM 97200D STRUCTURE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE | D | | BN&UP RR | ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 012/606N | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 304.17 | | 301.39 | END BRIDGE | I | | BN&UP RR | | | | 2 | 2 | 10A | 24A | 4A | 58S | DE | | 4A | 24A | 10A | | 48 | 3 | 01 | | R1 | | 60 | R | | | | | | |
| | | | END BRIDGE | D | | BN&UP RR | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 304.35 | | 301.57 | | | | | | | | 2 | 2 | \$\$\$ | \$\$\$ | \$\$\$ | \$\$\$ | \$\$\$ | \$\$ | 10A | 60A | 10A | | 60 | 3 | 01 | | R1 | | 60 | R | | | | | | |
| 304.39 | | 301.61 | | | | | | | | 2 | 1 | | | | | | | 10A | 36A | 10A | | 36 | 3 | 01 | | R1 | | 60 | R | | | | | | |
| 304.48 | | 301.70 | | | | | | | | 2 | 1 | | | | | | | 8A | 36A | 8A | | 36 | 3 | 01 | | R1 | | 60 | R | | | | | | |

| INTERSECTION DETAIL | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | | |
|---------------------|--------|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|----|
| | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- | |
| | | LGT | WD | LGT | WD | LGT | WD | LGT | WD | |
| | | --- | --- | --- | --- | --- | --- | --- | --- | |
| 301.11 | 298.33 | .04 | 13 | | | | | .07 | 13 | |
| 301.60 | 298.82 | | | | | .16 | 12 | | | |
| 301.61 | 298.83 | .09 | 13 | .04 | 13 | | | .30 | 13 | |
| 301.62 | 298.84 | | | | | | | | .08 | 12 |
| 303.24 | 300.46 | | | .10 | 12 | | | | | |
| 303.25 | 300.47 | .12 | 13 | .12 | 13 | .29 | 13 | .29 | 13 | |
| 303.26 | 300.48 | | | | .10 | 12 | | | .29 | 12 |

SR 012 MAINLINE

U.S. ROUTE - USSH

COUNTY WALLA WALLA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | |
|-------------------------|---|--------|------------|---|----|-------------------------|-----|-----|------------|---------|-----|-----|-----|-----|------|---------------------------|-------|-----|-------|--------|-----|----|----|-----|----|----|----|----|---|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T |
| 308.92 | | 306.14 | | | | | | | | 1 | 1 | | | | | | 8A | 24B | 8A | | | 24 | 4 | 01 | | R1 | | 60 | R | |
| 308.97 | | 306.19 | MP MARKER | R | | 309 | | | | | | | | | | | | | | | | | | | | | | | | |
| 310.00 | | 307.22 | MP MARKER | R | | 310 | | | | | | | | | | | | | | | | | | | | | | | | |
| 310.38 | | 307.60 | INTRSECTN | L | | WALLULA HAB MGT UNIT RD | CO | | N | | | | | | | | | | | | | | | | | | | | | |
| 310.76 | | 307.98 | INTRSECTN | R | | LAMB DIN RD | CO | | N | | | | | | | | | | | | | | | | | | | | | |
| 310.78 | | 308.00 | INTRSECTN | L | | WALLULA GAME DEPT RD | CO | | N | | | | | | | | | | | | | | | | | | | | | |
| 311.00 | | 308.22 | MP MARKER | R | | 311 | | | | | | | | | | | | | | | | | | | | | | | | |
| 311.31 | | 308.53 | | | | | | | | 1 | 1 | | | | | | 8B | 24B | 8B | | | 24 | 4 | 01 | | R1 | | 60 | R | |
| 311.36 | | 308.58 | BEG BRIDGE | B | | VANSYCLE CANYON | ST | | | 1 | 1 | | | | | | \$\$W | 40A | \$\$W | | | 40 | 4 | 01 | | R1 | | 60 | R | |
| | | | | | | BRDG NUM 012/616 | | | | | | | | | | | | | | | | | | | | | | | | |
| 311.37 | | 308.59 | END BRIDGE | B | | VANSYCLE CANYON | | | | 1 | 1 | | | | | | 7B | 24B | 7B | | | 24 | 4 | 01 | | R1 | | 60 | R | |
| 311.98 | | 309.20 | MP MARKER | R | | 312 | | | | | | | | | | | | | | | | | | | | | | | | |
| 312.98 | | 310.20 | MP MARKER | R | | 313 | | | | | | | | | | | | | | | | | | | | | | | | |
| 313.97 | | 311.19 | BEG BRIDGE | B | | WALLA WALLA RIVER | ST | | | 1 | 1 | | | | | | \$\$C | 29A | \$\$C | | | 29 | 4 | 01 | | R1 | | 60 | R | |
| | | | | | | BRDG NUM 012/619 | | | | | | | | | | | | | | | | | | | | | | | | |
| 314.01 | | 311.23 | END BRIDGE | B | | WALLA WALLA RIVER | | | | 1 | 1 | | | | | | 5B | 22B | 5B | | | 22 | 4 | 01 | | R1 | | 60 | R | |
| 314.02 | | 311.24 | MP MARKER | R | | 314 | | | | | | | | | | | | | | | | | | | | | | | | |
| 314.04 | | 311.26 | INTRSECTN | L | | NINE MILE CANYON RD | CO | | N | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | BYRNES RD | CO | | N | | | | | | | | | | | | | | | | | | | | | |
| 314.16 | | 311.38 | BEG BRIDGE | B | | NINE MILE CREEK | ST | | | 1 | 1 | | | | | | \$\$W | 24A | \$\$W | | | 24 | 4 | 01 | | R1 | | 60 | R | |
| | | | | | | BRDG NUM 012/620 | | | | | | | | | | | | | | | | | | | | | | | | |
| 314.20 | | 311.42 | END BRIDGE | B | | NINE MILE CREEK | | | | 1 | 1 | | | | | | 4B | 22A | 5B | | | 22 | 4 | 01 | | R1 | | 60 | R | |
| 314.27 | | 311.49 | | | | | | | | 1 | 1 | | | | | | 4A | 22A | 5A | | | 22 | 4 | 01 | | R1 | | 60 | R | |
| 314.40 | | 311.62 | BEG SU LN | R | | CLIMBING | 11A | | | 1 | 1 | | | | | | 4A | 22A | 5A | 11 | | 33 | 4 | 01 | | R1 | | 60 | R | |
| 314.99 | | 312.21 | MP MARKER | R | | 315 | | | | | | | | | | | | | | | | | | | | | | | | |
| 315.79 | | 313.01 | | | | | | | | 1 | 1 | | | | | | 3A | 22A | 3A | 11 | | 33 | 4 | 01 | | R1 | | 60 | R | |
| 315.80 | | 313.02 | END SU LN | R | | CLIMBING | 11A | | | 1 | 1 | | | | | | 3A | 22A | 3A | \$\$\$ | | 22 | 4 | 01 | | R1 | | 60 | R | |
| 315.89 | | 313.11 | | | | | | | | 1 | 1 | | | | | | 2A | 22A | 6A | | | 22 | 4 | 01 | | R1 | | 60 | R | |
| 315.99 | | 313.21 | BEG SU LN | L | | CLIMBING | 10A | | | 1 | 1 | | | | | | 2A | 22A | 6A | 10 | | 32 | 4 | 01 | | R1 | | 60 | R | |
| | | | MP MARKER | R | | 316 | | | | | | | | | | | | | | | | | | | | | | | | |
| 316.99 | | 314.21 | MP MARKER | R | | 317 | | | | | | | | | | | | | | | | | | | | | | | | |
| 317.73 | | 314.95 | END SU LN | L | | CLIMBING | 10A | | | 1 | 1 | | | | | | 3A | 22A | 6A | \$\$\$ | | 22 | 4 | 01 | | R1 | | 60 | R | |
| 317.98 | | 315.20 | MP MARKER | R | | 318 | | | | 1 | 1 | | | | | | 6A | 24A | 6A | | | 24 | 4 | 01 | | R1 | | 60 | R | |
| 318.99 | | 316.21 | MP MARKER | R | | 319 | | | | | | | | | | | | | | | | | | | | | | | | |
| 319.10 | | 316.32 | INTRSECTN | R | | BYRNES RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | |
| 319.33 | | 316.55 | INTRSECTN | L | | CUMMINS RD | CO | | N | | | | | | | | | | | | | | | | | | | | | |
| 319.35 | | 316.57 | BEG BRIDGE | B | | TOUCHET RIVER | ST | | | 1 | 1 | | | | | | \$\$C | 28A | \$\$C | | | 28 | 4 | 01 | | R1 | | 60 | R | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|--------|---|--------|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B | ARM | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 319.10 | | 316.32 | | | | .03 | 13 | | | | |

SR 012 MAINLINE

U.S. ROUTE - USSH

COUNTY WALLA WALLA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | |
|-------------------------|---|--------|------------|---|----|--------------------|-----|-----|------------|---------|-----|-----|-----|-----|---------------------------|------|-------|-----|-------|-----|-----|---|----|-----|----|---|----|---|---|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T |
| 319.35 | | 316.57 | | | | BRDG NUM 012/624 | | | | 1 | 1 | | | | | | C | 28A | C | | 28 | 4 | 01 | | R1 | | 60 | R | | |
| 319.38 | | 316.60 | END BRIDGE | B | | TOUCHET RIVER | | | | 1 | 1 | | | | | | 7A | 24A | 7A | | 24 | 4 | 01 | | R1 | | 60 | R | | |
| 319.70 | | 316.92 | MISC FEATR | R | | SGN TOUCHET UNINC | | | | | | | | | | | | | | | | | | | | | | | | |
| 319.74 | | 316.96 | | | | | | | | 1 | 1 | | | | | | 7A | 24A | 7A | | 24 | 4 | 01 | | R1 | | 40 | R | | |
| 319.82 | | 317.04 | INTRSECTN | L | | HANSON RD | CO | | N | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | BALM ST | CO | | N | | | | | | | | | | | | | | | | | | | | | |
| 319.99 | | 317.21 | MP MARKER | R | | 320 | | | | | | | | | | | | | | | | | | | | | | | | |
| 320.09 | | 317.31 | INTRSECTN | L | | TOUCHET RD | CO | | Y | 1 | 1 | | | | | | 7A | 24A | 7A | | 24 | 4 | 01 | | R1 | | 40 | L | | |
| | | | INTRSECTN | R | | WALNUT RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | |
| 320.20 | | 317.42 | MISC FEATR | L | | SGN TOUCHET UNINC | | | | 1 | 1 | | | | | | 7A | 24A | 7A | | 24 | 4 | 01 | | R1 | | 60 | L | | |
| 320.60 | | 317.82 | INTRSECTN | R | | MCKAY RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | LARRABEE RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | |
| 321.00 | | 318.22 | MP MARKER | R | | 321 | | | | | | | | | | | | | | | | | | | | | | | | |
| 321.14 | | 318.36 | INTRSECTN | L | | LARRABEE RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | PVT RD | PV | | Y | | | | | | | | | | | | | | | | | | | | | |
| 322.00 | | 319.22 | MP MARKER | R | | 322 | | | | | | | | | | | | | | | | | | | | | | | | |
| 322.88 | | 320.10 | BEG BRIDGE | B | | WOODWARD CREEK | ST | | | 1 | 1 | | | | | | \$\$C | 28A | \$\$C | | 28 | 4 | 01 | | R1 | | 60 | L | | |
| | | | | | | BRDG NUM 012/630 | | | | | | | | | | | | | | | | | | | | | | | | |
| 322.89 | | 320.11 | END BRIDGE | B | | WOODWARD CREEK | | | | 1 | 1 | | | | | | 7A | 24A | 7A | | 24 | 4 | 01 | | R1 | | 60 | L | | |
| 323.00 | | 320.22 | MP MARKER | R | | 323 | | | | | | | | | | | | | | | | | | | | | | | | |
| 323.06 | | 320.28 | BEG BRIDGE | B | | CREEK | ST | | | 1 | 1 | | | | | | \$\$C | 28A | \$\$C | | 28 | 4 | 01 | | R1 | | 60 | L | | |
| | | | | | | BRDG NUM 012/631 | | | | | | | | | | | | | | | | | | | | | | | | |
| 323.07 | | 320.29 | END BRIDGE | B | | CREEK | | | | 1 | 1 | | | | | | 7A | 24A | 7A | | 24 | 4 | 01 | | R1 | | 60 | L | | |
| 323.30 | | 320.52 | INTRSECTN | L | | WOODWARD CANYON RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | |
| 324.00 | | 321.22 | MP MARKER | R | | 324 | | | | | | | | | | | | | | | | | | | | | | | | |
| 324.06 | | 321.28 | | | | | | | | 1 | 1 | | | | | | 7A | 24A | 7A | | 24 | 4 | 01 | | R1 | | 40 | L | | |
| 324.12 | | 321.34 | BEG BRIDGE | B | | DRY CREEK | ST | | | 1 | 1 | | | | | | \$\$W | 36A | \$\$W | | 36 | 4 | 01 | | R1 | | 40 | L | | |
| | | | | | | BRDG NUM 012/633 | | | | | | | | | | | | | | | | | | | | | | | | |
| 324.13 | | 321.35 | END BRIDGE | B | | DRY CREEK | | | | 1 | 1 | | | | | | 7A | 24A | 7A | | 24 | 4 | 01 | | R1 | | 40 | L | | |
| 324.14 | | 321.36 | MISC FEATR | R | | SGN ENT LOWDEN | | | | | | | | | | | | | | | | | | | | | | | | |
| 324.15 | | 321.37 | INTRSECTN | R | | LOWDEN RD | CO | | N | | | | | | | | | | | | | | | | | | | | | |
| 324.35 | | 321.57 | INTRSECTN | L | | MARSHALL ST | CO | | N | | | | | | | | | | | | | | | | | | | | | |
| 324.58 | | 321.80 | MISC FEATR | L | | SGN ENT LOWDEN | | | | | | | | | | | | | | | | | | | | | | | | |
| 324.61 | | 321.83 | INTRSECTN | L | | LOWER DRY CREEK RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|--------|--|--------|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| | | | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| | | | | ---- | ---- | ---- | ---- | ---- | ---- | ---- | ---- |
| 320.09 | | 317.31 | | .03 | 12 | | | .03 | 12 | | |
| 320.60 | | 317.82 | | .03 | 12 | | | .03 | 12 | | |
| 321.14 | | 318.36 | | .03 | 12 | | | | | | |
| 323.30 | | 320.52 | | .03 | 12 | | | | | | |
| 324.61 | | 321.83 | | .03 | 12 | | | | | | |

SR 012 MAINLINE

U.S. ROUTE - USSH

COUNTY WALLA WALLA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | |
|-------------------------|---|--------|------------|---|----|----------------------|-----|-----|------------|---------|-----|-----|-----|-----|------|---------------------------|------|-----|-------|-----|-----|----|----|-----|----------|----|----|----|---|----|--|--|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | T | P | S | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | | |
| 324.65 | | 321.87 | | | | | | | | 1 | 1 | | | | | | 7A | 24A | 7A | | | 24 | 4 | 01 | | R1 | | 60 | L | | | | | |
| 325.00 | | 322.22 | MP MARKER | R | | 325 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 325.88 | | 323.10 | INTRSECTN | R | | MCDONALD RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | ENT/EXIT | L | | WATERBROOK WINERY | PV | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 326.00 | | 323.22 | MP MARKER | R | | 326 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 326.37 | | 323.59 | INTRSECTN | L | | NIBLER RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 326.99 | | 324.21 | MP MARKER | R | | 327 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 327.27 | | 324.49 | | | | | | | | 1 | 1 | | | | | | 8A | 24A | 8A | | | 24 | 4 | 01 | | R1 | | 60 | L | | | | | |
| 327.41 | | 324.63 | | | | | | | | 1 | 1 | | | | | | 8A | 24B | 8A | | | 24 | 4 | 01 | | R1 | | 60 | L | | | | | |
| 327.61 | | 324.83 | INTRSECTN | R | | VINTAGE LP*OLD SR 12 | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 327.91 | | 325.13 | | | | | | | | 1 | 1 | 10A | 12B | 4A | 60S | DE | 4A | 12B | 10A | | | 24 | 4 | 01 | | R1 | | 60 | L | | | | | |
| 328.02 | | 325.24 | MP MARKER | B | | 328 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 328.13 | | 325.35 | | | | | | | | 1 | 2 | 10A | 12B | 4A | 60S | DE | 4A | 24B | 10A | | | 36 | 4 | 01 | | R1 | | 60 | L | | | | | |
| 328.16 | | 325.38 | | | | | | | | 2 | 2 | 10A | 24B | 4A | 60S | DE | 4A | 24B | 10A | | | 48 | 4 | 01 | | R1 | | 60 | L | | | | | |
| 329.01 | | 326.23 | INTRSECTN | B | | FRENCHTOWN RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 329.03 | | 326.25 | MP MARKER | B | | 329 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 330.02 | | 327.24 | MP MARKER | B | | 330 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 330.72 | | 327.94 | INTRSECTN | B | | SPALDING RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 331.02 | | 328.24 | MP MARKER | B | | 331 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 332.03 | | 329.25 | MP MARKER | B | | 332 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 333.02 | | 330.24 | MP MARKER | B | | 333 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 333.10 | | 330.32 | INTRSECTN | C | | MEDIAN XING | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | B | | SUDBURY RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 333.37 | | 330.59 | ENTER CITY | | | WALLA WALLA | | | | 2 | 2 | 10A | 24B | 4A | 60S | DE | 4A | 24B | 10A | | | 48 | 4 | 01 | 1365 | U1 | | 60 | L | P | | | | |
| 334.01 | | 331.23 | MP MARKER | B | | 334 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 334.55 | | 331.77 | | | | | | | | 2 | 2 | 10A | 24B | 4A | 60S | JE | 4A | 24B | 10A | | | 48 | 4 | 01 | 1365 | U1 | | 60 | L | P | | | | |
| 334.71 | | 331.93 | ON RAMP | L | | MYRA RD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 334.75 | | 331.97 | | | | | | | | 2 | 2 | 10A | 24B | 4A | 30S | JE | 4A | 24B | 10A | | | 48 | 4 | 01 | 1365 | U1 | | 60 | L | P | | | | |
| 334.79 | | 332.01 | LEAVE CITY | | | WALLA WALLA | | | | 2 | 2 | 10A | 24B | 4A | 30S | JE | 4A | 24B | 10A | | | 48 | 4 | 01 | \$\$\$\$ | U1 | | 60 | L | \$ | | | | |
| 334.85 | | 332.07 | ENTER CITY | | | WALLA WALLA | | | | 2 | 2 | 10A | 24B | 4A | 30S | JE | 4A | 24B | 10A | | | 48 | 4 | 01 | 1365 | U1 | | 60 | L | P | | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|--------|---|--------|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B | ARM | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 325.88 | | 323.10 | | .03 | 12 | | | | | | |
| 326.37 | | 323.59 | | .03 | 12 | | | | | | |
| 327.61 | | 324.83 | | | | .03 | 12 | | .17 | 12 | |
| 329.01 | | 326.23 | | .12 | 13 | .11 | 12 | .12 | 13 | .11 | 12 |
| 330.72 | | 327.94 | | .12 | 13 | .11 | 12 | .12 | 13 | .11 | 12 |
| 333.10 | | 330.32 | | .12 | 13 | .11 | 12 | .12 | 13 | .11 | 12 |

SR 012 MAINLINE

U.S. ROUTE - USSH

COUNTY WALLA WALLA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | |
|-------------------------|---|--------|------------------|---|----|--------------------------|-----|-----|--------------|---------|-----|-------|-----|-----|------|---------------------------|------|-----|-------|-----|-------|--------|----|-----|----|----------|----|---|----|---|----|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | |
| 336.77 | | 334.06 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | JE | | | | 24A | 10A | | 48 | 4 | 01 | 1365 | U1 | | 60 | L | P | |
| 336.80 | | 334.09 | BEG SU LN | R | | WEAVING/SPEED CHANGE 12A | | | | 2 | 2 | 10A | 24A | | 16A | JE | | | | 24A | 10A | 12 | 60 | 4 | 01 | 1365 | U1 | | 60 | L | P | |
| 336.82 | | 334.11 | BEG SU LN | L | | WEAVING/SPEED CHANGE 14A | | | | 2 | 2 | 10A | 24A | | 16A | JE | | | | 24A | 10A | 26 | 74 | 4 | 01 | 1365 | U1 | | 60 | L | P | |
| 336.85 | | 334.14 | WYE CONN | R | | E REES AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| | | | WYE CONN | L | | E REES AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 336.86 | | 334.15 | END SU LN | L | | WEAVING/SPEED CHANGE 14A | | | | 2 | 2 | 10A | 24A | | 16A | JE | | | | 24A | 10A | \$\$\$ | 48 | 4 | 01 | 1365 | U1 | | 60 | L | P | |
| | | | END SU LN | R | | WEAVING/SPEED CHANGE 12A | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | E REES AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | REES AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 336.98 | | 334.27 | BEG BRIDGE | B | | PEDESTRIAN OXING | ST | | | 2 | 2 | \$\$C | 34A | | 16A | JE | | | | 34A | \$\$C | | 68 | 4 | 01 | 1365 | U1 | | 60 | L | P | |
| | | | BRDG NUM 012/647 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 337.00 | | 334.29 | END BRIDGE | B | | PEDESTRIAN OXING | | | | 2 | 2 | 10A | 24A | | 16A | JE | | | | 24A | 10A | | 48 | 4 | 01 | 1365 | U1 | | 60 | L | P | |
| | | | MP MARKER | B | | 337 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 337.59 | | 334.88 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | UP | | | | 24A | 10A | | 48 | 4 | 01 | 1365 | U1 | | 60 | L | P | |
| 337.69 | | 334.98 | INTRSECTN | L | | LOWER WAITSBURG RD | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | CLINTON ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 337.77 | | 335.06 | LEAVE CITY | | | WALLA WALLA | | | | 2 | 2 | 10A | 24A | | 16A | UP | | | | 24A | 10A | | 48 | 4 | 01 | \$\$\$\$ | U1 | | 60 | L | \$ | |
| 337.79 | | 335.08 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | JE | | | | 24A | 10A | | 48 | 4 | 01 | | U1 | | 60 | L | | |
| 338.00 | | 335.29 | MP MARKER | B | | 338 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 338.09 | | 335.38 | ENTER CITY | | | WALLA WALLA | | | | 2 | 2 | 10A | 24A | | 16A | JE | | | | 24A | 10A | | 48 | 4 | 01 | 1365 | U1 | | 60 | L | P | |
| 338.46 | | 335.75 | BEG BRIDGE | B | | WELLINGTON AVE | ST | | | 2 | 2 | \$\$C | 34A | | 16A | JE | | | | 34A | \$\$C | | 68 | 4 | 01 | 1365 | U1 | | 60 | L | P | |
| | | | BRDG NUM 012/650 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 338.49 | | 335.78 | END BRIDGE | B | | WELLINGTON AVE | | | | 2 | 2 | 10A | 24A | | 16A | JE | | | | 24A | 10A | | 48 | 4 | 01 | 1365 | U1 | | 60 | L | P | |
| 338.50 | | 335.79 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | UP | | | | 24A | 10A | | 48 | 4 | 01 | 1365 | U1 | | 60 | L | P | |
| 338.69 | | 335.98 | WYE CONN | R | | WILBUR AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 338.72 | | 336.01 | INTRSECTN | R | | WILBUR AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 338.73 | | 336.02 | WYE CONN | R | | WILBUR AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 338.82 | | 336.11 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | JE | | | | 24A | 10A | | 48 | 4 | 01 | 1365 | U1 | | 60 | L | P | |
| 338.93 | | 336.22 | LEAVE CITY | | | WALLA WALLA | | | | 2 | 2 | 10A | 24A | | 16A | JE | | | | 24A | 10A | | 48 | 4 | 01 | \$\$\$\$ | U1 | | 60 | L | \$ | |
| | | | MISC FEATR | L | | SGN ENT WALLA WALLA | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 339.00 | | 336.29 | MP MARKER | B | | 339 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 339.25 | | 336.54 | ON RAMP | L | | AIRPORT RD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 339.47 | | 336.76 | OFF RAMP | R | | AIRPORT RD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | | |
|--------|---|--------|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|----|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- | |
| SRMP | B | ARM | | LGT | WD | LGT | WD | LGT | WD | LGT | WD | |
| 336.85 | | 334.14 | | | | .03 | 12 | | | | | |
| 336.86 | | 334.15 | | | | | | .03 | 12 | | | |
| 337.69 | | 334.98 | | .04 | 16 | | | .04 | 16 | | | |
| 338.69 | | 335.98 | | | | .03 | 12 | | | | | |
| 338.72 | | 336.01 | | | | | | .04 | 16 | | .07 | 16 |

SR 012 MAINLINE

U.S. ROUTE - USSH

COUNTY WALLA WALLA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | |
|-------------------------|---|--------|------------|---|----|------------------|-----|-----|------------|---------|-----|--------|--------|-----|------|---------------------------|------|-----|-------|-------|-------|-------|----|-----|----|----------|----|----|---|----|--|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | T | P | S | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | |
| 339.57 | | 336.86 | MISC FEATR | L | | GORE (S133925) | | | | 2 | 2 | 10A | 24A | | | 16A | JE | | | 24A | 10A | 48 | 4 | 01 | | U1 | 60 | L | | | | | |
| 339.60 | | 336.89 | MISC FEATR | R | | GORE (P133947) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 339.74 | | 337.03 | BEG BRIDGE | B | | AIRPORT RD | ST | | | 2 | 2 | \$\$C | 34A | | | 16A | JE | | | 34A | \$\$C | 68 | 4 | 01 | | U1 | 60 | L | | | | | |
| | | | | | | BRDG NUM 012/652 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 339.77 | | 337.06 | END BRIDGE | B | | AIRPORT RD | | | | 2 | 2 | 10A | 24A | | | 16A | JE | | | 24A | 10A | 48 | 4 | 01 | | U1 | 60 | L | | | | | |
| 339.95 | | 337.24 | MISC FEATR | R | | GORE (Q134025) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 339.96 | | 337.25 | MISC FEATR | L | | GORE (R134010) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 340.00 | | 337.29 | MP MARKER | B | | 340 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 340.10 | | 337.39 | OFF RAMP | L | | AIRPORT RD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| 340.25 | | 337.54 | ON RAMP | R | | AIRPORT RD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| 340.45 | | 337.74 | | | | | | | | 2 | 2 | 10A | 24A | | | 16A | UP | | | 24A | 10A | 48 | 4 | 01 | | U1 | 60 | L | | | | | |
| 340.53 | | 337.82 | WYE CONN | L | | G ST | CO | | Y | 1 | 2 | 10A | 12A | | | 16A | UP | | | 24A | 10A | 36 | 4 | 01 | | U1 | 60 | L | | | | | |
| 340.55 | | 337.84 | INTRSECTN | B | | G ST | CO | | Y | 1 | 2 | \$\$\$ | \$\$\$ | | | \$\$\$ | \$\$ | | | 10A | 36A | 10A | 36 | 4 | 01 | | U1 | 60 | L | | | | |
| 340.57 | | 337.86 | WYE CONN | L | | G ST | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| 340.60 | | 337.89 | | | | | | | | 1 | 1 | | | | | | | | | 10A | 24A | 10A | 24 | 4 | 01 | | U1 | 60 | L | | | | |
| 340.78 | | 338.07 | ENTER CITY | | | WALLA WALLA | | | | 1 | 1 | | | | | | | | | 10A | 24A | 10A | 24 | 4 | 01 | 1365 | U1 | 60 | L | P | | | |
| 340.88 | | 338.17 | BEG BRIDGE | B | | W-S RAMP | ST | | | 1 | 1 | | | | | | | | | \$\$C | 42A | \$\$C | 42 | 4 | 01 | 1365 | U1 | 60 | L | P | | | |
| | | | | | | BRDG NUM 012/654 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 340.97 | | 338.26 | END BRIDGE | B | | W-S RAMP | | | | 1 | 1 | | | | | | | | | 10A | 26A | 10A | 26 | 4 | 01 | 1365 | U1 | 60 | L | P | | | |
| 341.00 | | 338.29 | MP MARKER | R | | 341 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | MISC FEATR | R | | GORE (Q134178) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 341.06 | | 338.35 | LEAVE CITY | | | WALLA WALLA | | | | 1 | 1 | | | | | | | | | 6A | 26A | 10A | 26 | 4 | 01 | \$\$\$\$ | U1 | 60 | L | \$ | | | |
| 341.09 | | 338.38 | MISC FEATR | L | | GORE (R134166) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 341.18 | | 338.47 | | | | | | | | 1 | 1 | | | | | | | | | 8A | 26A | 8A | 26 | 4 | 01 | | U1 | 60 | L | | | | |
| 341.65 | | 338.48 | EQUATION | | | 341.19 =341.65 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 341.66 | | 338.49 | OFF RAMP | L | | MILL CREEK RD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| 341.78 | | 338.61 | ON RAMP | R | | MILL CREEK RD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| 341.99 | | 338.82 | MP MARKER | R | | 342 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 342.23 | | 339.06 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 342.25 | | 339.08 | ON RAMP | L | | WEIGH STATION | ST | | Y | | | | | | | | | | | 8A | 26A | 8A | 26 | 4 | 01 | | R1 | 60 | L | | | | |
| | | | INTRSECTN | L | | KIBLER RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| 342.26 | | 339.09 | MISC FEATR | L | | GORE (W134242) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 342.31 | | 339.14 | WEIGH STA | L | | NUMBER 51 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 342.37 | | 339.20 | MISC FEATR | L | | GORE (W134242) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 342.42 | | 339.25 | OFF RAMP | L | | WEIGH STATION | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| 342.44 | | 339.27 | | | | | | | | 1 | 1 | | | | | | | | | 8A | 24B | 8A | 24 | 4 | 01 | | R1 | 60 | L | | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|--------|---|--------|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B | ARM | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 340.55 | | 337.84 | | .04 | 16 | | | .04 | 16 | | |
| 342.25 | | 339.08 | | .03 | 12 | | | | | | |

SR 012 MAINLINE

U.S. ROUTE - USSH

COUNTY COLUMBIA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | |
|-------------------------|---|--------|------------|---|----|-----------------------|-----|-----|------------|---------|-----|-----|-----|-----|---------------------------|------|-------|-----|-------|-----|-----|---|----|----------|----|---|----|---|----|----|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | T | P | S | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | |
| 366.29 | | 363.10 | MISC FEATR | R | | SGN ENT DAYTON | | | | 1 | 1 | | | | | | 8B | 23B | 7B | | 23 | 4 | 01 | | R1 | | 35 | L | | | | |
| 366.30 | | 363.11 | | | | | | | | 1 | 1 | | | | | | 8A | 23A | 7A | | 23 | 4 | 01 | | R1 | | 35 | L | | | | |
| 366.42 | | 363.23 | BEG SU LN | R | | BICYCLE | | | | 1 | 1 | | | | | | 6A | 25A | \$\$C | 17 | 42 | 4 | 01 | | R1 | | 35 | L | | * | | |
| | | | BEG SU LN | C | | TWO WAY TURN | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG ST | I | | HIGHWAY 12 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | CAMERON ST | | | CO | | Y | | | | | | | | | | | | | | | | | | | | | |
| 366.51 | | 363.32 | ENTER CITY | | | DAYTON | | | | 1 | 1 | | | | | | 6A | 25A | C | 17 | 42 | 4 | 01 | 0315 | R1 | | 35 | L | P | * | | |
| 366.57 | | 363.38 | INTRSECTN | L | | WAGON RD | | | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 366.60 | | 363.41 | BEG SU LN | L | | BICYCLE | | | | 1 | 1 | | | | | | \$\$C | 26A | C | 22 | 48 | 4 | 01 | 0315 | R1 | | 35 | L | P | * | | |
| 366.66 | | 363.47 | END ST | I | | HIGHWAY 12 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG ST | I | | W MAIN ST | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | B | | PINE ST | | | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 366.77 | | 363.58 | INTRSECTN | B | | CHERRY ST | | | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 366.88 | | 363.69 | INTRSECTN | B | | WILLOW ST | | | CT | | Y | 1 | 1 | | | | C | 26A | C | 22 | 48 | 4 | 01 | 0315 | R1 | | 25 | L | P | * | | |
| 366.97 | | 363.78 | END SU LN | C | | TWO WAY TURN | | | | 1 | 1 | | | | | | C | 38A | C | 10 | 48 | 4 | 01 | 0315 | R1 | | 25 | L | P | * | | |
| | | | INTRSECTN | B | | COTTONWOOD ST | | | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 366.98 | | 363.79 | MP MARKER | R | | 367 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 366.99 | | 363.80 | BEG BRIDGE | B | | TOUCHET RIVER | | | ST | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BRDG NUM | | | 012/710 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 367.02 | | 363.83 | END BRIDGE | B | | TOUCHET RIVER | | | | 1 | 1 | | | | | | C | 62P | C | 10 | 72 | 4 | 01 | 0315 | R1 | | 25 | L | B | * | | |
| | | | END SU LN | R | | BICYCLE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | END SU LN | L | | BICYCLE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 367.07 | | 363.88 | INTRSECTN | L | | FRONT ST | | | CT | | Y | 2 | 2 | | | | C | 62P | C | | 62 | 4 | 01 | 0315 | R1 | | 25 | L | B | * | | |
| 367.16 | | 363.97 | END ST | I | | W MAIN ST | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG ST | I | | E MAIN ST | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | B | | FIRST ST | | | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 367.25 | | 364.06 | INTRSECTN | B | | SECOND ST | | | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | |
| 367.33 | | 364.14 | INTRSECTN | B | | THIRD ST | | | CT | | Y | 2 | 1 | | | | C | 62P | C | | 62 | 4 | 01 | 0315 | R1 | | 25 | L | B | * | | |
| 367.41 | | 364.22 | INTRSECTN | B | | FOURTH ST | | | CT | | Y | 1 | 1 | | | | C | 48A | C | | 48 | 4 | 01 | 0315 | R1 | | 25 | L | B | * | | |
| 367.46 | | 364.27 | INTRSECTN | R | | FIFTH ST | | | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 367.51 | | 364.32 | INTRSECTN | B | | SIXTH ST | | | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 367.57 | | 364.38 | INTRSECTN | R | | SEVENTH ST | | | CT | | Y | 1 | 1 | | | | C | 48A | C | | 48 | 4 | 01 | 0315 | R1 | | 35 | L | B | * | | |
| 367.63 | | 364.44 | END ST | I | | E MAIN ST | | | | | | 1 | 1 | | | | C | 48A | C | | 48 | 4 | 01 | 0315 | R1 | | 35 | L | B | \$ | | |
| | | | INTRSECTN | R | | PATIT RD | | | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 367.67 | | 364.48 | LEAVE CITY | | | DAYTON | | | | 1 | 1 | | | | | | W | 28A | C | | 28 | 4 | 01 | \$\$\$\$ | R1 | | 35 | L | \$ | | | |
| | | | RR XING | B | | NUM 808601V STRUCTURE | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|--------|--------|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B ARM | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 366.97 | 363.78 | | | .02 | 12 | | | | |
| 367.41 | 364.22 | | | .08 | 12 | | | | |

SR 012 MAINLINE

U.S. ROUTE - USSH

COUNTY ASOTIN

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | |
|-------------------------|---|--------|------------|---|----|-----------------------|-----|-----|--------------|---------|-----|-----|-----|-----|---------------------------|------|-------|-----|-------|--------|-----|---|----|------|----|---|----|---|---|----|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | |
| 432.54 | | 429.26 | | | | BEGIN BACK | | | | 1 | 1 | | | | | | 8A | 24A | 10A | | 24 | 4 | 02 | | U1 | | 30 | L | | | | |
| 432.61B | | 429.33 | BEG EQ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 432.61 | | 429.34 | EQUATION | | | 432.62B=432.61 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 432.62 | | 429.35 | ENTER CITY | | | CLARKSTON | | | | 1 | 1 | | | | | | \$\$C | 36A | \$\$C | | 36 | 4 | 02 | 0215 | U1 | | 30 | L | P | | | |
| | | | INTRSECTN | R | | 15TH ST (OLD SR 128) | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | SR 128 | ST | SG | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 432.67 | | 429.40 | BEG SU LN | | C | TWO WAY TURN | | 12A | | 1 | 1 | | | | | | C | 24A | C | 12 | 36 | 4 | 02 | 0215 | U1 | | 30 | L | P | | | |
| 432.87 | | 429.60 | BEG ST | I | | BRIDGE ST | | | | 1 | 1 | | | | | | C | 24A | C | 12 | 36 | 4 | 02 | 0215 | U1 | | 30 | L | P | * | | |
| | | | INTRSECTN | B | | 14TH ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 433.09 | | 429.82 | END SU LN | | C | TWO WAY TURN | | 12A | | 1 | 1 | | | | | | C | 36A | C | \$\$\$ | 36 | 4 | 02 | 0215 | U1 | | 30 | L | P | * | | |
| 433.12 | | 429.85 | INTRSECTN | B | | 13TH ST | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 433.13 | | 429.86 | MISC FEATR | L | | SGN ENT CLARKSTON | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 433.16 | | 429.89 | BEG SU LN | | C | TWO WAY TURN | | 12A | | 1 | 1 | | | | | | C | 24A | C | 12 | 36 | 4 | 02 | 0215 | U1 | | 30 | L | P | * | | |
| 433.18 | | 429.91 | INTRSECTN | B | | MORRISON AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 433.24 | | 429.97 | INTRSECTN | R | | MONROE ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 433.31 | | 430.04 | INTRSECTN | R | | BURNS ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 433.37 | | 430.10 | INTRSECTN | B | | 12TH ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 433.43 | | 430.16 | INTRSECTN | B | | 11TH ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 433.49 | | 430.22 | INTRSECTN | B | | 10TH ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 433.56 | | 430.29 | INTRSECTN | B | | 9TH ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 433.62 | | 430.35 | INTRSECTN | B | | 8TH ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 433.68 | | 430.41 | INTRSECTN | B | | 7TH ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 433.72 | | 430.45 | END SU LN | | C | TWO WAY TURN | | 12A | | 1 | 1 | | | | | | C | 36A | C | \$\$\$ | 36 | 4 | 02 | 0215 | U1 | | 30 | L | P | * | | |
| 433.74 | | 430.47 | INTRSECTN | R | | SR 129 SP6THST (SPUR) | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | 6TH ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 433.78 | | 430.51 | BEG SU LN | | C | TWO WAY TURN | | 12A | | 1 | 1 | | | | | | C | 24A | C | 12 | 36 | 4 | 02 | 0215 | U1 | | 30 | L | P | * | | |
| 433.81 | | 430.54 | INTRSECTN | B | | 5TH ST | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 433.87 | | 430.60 | INTRSECTN | R | | 4TH ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 433.92 | | 430.65 | INTRSECTN | B | | 3RD ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 433.97 | | 430.70 | END SU LN | | C | TWO WAY TURN | | 12A | | 1 | 1 | | | | | | C | 36A | C | \$\$\$ | 36 | 4 | 02 | 0215 | U1 | | 30 | L | P | * | | |
| 433.98 | | 430.71 | | | | | | | | 1 | 1 | | | | | | C | 36A | C | | 36 | 4 | 02 | 0215 | U1 | | 25 | L | P | * | | |
| 433.99 | | 430.72 | WYE CONN | R | | SR 129 | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | B | | 2ND ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 434.00 | | 430.73 | INTRSECTN | R | | SR 129 | ST | SG | Y | 2 | 2 | | | | | | C | 56A | C | | 56 | 4 | 02 | 0215 | U1 | | 25 | L | P | * | | |
| 434.05 | | 430.78 | END ST | I | | BRIDGE ST | | | | 2 | 2 | | | | | | C | 56A | C | | 56 | 4 | 02 | 0215 | U1 | | 25 | L | P | \$ | | |

INTERSECTION DETAIL

| | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|--------|--------|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B ARM | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 432.62 | 429.35 | .03 | 13 | | | .03 | 13 | | |
| 433.12 | 429.85 | .02 | 12 | | | .02 | 12 | | |
| 433.74 | 430.47 | .02 | 12 | | | .02 | 12 | | |

SR 012 MAINLINE

U.S. ROUTE - USSH

COUNTY ASOTIN

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | |
|-------------------------|---|--------|------------|---|----|----------------------|-----|-----|--------------|---------|-----|-----|-----|-----|------|---------------------------|------|-----|-------|-----|-----|---|----|------|----|---|----|---|---|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T |
| 434.05 | | 430.78 | INTRSECTN | R | | RIVERVIEW BLVD | CT | SG | Y | 2 | 2 | | | | | | C | 56A | C | | 56 | 4 | 02 | 0215 | U1 | | 25 | L | P | |
| 434.06 | | 430.79 | INTRSECTN | L | | 1ST ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 434.10 | | 430.83 | END CTLSEC | | | CONTROL SECTION 0202 | | | | 2 | 2 | | | | | | C | 40P | C | | 40 | 4 | 02 | 0215 | U1 | | 25 | L | P | |
| | | | BEG CTLSEC | | | CONTROL SECTION 0203 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE | B | | SNAKE RIVER | ST | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BRDG NUM | | | 012/915 | | | | | | | | | | | | | | | | | | | | | | | | |
| 434.19 | | 430.92 | END BRIDGE | B | | SNAKE RIVER | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | MISC FEATR | B | | END ON BRIDGE | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | END CTLSEC | | | CONTROL SECTION 0203 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | END ROUTE | | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|--------|--------|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B ARM | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 434.05 | 430.78 | | | .03 | 11 | | | | |

SR 022 MAINLINE

STATE ROUTE - SRSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | |
|-------------------------|------|-----|------------|---|----|-------------------------|-----|-----|------------|---------|-----|-----|-----|-----|------|------|---------------------------|-------|-------|-----|-----|---|----|-----|----|---|----|---|---|---|--|--|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | LEGAL | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | SPEED | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | T P S | | | | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | | |
| 2.63 | 1.94 | | BEG SU LN | C | | TWO WAY TURN | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.70 | 2.01 | | INTRSECTN | B | | JORDAN AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.78 | 2.09 | | INTRSECTN | L | | CHAPARRAL AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.82 | 2.13 | | INTRSECTN | B | | IDAHO AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.83 | 2.14 | | | | | | | | | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| 2.89 | 2.20 | | BEG ST | I | | BUENA WAY | | | | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | HOQUIAM AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.94 | 2.25 | | INTRSECTN | R | | GOLDENDALE AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.97 | 2.28 | | INTRSECTN | L | | GOLDENDALE AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.07 | 2.38 | | INTRSECTN | L | | FRANKLIN AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.16 | 2.47 | | INTRSECTN | R | | ASOTIN AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.17 | 2.48 | | INTRSECTN | L | | ASOTIN AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.19 | 2.50 | | RR XING | B | | NUM 99190G GRADE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.28 | 2.59 | | INTRSECTN | R | | WASHINGTON AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.32 | 2.63 | | END ST | I | | BUENA WAY | | | | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| | | | END SU LN | C | | TWO WAY TURN | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG ST | I | | S ELM ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | WASHINGTON AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.39 | 2.70 | | INTRSECTN | B | | JEFFERSON AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.48 | 2.79 | | INTRSECTN | B | | MADISON AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.55 | 2.86 | | INTRSECTN | B | | MONROE AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.64 | 2.95 | | | | | | | | | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| 3.66 | 2.97 | | INTRSECTN | L | | W FIRST ST | CT | SG | Y | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | W FIRST ST (OLD SR 220) | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.75 | 3.06 | | INTRSECTN | L | | W 2ND AVE | CT | | Y | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| 3.79 | 3.10 | | INTRSECTN | R | | W 3RD AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.92 | 3.23 | | END ST | I | | S ELM ST | | | | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | B | | W 4TH AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.93 | 3.24 | | MISC FEATR | L | | SGN ENT TOPPENISH | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.96 | 3.27 | | MP MARKER | R | | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.97 | 3.28 | | INTRSECTN | R | | FRONTAGE RD | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.99 | 3.30 | | | | | | | | | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| 4.00 | 3.31 | | END CTLSEC | | | CONTROL SECTION 3917 | | | | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG CTLSEC | | | CONTROL SECTION 3933 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | SR 97 | ST | SG | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.21B | 3.52 | | BEG EQ | | | BEGIN BACK | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|------|-------|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B ARM | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 3.66 | 2.97 | .03 | 11 | .03 | 11 | | | | |
| 4.00 | 3.31 | | | .04 | 14 | | | | |

SR 022 MAINLINE

STATE ROUTE - SRSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | |
|-------------------------|-------|-----|------------|---|----|--------------------|-----|-----|--------------|---------|-----|-----|-----|-----|------|---------------------------|-------|-----|-------|-----|-----|---|----|----------|----|---|----|---|----|---|--|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | T | P | S | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | |
| 4.21 | 3.53 | | EQUATION | | | 004.22B=004.21 | | | | 1 | 1 | | | | | | 8B | 23B | 8B | | 23 | 2 | 02 | 1310 | U2 | | 55 | L | P | | | | |
| 4.29 | 3.61 | | LEAVE CITY | | | TOPPENISH | | | | 1 | 1 | | | | | | 8B | 23B | 8B | | 23 | 2 | 02 | \$\$\$\$ | U3 | | 55 | L | \$ | | | | |
| | | | INTRSECTN | R | | CASEY RD | CT | | N | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.60 | 3.92 | | INTRSECTN | B | | DIVISION RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.95 | 4.27 | | MP MARKER | R | | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.11 | 4.43 | | | | | | | | | 1 | 1 | | | | | | 8A | 23A | 8A | | 23 | 2 | 02 | | U3 | | 55 | L | | | | | |
| 5.12 | 4.44 | | | | | | | | | 1 | 1 | | | | | | 8A | 23A | 8A | | 23 | 2 | 02 | | R3 | | 55 | L | | | | | |
| 5.13 | 4.45 | | INTRSECTN | R | | LARUE RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | E LARUE RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.16 | 4.48 | | | | | | | | | 1 | 1 | | | | | | 8B | 23B | 8B | | 23 | 2 | 02 | | R3 | | 55 | L | | | | | |
| 5.54 | 4.86 | | INTRSECTN | L | | N MEYERS RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | MEYERS RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.80 | 5.12 | | | | | | | | | 1 | 1 | | | | | | 8B | 23B | 8B | | 23 | 2 | 02 | | R3 | | 60 | L | | | | | |
| 5.95 | 5.27 | | MP MARKER | R | | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6.80 | 6.12 | | INTRSECTN | L | | N STEVENS RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | STEVENS RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | |
| 6.95 | 6.27 | | MP MARKER | R | | 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7.96 | 7.28 | | MP MARKER | R | | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8.22 | 7.54 | | INTRSECTN | R | | HARRIS RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | N HARRIS RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | |
| 8.56 | 7.88 | | | | | | | | | 1 | 1 | | | | | | 8A | 23A | 8A | | 23 | 2 | 02 | | R3 | | 60 | L | | | | | |
| 8.60 | 7.92 | | INTRSECTN | L | | SR 223 | ST | | Y | 1 | 1 | | | | | | 6B | 23B | 6B | | 23 | 2 | 02 | | R3 | | 60 | L | | | | | |
| | | | INTRSECTN | R | | CHAMBERS RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| 8.96 | 8.28 | | MP MARKER | R | | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9.51 | 8.83 | | INTRSECTN | L | | S TRACK RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | |
| 9.72 | 9.04 | | BEG BRIDGE | B | | MARION DRAIN CANAL | ST | | | 1 | 1 | | | | | | \$\$C | 28B | \$\$C | | 28 | 2 | 02 | | R3 | | 60 | L | | | | | |
| | | | | | | BRDG NUM 022/022 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9.74 | 9.06 | | END BRIDGE | B | | MARION DRAIN CANAL | | | | 1 | 1 | | | | | | 6B | 23B | 8B | | 23 | 2 | 02 | | R3 | | 60 | L | | | | | |
| 10.00 | 9.32 | | MP MARKER | R | | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10.25 | 9.57 | | BEG BRIDGE | B | | TOPPENISH CREEK | ST | | | 1 | 1 | | | | | | \$\$W | 38B | \$\$W | | 38 | 2 | 02 | | R3 | | 60 | L | | | | | |
| | | | | | | BRDG NUM 022/025 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10.27 | 9.59 | | END BRIDGE | B | | TOPPENISH CREEK | | | | 1 | 1 | | | | | | 6B | 23B | 8B | | 23 | 2 | 02 | | R3 | | 60 | L | | | | | |
| 10.74 | 10.06 | | INTRSECTN | R | | PLANK RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | |
| 11.00 | 10.32 | | MP MARKER | R | | 11 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11.33 | 10.65 | | INTRSECTN | L | | INDIAN CHURCH RD | CO | | N | 1 | 1 | | | | | | 8B | 23B | 8B | | 23 | 2 | 02 | | R3 | | 60 | L | | | | | |
| 12.00 | 11.32 | | MP MARKER | R | | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|------|------|-----|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B | ARM | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 5.13 | 4.45 | | | .02 | 10 | | | | | | |
| 8.60 | 7.92 | | | .03 | 12 | | | | | | |

SR 022 MAINLINE

STATE ROUTE - SRSH

COUNTY BENTON

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | |
|-------------------------|-------|-----|------------|---|----|----------------------|-----|-----|--------------|---------|-----|-----|-----|-----|---------------------------|------|------|-----|-------|-----|-----|---|----|------|----|---|----|----|---|---|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | T | P | S | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | |
| 36.01 | 35.33 | | MP MARKER | R | | 36 | | | | 1 | 1 | | | | | | 6A | 24A | 6A | | 24 | 3 | 02 | 1020 | U2 | | | 45 | R | P | |
| 36.06 | 35.38 | | | | | | | | | 1 | 1 | | | | | | 8A | 24A | 6A | | 24 | 3 | 02 | 1020 | U2 | | | 45 | R | P | |
| 36.08 | 35.40 | | | | | | | | | 1 | 1 | | | | | | 8A | 24A | 8A | | 24 | 3 | 02 | 1020 | U2 | | | 45 | R | P | |
| 36.10 | 35.42 | | | | | | | | | 1 | 1 | | | | | | 8A | 26A | 8A | | 26 | 3 | 02 | 1020 | U2 | | | 45 | R | P | |
| 36.30 | 35.62 | | LEAVE CITY | | | | | | | 1 | 1 | | | | | | 8A | 26A | 8A | | 26 | 3 | 02 | 1020 | U2 | | | 45 | R | P | |
| | | | INTRSECTN | L | | WINE COUNTRY RD | | | | CO | SS | Y | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | CHAPMAN LN | | | | CO | SS | Y | | | | | | | | | | | | | | | | | | | |
| 36.40 | 35.72 | | ON/OFF RMP | R | | SR 82 | | | | ST | | Y | | | | | | | | | | | | | | | | | | | |
| 36.45 | 35.77 | | BEG BRIDGE | B | | SR 82 | | | | ST | | | 1 | 1 | | | \$W | 48P | \$W | | 48 | 3 | 02 | | U2 | | | 45 | R | | |
| | | | | | | BRDG NUM 082/217 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 36.52 | 35.84 | | END BRIDGE | B | | SR 82 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | END CTLSEC | | | CONTROL SECTION 0334 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | END ROUTE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|-------|-------|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B ARM | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 36.30 | 35.62 | .04 | 12 | | | | | | |
| 36.40 | 35.72 | | | .09 | 13 | | | | |

SR 024 MAINLINE

STATE ROUTE - SRSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | |
|-------------------------|------|-----|--------------|---|----|--------------------------|-----|-----|--------------|---------|-----|--------|--------|-----|------|---------------------------|--------|------|--------|--------|-------|----|----|------|----|--------|------|----|----|----|----|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | |
| 0.00 | 0.00 | | BEG ROUTE | | | MAIN ROUTE | | | | 2 | 2 | | | | | | W | 99P | W | | 99 | 2 | 01 | 1485 | U1 | | 35 | L | P | | | |
| | | | ENTER CITY | | | SR 82 TO SR 26/OTHELLO | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG CTLSEC | | | YAKIMA | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE B | | | CONTROL SECTION 3934 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | SR 82 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 024/001 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.03 | 0.03 | | END BRIDGE B | | | SR 82 | | | | 2 | 2 | | | | | | 8A | 48A | 8A | | 48 | 2 | 01 | 1485 | U1 | | 35 | L | P | | | |
| 0.08 | 0.08 | | OFF RAMP | L | | SR 82 | | | | 2 | 2 | 8A | 24A | | | | 12A | UP | \$\$\$ | 24A | 8A | | 48 | 2 | 01 | 1485 | U1 | | 35 | L | P | |
| | | | ON RAMP | R | | SR 82 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.09 | 0.09 | | WYE CONN | L | | SR 82 RAMP | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.11 | 0.11 | | BEG SU LN | R | | WEAVING/SPEED CHANGE 12A | | | | 2 | 2 | 8A | 24A | | | | 12A | UP | | 24A | 8A | 12 | 60 | 2 | 01 | 1485 | U1 | | 35 | L | P | |
| | | | WYE CONN | R | | SR 82 RAMP | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.16 | 0.16 | | END SU LN | R | | WEAVING/SPEED CHANGE 12A | | | | 2 | 2 | \$\$\$ | \$\$\$ | | | | \$\$\$ | \$\$ | | 8A | 48A | 8A | 12 | 60 | 2 | 01 | 1485 | U1 | | 35 | L | P |
| 0.24 | 0.24 | | WYE CONN | R | | S 24TH ST | | | | 2 | 2 | | | | | | 8A | 48A | 8A | \$\$\$ | 48 | 2 | 01 | 1485 | U1 | | 35 | L | P | | | |
| 0.26 | 0.26 | | INTRSECTN | B | | S 24TH ST | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.28 | 0.28 | | WYE CONN | R | | S 24TH ST | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.30 | 0.30 | | | | | | | | | 2 | 2 | | | | | | 8A | 48A | 8A | | 48 | 2 | 01 | 1485 | U1 | | 55 | L | P | | | |
| 0.34 | 0.34 | | | | | | | | | 2 | 2 | 8A | 25A | | | | 10A | JE | \$\$\$ | 25A | 8A | | 50 | 2 | 01 | 1485 | U1 | | 55 | L | P | |
| 0.53 | 0.53 | | BEG BRIDGE B | | | YAKIMA RIVER | | | | 2 | 2 | \$\$W | 33P | | | | 10P | JE | | 33P | \$\$W | | 66 | 2 | 01 | 1485 | U1 | | 55 | L | P | |
| | | | | | | BRDG NUM 024/005 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.63 | 0.63 | | LEAVE CITY | | | YAKIMA | | | | 2 | 2 | W | 33P | | | | 10P | JE | | 33P | W | | 66 | 2 | 01 | \$\$\$ | U1 | | 55 | L | \$ | |
| 0.83 | 0.83 | | END BRIDGE B | | | YAKIMA RIVER | | | | 2 | 2 | 8A | 25A | | | | 10A | JE | | 25A | 8A | | 50 | 2 | 01 | | U1 | | 55 | L | | |
| 1.00 | 1.00 | | MP MARKER | R | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.12 | 1.12 | | | | | | | | | 2 | 2 | \$\$\$ | \$\$\$ | | | | \$\$\$ | \$\$ | | 8A | 50A | 8A | | 50 | 2 | 01 | | U1 | | 55 | L | |
| 1.20 | 1.20 | | | | | | | | | 2 | 1 | | | | | | 8A | 36A | 8A | | 36 | 2 | 01 | | | U1 | | 55 | L | | | |
| 1.24 | 1.24 | | | | | | | | | 1 | 1 | | | | | | 8A | 24A | 8A | | 24 | 2 | 01 | | | U1 | | 55 | L | | | |
| 1.26 | 1.26 | | WYE CONN | L | | UNIVERSITY PKWY | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.28 | 1.28 | | INTRSECTN | R | | RIVERSIDE RD | | | | | | | | | | | 8A | 24A | 8A | | 24 | 2 | 01 | | | R1 | | 55 | L | | | |
| | | | INTRSECTN | L | | UNIVERSITY PKWY | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.47 | 1.47 | | | | | | | | | 1 | 1 | | | | | | 10A | 24A | 10A | | 24 | 2 | 01 | | | R1 | | 55 | L | | | |
| 1.94 | 1.94 | | MP MARKER | R | | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.08 | 2.08 | | INTRSECTN | B | | BIRCHFIELD RD | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|------|------|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 0.08 | 0.08 | .05 | 24 | | | | | | |
| 0.09 | 0.09 | | | | | | | .06 | 12 |
| 0.26 | 0.26 | .03 | 12 | .05 | 12 | | | .02 | 12 |
| 1.26 | 1.26 | | | | | .02 | 12 | | |
| 1.28 | 1.28 | .08 | 24 | .08 | 12 | | | .09 | 12 |
| 2.08 | 2.08 | .03 | 13 | .04 | 13 | | | | |

SR 024 MAINLINE

STATE ROUTE - SRSH

COUNTY BENTON

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | |
|-------------------------|-------|-----|------------|---|----|-----------------------|-----|-----|------------|---------|-----|-----|-----|-----|------|---------------------------|------|-----|--------|--------|-----|---|----|-----|----|---|----|---|---|---|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | |
| 30.76 | 30.71 | | ENTER CO | | | BENTON | | | | 1 | 1 | | | | | | 6A | 24B | 6A | 12 | 36 | 2 | 01 | | R2 | | 65 | R | | | | |
| | | | BEG CTLSEC | | | CONTROL SECTION 0335 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 30.80 | 30.75 | | MISC FEATR | L | | SGN ENT YAKIMA COUNTY | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 30.97 | 30.92 | | MP MARKER | R | | 31 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 31.99 | 31.94 | | MP MARKER | R | | 32 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 32.45 | 32.40 | | END SU LN | R | | CLIMBING | | | 12B | | 1 | 1 | | | | | 6A | 24B | 6A | \$\$\$ | 24 | 2 | 01 | | R2 | | 65 | R | | | | |
| 32.75 | 32.70 | | BEG SU LN | L | | CLIMBING | | | 12B | | 1 | 1 | | | | | 6A | 24B | 6A | 12 | 36 | 2 | 01 | | R2 | | 65 | R | | | | |
| 33.00 | 32.95 | | MP MARKER | R | | 33 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 33.05 | 33.00 | | | | | | | | | | 1 | 1 | | | | | 8A | 24B | 6A | 12 | 36 | 2 | 01 | | R2 | | 65 | R | | | | |
| 33.29 | 33.24 | | | | | | | | | | 1 | 1 | | | | | 6A | 24B | 6A | 12 | 36 | 2 | 01 | | R2 | | 65 | R | | | | |
| 33.46 | 33.41 | | | | | | | | | | 1 | 1 | | | | | 8A | 24B | 6A | 12 | 36 | 2 | 01 | | R2 | | 65 | R | | | | |
| 33.48 | 33.43 | | | | | | | | | | 1 | 1 | | | | | 8A | 24B | 8A | 12 | 36 | 2 | 01 | | R2 | | 65 | R | | | | |
| 33.64 | 33.59 | | | | | | | | | | 1 | 1 | | | | | 6A | 24B | 8A | 12 | 36 | 2 | 01 | | R2 | | 65 | R | | | | |
| 33.68 | 33.63 | | | | | | | | | | 1 | 1 | | | | | 6A | 24B | 6A | 12 | 36 | 2 | 01 | | R2 | | 65 | R | | | | |
| 33.99 | 33.94 | | MP MARKER | R | | 34 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 34.71 | 34.66 | | END SU LN | L | | CLIMBING | | | 12B | | 1 | 1 | | | | | 6A | 24B | 6A | \$\$\$ | 24 | 2 | 01 | | R2 | | 65 | R | | | | |
| 34.99 | 34.94 | | MP MARKER | R | | 35 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 35.44 | 35.39 | | INTRSECTN | L | | COLD CREEK RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | |
| 35.77 | 35.72 | | MP MARKER | R | | 36 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 36.77 | 36.72 | | MP MARKER | R | | 37 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 37.78 | 37.73 | | MP MARKER | R | | 38 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 38.43 | 38.38 | | WYE CONN | L | | SR 24 | | | ST | Y | | | | | | | | | | | | | | | | | | | | | | |
| 38.71 | 38.43 | | EQUATION | | | 038.48 =038.71 | | | | | 1 | 1 | | | | | 6A | 24A | 6A | | 24 | 2 | 01 | | R2 | | 65 | R | | | | |
| | | | INTRSECTN | R | | SR 240 | | | ST | RF | Y | | | | | | | | | | | | | | | | | | | | | |
| | | | ENT/EXIT | R | | HANFORD RESERVATION | | | OT | RF | Y | | | | | | | | | | | | | | | | | | | | | |
| 38.74 | 38.46 | | | | | | | | | | 1 | 1 | | | | | 7B | 23B | 8B | | 23 | 2 | 01 | | R2 | | 65 | R | | | | |
| 38.76 | 38.48 | | WYE CONN | L | | SR 24 | | | ST | Y | | | | | | | | | | | | | | | | | | | | | | |
| 38.98 | 38.70 | | MP MARKER | R | | 39 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 39.98 | 39.70 | | MP MARKER | R | | 40 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 40.00 | 39.72 | | | | | | | | | | 1 | 1 | | | | | 7B | 23B | 8B | | 23 | 2 | 01 | | R2 | | 60 | R | | | | |
| 40.10 | 39.82 | | BEG SU LN | R | | SLOW VEHICLE | | | 20B | | 1 | 1 | | | | | 7B | 23B | \$\$\$ | 20 | 43 | 2 | 01 | | R2 | | 60 | R | | | | |
| 40.22 | 39.94 | | END SU LN | R | | SLOW VEHICLE | | | 20B | | 1 | 1 | | | | | 7B | 23B | 8B | \$\$\$ | 23 | 2 | 01 | | R2 | | 60 | R | | | | |
| 40.98 | 40.70 | | MP MARKER | R | | 41 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 41.98 | 41.70 | | MP MARKER | R | | 42 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 42.26 | 41.98 | | INTRSECTN | L | | MIDWAY SUBSTATION RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | |
| 42.98 | 42.70 | | MP MARKER | R | | 43 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 43.27 | 42.99 | | ENT/EXIT | R | | WEIGH STATION | | | ST | Y | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|-------|-------|--|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| | | | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 38.71 | 38.43 | | | | | .03 | 12 | | | | |

SR 082 MAINLINE

INTERSTATE - ISSH

COUNTY KITTITAS

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|-------|------------|---|----|----------------|-----|-----|------------|---------|-----|-----|-----|-----|---------------------------|------|------|-----|-------|-----|-----|---|----|-----|----|---|----|---|---|---|--|--|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | | |
| 11.36 | | 11.36 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 200S | | 4A | 24P | 10A | | 48 | 1 | 01 | | R5 | | 70 | R | | | | | | |
| 11.45 | | 11.45 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 200S | GR | 4A | 24P | 10A | | 48 | 1 | 01 | | R5 | | 70 | R | | | | | | |
| 11.46 | | 11.46 | MISC FEATR | R | | GORE (P101134) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11.47 | | 11.47 | MISC FEATR | L | | GORE (S101118) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11.62 | | 11.62 | BEG BRIDGE | I | | MILITARY RD | | | | 2 | 2 | 10A | 24P | 4A | 200S | GR | 4A | 24P | 10A | | 76 | 1 | 01 | | R5 | | 70 | R | | | | | | |
| | | | BEG BRIDGE | D | | MILITARY RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11.65 | | 11.65 | END BRIDGE | I | | MILITARY RD | | | | 2 | 2 | 10A | 24P | 4A | 220S | BE | 4A | 24P | 10A | | 48 | 1 | 01 | | R5 | | 70 | M | | | | | | |
| | | | END BRIDGE | D | | MILITARY RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11.71 | | 11.71 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 220S | DE | 4A | 24P | 10A | | 48 | 1 | 01 | | R5 | | 70 | M | | | | | | |
| 11.78 | | 11.78 | MISC FEATR | L | | GORE (R101190) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11.89 | | 11.89 | MISC FEATR | R | | GORE (Q101218) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11.90 | | 11.90 | OFF RAMP | L | | MILITARY RD | | | | ST | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 11.97 | | 11.97 | MED XING | C | | OFFICIAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 12.01 | | 12.01 | MP MARKER | B | | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 12.18 | | 12.18 | ON RAMP | R | | MILITARY RD | | | | ST | | N | | | | | | | | | | | | | | | | | | | | | | |
| 12.87 | | 12.87 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 220S | GR | 4A | 24P | 10A | | 48 | 1 | 01 | | R5 | | 70 | M | | | | | | |
| 13.02 | | 13.02 | MP MARKER | B | | 13 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13.06 | | 13.06 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 220S | DE | 4A | 24P | 10A | | 48 | 1 | 01 | | R5 | | 70 | M | | | | | | |
| 13.65 | | 13.65 | MED XING | C | | OFFICIAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 14.01 | | 14.01 | MP MARKER | B | | 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 14.22 | | 14.22 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 220S | GR | 4A | 24P | 10A | | 48 | 1 | 01 | | R5 | | 70 | M | | | | | | |
| 14.43 | | 14.43 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 220S | DE | 4A | 24P | 10A | | 48 | 1 | 01 | | R5 | | 70 | M | | | | | | |
| 14.50 | | 14.50 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 220S | GR | 4A | 24P | 10A | | 48 | 1 | 01 | | R5 | | 70 | M | | | | | | |
| 14.62 | | 14.62 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 220S | DE | 4A | 24P | 10A | | 48 | 1 | 01 | | R5 | | 70 | M | | | | | | |
| 14.82 | | 14.82 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 220S | GR | 4A | 24P | 10A | | 48 | 1 | 01 | | R5 | | 70 | M | | | | | | |
| 14.94 | | 14.94 | MP MARKER | B | | 15 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 14.96 | | 14.96 | BEG BRIDGE | I | | LMUMA CREEK | | | | 2 | 2 | 10A | 24P | 4A | 700S | DE | 4A | 24P | 10A | | 62 | 1 | 01 | | R5 | | 70 | M | | | | | | |
| | | | BEG BRIDGE | D | | LMUMA CREEK | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 15.02 | | 15.02 | END BRIDGE | I | | LMUMA CREEK | | | | 2 | 2 | 10A | 24P | 4A | 650S | GR | 4A | 24P | 10A | | 48 | 1 | 01 | | R5 | | 70 | M | | | | | | |
| 15.03 | | 15.03 | BEG BRIDGE | D | | LMUMA CREEK | | | | 2 | 2 | 10A | 24P | 4A | 650S | GR | 4A | 24P | 10A | | 62 | 2 | 01 | | R5 | | 70 | M | | | | | | |
| | | | BEG BRIDGE | I | | LMUMA CREEK | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 15.11 | | 15.11 | END BRIDGE | D | | LMUMA CREEK | | | | 2 | 2 | 10A | 24A | 4A | 500S | GR | 4A | 24P | 10A | | 48 | 2 | 01 | | R5 | | 70 | M | | | | | | |
| 15.33 | | 15.33 | MED XING | C | | OFFICIAL | | | | 2 | 2 | 10A | 24A | 4A | 500S | DE | 4A | 24P | 10A | | 48 | 2 | 01 | | R5 | | 70 | M | | | | | | |
| 15.43 | | 15.43 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 100S | DE | 4A | 24P | 10A | | 48 | 2 | 01 | | R5 | | 70 | M | | | | | | |
| 15.74 | | 15.74 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 100S | GR | 4A | 24P | 10A | | 48 | 2 | 01 | | R5 | | 70 | M | | | | | | |
| 15.93 | | 15.93 | MP MARKER | B | | 16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 15.95 | | 15.95 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 250S | GR | 4A | 24P | 10A | | 48 | 2 | 01 | | R5 | | 70 | M | | | | | | |
| 16.50 | | 16.50 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 250S | DE | 4A | 24P | 10A | | 48 | 2 | 01 | | R5 | | 70 | M | | | | | | |
| 16.60 | | 16.60 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 250S | GR | 4A | 24P | 10A | | 48 | 2 | 01 | | R5 | | 70 | M | | | | | | |
| 16.83 | | 16.83 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 250S | DE | 4A | 24P | 10A | | 48 | 2 | 01 | | R5 | | 70 | M | | | | | | |
| 16.93 | | 16.93 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 250S | GR | 4A | 24P | 10A | | 48 | 2 | 01 | | R5 | | 70 | M | | | | | | |

SR 082 MAINLINE

INTERSTATE - ISSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | |
|-------------------------|-------|-----|------------|---|----|--------------------------|-----|-----|------------|---------|-----|-------|-----|-------|------|------|---------------------------|-----|-------|--------|-----|---|----|------|----|----|----|---|---|---|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | T | P | S | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | |
| 30.77 | 30.74 | | ON RAMP | R | | SR 823-REST HAVEN RD | ST | Y | 2 | 2 | | 10A | 24A | 4A | 40S | DE | C | 40P | C | 28 | 92 | 2 | 01 | | U5 | 60 | R | | | | |
| 30.78 | 30.75 | | BEG BRIDGE | D | | YAKIMA RIVER | ST | | 2 | 2 | | \$\$C | 36A | \$\$C | 400 | \$\$ | C | 40P | C | 28 | 104 | 2 | 01 | | U5 | 60 | R | | | | |
| | | | | | | BRDG NUM 082/114N | | | | | | | | | | | | | | | | | | | | | | | | | |
| 30.79 | 30.76 | | OFF RAMP | L | | REST HAVEN RD | ST | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 30.82 | 30.79 | | END BRIDGE | I | | YAKIMA RIVER | | | 2 | 2 | | C | 36A | C | 40S | BE | 4A | 24A | 10A | 28 | 88 | 2 | 01 | | U5 | 60 | R | | | | |
| 30.84 | 30.81 | | END BRIDGE | D | | YAKIMA RIVER | | | 2 | 2 | | 10A | 24A | 4A | 40S | BE | 4A | 24A | 10A | 28 | 76 | 2 | 01 | | U5 | 60 | R | | | | |
| 30.90 | 30.87 | | BEG BRIDGE | I | | NACHES RIVER | ST | | 2 | 2 | | \$\$C | 36A | \$\$C | 400 | \$\$ | \$\$C | 40P | \$\$C | 28 | 104 | 2 | 01 | | U5 | 60 | R | | | | |
| | | | | | | BRDG NUM 082/115S | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE | D | | NACHES RIVER | ST | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 082/115N | | | | | | | | | | | | | | | | | | | | | | | | | |
| 30.93 | 30.90 | | ENTER CITY | | | YAKIMA | | | 2 | 2 | | C | 36A | C | 400 | | C | 40P | C | 28 | 104 | 2 | 01 | 1485 | U5 | 60 | R | P | | | |
| 30.96 | 30.93 | | END BRIDGE | I | | NACHES RIVER | | | 2 | 3 | | 10A | 24A | 4A | 100S | GR | 4A | 40A | 10A | 28 | 92 | 2 | 01 | 1485 | U5 | 60 | R | P | | | |
| | | | END BRIDGE | D | | NACHES RIVER | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | END SU LN | R | | WEAVING/SPEED CHANGE 14A | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | OFF RAMP | R | | N 1ST ST | ST | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 30.99 | 30.96 | | MP MARKER | L | | 31 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 31.02 | 30.99 | | | | | | | | 2 | 2 | | 10A | 24A | 4A | 100S | GR | 4A | 24A | 10A | 14 | 62 | 2 | 01 | 1485 | U5 | 60 | R | P | | | |
| 31.04 | 31.01 | | MISC FEATR | R | | GORE (P103096) | | | | | | | | | | | | | | | | | | | | | | | | | |
| 31.07 | 31.04 | | END SU LN | LC | | WEAVING/SPEED CHANGE 14A | | | 2 | 2 | | 10A | 24A | 4A | 100S | GR | 4A | 24A | 10A | \$\$\$ | 48 | 2 | 01 | 1485 | U5 | 60 | R | P | | | |
| | | | MP MARKER | R | | 31 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | ON RAMP | LC | | N 1ST ST | ST | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 31.12 | 31.09 | | MISC FEATR | LC | | GORE (S103107) | | | | | | | | | | | | | | | | | | | | | | | | | |
| 31.13 | 31.10 | | BEG BRIDGE | I | | SR 823 | ST | | 2 | 2 | | 10A | 24A | 4A | 100S | GR | \$\$W | 38P | \$\$W | | 62 | 2 | 01 | 1485 | U5 | 60 | R | P | | | |
| | | | | | | BRDG NUM 082/116S | | | | | | | | | | | | | | | | | | | | | | | | | |
| 31.17 | 31.14 | | END BRIDGE | I | | SR 823 | | | 2 | 2 | | 10A | 24A | 4A | 100S | DE | W | 31P | W | | 55 | 2 | 01 | 1485 | U5 | 60 | R | P | | | |
| | | | BEG BRIDGE | I | | N 1ST ST | ST | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 082/117S | | | | | | | | | | | | | | | | | | | | | | | | | |
| 31.20 | 31.17 | | END BRIDGE | I | | N 1ST ST | | | 2 | 2 | | 10A | 24A | 4A | 100S | GR | 4A | 24A | 10A | | 48 | 2 | 01 | 1485 | U5 | 60 | R | P | | | |
| 31.34 | 31.31 | | | | | | | | 2 | 2 | | 10A | 24A | 4A | 100S | CA | 4A | 24A | 10A | | 48 | 2 | 01 | 1485 | U5 | 60 | R | P | | | |
| 31.38 | 31.35 | | UXING | B | | SR 12 | ST | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 012/350 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 31.40 | 31.37 | | UXING | B | | W-S RAMP | ST | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 082/118W-S | | | | | | | | | | | | | | | | | | | | | | | | | |
| 31.49 | 31.46 | | MISC FEATR | R | | GORE (Q103178) | | | | | | | | | | | | | | | | | | | | | | | | | |
| 31.60 | 31.57 | | | | | | | | 2 | 2 | | 10A | 24A | 4A | 70S | CA | 4A | 24A | 10A | | 48 | 2 | 01 | 1485 | U5 | 60 | R | P | | | |
| 31.62 | 31.59 | | MISC FEATR | L | | GORE (R103175) | | | | | | | | | | | | | | | | | | | | | | | | | |
| 31.65 | 31.62 | | | | | | | | 2 | 2 | | 10A | 24A | 4A | 50S | CA | 4A | 24A | 10A | | 48 | 2 | 01 | 1485 | U5 | 60 | R | P | | | |
| 31.75 | 31.72 | | OFF RAMP | L | | SR 12-N 1ST ST | ST | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 31.78 | 31.75 | | ON RAMP | R | | SR 12-N 1ST ST | ST | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 31.80 | 31.77 | | BEG BRIDGE | B | | DRAINAGE CHANNEL | ST | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 082/119.25 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 31.81 | 31.78 | | END BRIDGE | B | | DRAINAGE CHANNEL | | | | | | | | | | | | | | | | | | | | | | | | | |
| 31.99 | 31.96 | | BEG BRIDGE | I | | OVERFLOW CHANNEL | ST | | 2 | 2 | | \$\$W | 32A | \$\$W | 500 | \$\$ | \$\$W | 32A | \$\$W | | 64 | 2 | 01 | 1485 | U5 | 60 | R | P | | | |

SR 082 MAINLINE

INTERSTATE - ISSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | |
|-------------------------|---|-------|------------|---|----|--|-----|-----|--------------|---------|-------|-------|-------|-------|------|-------|---------------------------|-------|-------|-----|-----|----|----|-----|----|----|----|----|---|---|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | T | P | S | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | |
| 38.11 | | 38.08 | UXING | B | | S-W RAMP BRDG NUM 082/130S-W | ST | | 2 | 2 | 10A | 24A | | 40A | JE | | 24A | 10A | | 48 | 2 | 02 | | | U5 | | 60 | R | | | | |
| 38.20 | | 38.17 | MISC FEATR | R | | GORE (Q103848) | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 38.26 | | 38.23 | MISC FEATR | L | | GORE (S503793) | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 38.34 | | 38.31 | | | | | | | 2 | 2 | 10A | 24A | 4A | 40S | CA | | 4A | 24A | 10A | | 48 | 2 | 02 | | | U5 | | 60 | R | | | |
| 38.39 | | 38.36 | MISC FEATR | L | | GORE (R103848) | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 38.48 | | 38.45 | OFF RAMP | L | | SR 97 | ST | | Y | 2 | 2 | \$\$C | 30P | \$\$C | | 40S | BE | 4A | 24A | 10A | | 54 | 2 | 02 | | U5 | | 60 | R | | | |
| | | | ON RAMP | R | | SR 97 | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE | D | | YAKIMA RIVER BRDG NUM 082/131N | ST | | | | | | | | | | | | | | | | | | | | | | | | | |
| 38.49 | | 38.46 | BEG BRIDGE | I | | YAKIMA RIVER BRDG NUM 082/131S | ST | | 2 | 2 | C | 30A | C | 40O | \$\$ | \$\$C | 30A | \$\$C | | 60 | 2 | 02 | | | U5 | | 60 | R | | | | |
| 38.61 | | 38.58 | END BRIDGE | D | | YAKIMA RIVER | | | 2 | 2 | 10A | 24A | 4A | 40S | BE | C | 30A | C | | 54 | 2 | 02 | | | U5 | | 60 | R | | | | |
| 38.62 | | 38.59 | END BRIDGE | I | | YAKIMA RIVER | | | 2 | 2 | 10A | 24A | 4A | 40S | CA | 4A | 24A | 10A | | 48 | 2 | 02 | | | U5 | | 60 | R | | | | |
| 38.72 | | 38.69 | | | | | | | 2 | 2 | 10A | 24A | 4A | 40S | CA | 4A | 24A | 10A | | 48 | 2 | 02 | | | U5 | | 70 | R | | | | |
| 38.75 | | 38.72 | | | | | | | 2 | 2 | 10A | 24P | 4A | 40S | CA | 4A | 24A | 10A | | 48 | 2 | 02 | | | U5 | | 70 | R | | | | |
| 38.86 | | 38.83 | | | | | | | 2 | 2 | 10A | 24P | 4A | 40S | CA | 4A | 24P | 10A | | 48 | 2 | 02 | | | U5 | | 70 | R | | | | |
| 38.93 | | 38.90 | BEG BRIDGE | B | | DRAINAGE CULVERT BRDG NUM 082/132.25 | ST | | | | | | | | | | | | | | | | | | | | | | | | | |
| 38.94 | | 38.91 | END BRIDGE | B | | DRAINAGE CULVERT | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 39.00 | | 38.97 | MP MARKER | B | | 39 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 39.14 | | 39.11 | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | 48 | 2 | 02 | | | U5 | | 70 | R | | | | |
| 39.85 | | 39.82 | ON RAMP | L | | THORP RD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 39.96 | | 39.93 | OFF RAMP | R | | YAKIMA VALLEY HWY | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 40.00 | | 39.97 | MP MARKER | B | | 40 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 40.08 | | 40.05 | MISC FEATR | R | | GORE (P103996) | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 40.14 | | 40.11 | MISC FEATR | L | | GORE (S103985) | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 40.32 | | 40.29 | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | BE | 4A | 24P | 10A | | 48 | 2 | 02 | | | U5 | | 70 | R | | | | |
| 40.34 | | 40.31 | BEG BRIDGE | I | | GANGLE RD BRDG NUM 082/133S | ST | | 2 | 2 | \$\$C | 38P | \$\$C | 76O | \$\$ | \$\$W | 38P | \$\$W | | 76 | 2 | 02 | | | R5 | | 70 | R | | | | |
| | | | BEG BRIDGE | D | | GANGLE RD BRDG NUM 082/133N | ST | | | | | | | | | | | | | | | | | | | | | | | | | |
| 40.36 | | 40.33 | END BRIDGE | I | | GANGLE RD | | | 2 | 2 | 10A | 24P | 4A | 76S | BE | 4A | 24P | 10A | | 48 | 2 | 02 | | | R5 | | 70 | R | | | | |
| | | | END BRIDGE | D | | GANGLE RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 40.38 | | 40.35 | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | 48 | 2 | 02 | | | R5 | | 70 | R | | | | |
| 40.55 | | 40.52 | MISC FEATR | L | | GORE (R104066) | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 40.59 | | 40.56 | MISC FEATR | R | | GORE (Q104087) | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 40.66 | | 40.63 | OFF RAMP | L | | THORP PARKER RD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 40.87 | | 40.84 | ON RAMP | R | | THORP PARKER RD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 41.00 | | 40.97 | MP MARKER | B | | 41 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 41.51 | | 41.48 | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | BE | 4A | 24P | 10A | | 48 | 2 | 02 | | | R5 | | 70 | R | | | | |
| 41.53 | | 41.50 | BEG BRIDGE | I | | OLD SR 12/BNI&UP RR BRDG NUM 082/135S | ST | | 2 | 2 | 10A | 24P | 4A | 76S | DE | \$\$W | 38P | \$\$W | | 62 | 2 | 02 | | | R5 | | 70 | R | | | | |

SR 082 MAINLINE

INTERSTATE - ISSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS---- | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|-------|------------|---|----|--|-----|-----|--------------|---------|-----|-----|-----|-----|--------------------------|------|------|-----|-------|-----|-----|----|----|-----|----------|----|----|----|---|----|--|--|--|--|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | | | | |
| 48.29 | | 48.26 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | | 48 | 2 | 02 | | R5 | | 70 | L | | | | | | | |
| 48.32 | | 48.29 | MED XING | | C | OFFICIAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 48.50 | | 48.47 | TRAF RCDR | B | | P08 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 49.10 | | 49.07 | MP MARKER | B | | 49 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 49.77 | | 49.74 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | | 48 | 2 | 02 | | U5 | | 70 | L | | | | | | | |
| 49.78 | | 49.75 | OFF RAMP | R | | SR 22 EB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 49.81 | | 49.78 | ON RAMP | L | | SR 22 | | | | ST | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 49.89 | | 49.86 | MISC FEATR | R | | GORE (P104978) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 50.01 | | 49.98 | MP MARKER | B | | 50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 50.03 | | 50.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 50.11 | | 50.08 | UXING | B | | SR 22 BRDG NUM 022/004 | | | | ST | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 50.13 | | 50.10 | MISC FEATR | L | | GORE (S504981) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 50.19 | | 50.16 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | | 48 | 2 | 02 | | U5 | | 70 | L | | | | | | | |
| 50.34 | | 50.31 | MISC FEATR | R | | GORE (Q105063) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | MISC FEATR | L | | GORE (R105046) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 50.46 | | 50.43 | OFF RAMP | L | | SR 22-BUENA RD | | | | ST | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 50.63 | | 50.60 | ON RAMP | R | | SR 22 WB | | | | ST | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 50.80 | | 50.77 | BEG BRIDGE | B | | CAMI DRAINAGE CANAL BRDG NUM 082/140.7C | | | | ST | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 50.81 | | 50.78 | END BRIDGE | B | | CAMI DRAINAGE CANAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 51.00 | | 50.97 | MP MARKER | B | | 51 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 51.58 | | 51.55 | ON RAMP | L | | ZILLAH | | | | ST | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 51.75 | | 51.72 | OFF RAMP | R | | ZILLAH-TOPPENISH RD | | | | ST | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 51.86 | | 51.83 | MISC FEATR | R | | GORE (P105175) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | MISC FEATR | L | | GORE (S105158) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 51.99 | | 51.96 | MP MARKER | B | | 52 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 52.01 | | 51.98 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 52.08 | | 52.05 | UXING | B | | N MEYERS RD BRDG NUM 082/141 | | | | ST | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 52.14 | | 52.11 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 52.27 | | 52.24 | MISC FEATR | L | | GORE (R105239) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 52.32 | | 52.29 | MISC FEATR | R | | GORE (Q105260) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 52.38 | | 52.35 | ENTER CITY | | | ZILLAH | | | | 2 | 2 | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | | 48 | 2 | 02 | 1500 | U5 | | 70 | L | P | | | | | | |
| 52.39 | | 52.36 | OFF RAMP | L | | ZILLAH-TOPPENISH RD | | | | ST | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 52.47 | | 52.44 | LEAVE CITY | | | ZILLAH | | | | 2 | 2 | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | | 48 | 2 | 02 | \$\$\$\$ | U5 | | 70 | L | \$ | | | | | | |
| 52.60 | | 52.57 | ON RAMP | R | | ZILLAH | | | | ST | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 52.94 | | 52.91 | ENTER CITY | | | ZILLAH | | | | 2 | 2 | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | | 48 | 2 | 02 | 1500 | U5 | | 70 | L | P | | | | | | |
| 53.00 | | 52.97 | MP MARKER | B | | 53 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 53.04 | | 53.01 | BEG BRIDGE | B | | WASTEWATER DRAINAGE BRDG NUM 082/141.5C | | | | ST | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 53.05 | | 53.02 | END BRIDGE | B | | WASTEWATER DRAINAGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 53.52 | | 53.49 | LEAVE CITY | | | ZILLAH | | | | 2 | 2 | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | | 48 | 2 | 02 | \$\$\$\$ | R5 | | 70 | L | \$ | | | | | | |

SR 082 MAINLINE

INTERSTATE - ISSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|-------|------------|---|----|-----------------------|----|-----|--------------|---|-------|-----|-------|-----|---------------------------|-----|------|-------|--------|-----|--------|-----|-----|-----|-----|------|----------|----|-------|----|----|----|---|---|--|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE- | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | | LFT | RHT | | LFT | | RHT | USE | TOT | | | LEGAL | | T | | P | S | | | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | RDY | SHD | W/S | W/S | WD/S | BR | W/S | RDY | SHD | W/S | W/S | WID | WID | MTCE | CITY | ST | SPEED | D | IB | R | K | T | | | |
| 53.61 | | 53.58 | ON RAMP | L | | YAKIMA VALLEY HWY | ST | Y | 2 | 2 | 10A | 24P | 4A | | | | 76S | GR | 4A | 24P | 10A | | | 48 | 2 | 02 | | R5 | | 70 | L | | | | | | |
| 53.64 | | 53.61 | UXING | B | | UP RR | ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | RR XING | B | | NUM 0000000 STRUCTURE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 53.66 | | 53.63 | UXING | B | | BN RR | ST | | 2 | 2 | 10A | 24P | 4A | | | | 76S | DE | 4A | 24P | 10A | | | 48 | 2 | 02 | | R5 | | 70 | L | | | | | | |
| | | | RR XING | B | | NUM 0000000 STRUCTURE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 53.73 | | 53.70 | OFF RAMP | R | | YAKIMA VALLEY HWY | ST | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 53.85 | | 53.82 | MISC FEATR | R | | GORE (P105373) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 53.90 | | 53.87 | MISC FEATR | L | | GORE (S105361) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 54.00 | | 53.97 | MP MARKER | B | | 54 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 54.01 | | 53.98 | | | | | | | 2 | 2 | 10A | 24P | 4A | | | | 76S | CA | 4A | 24P | 10A | | | 48 | 2 | 02 | | R5 | | 70 | L | | | | | | |
| 54.08 | | 54.05 | UXING | B | | YAKIMA VALLEY HWY | ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 082/145 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 54.17 | | 54.14 | | | | | | | 2 | 2 | 10A | 24P | 4A | | | | 76S | DE | 4A | 24P | 10A | | | 48 | 2 | 02 | | R5 | | 70 | L | | | | | | |
| 54.27 | | 54.24 | MISC FEATR | R | | GORE (Q105453) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 54.28 | | 54.25 | MISC FEATR | L | | GORE (R105440) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 54.40 | | 54.37 | OFF RAMP | L | | YAKIMA VALLEY HWY | ST | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 54.53 | | 54.50 | ON RAMP | R | | YAKIMA VALLEY HWY | ST | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 55.02 | | 54.99 | MP MARKER | B | | 55 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 55.59 | | 55.56 | | | | | | | 2 | 2 | 10A | 24P | 4A | | | | 76S | BE | 4A | 24P | 10A | | | 48 | 2 | 02 | | R5 | | 70 | L | | | | | | |
| 55.61 | | 55.58 | BEG BRIDGE | I | | OLD SR 12 | ST | | 2 | 2 | 10A | 24P | 4A | | | | 76S | DE | \$\$\$ | 38P | \$\$\$ | | | 62 | 2 | 02 | | R5 | | 70 | L | | | | | | |
| | | | | | | BRDG NUM 082/147S | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 55.63 | | 55.60 | BEG BRIDGE | D | | OLD SR 12 | ST | | 2 | 2 | \$\$C | 38P | \$\$C | | | | 76O | \$\$ | | W | 38P | W | | | 76 | 2 | 02 | | R5 | | 70 | L | | | | | |
| | | | | | | BRDG NUM 082/147N | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 55.66 | | 55.63 | END BRIDGE | I | | OLD SR 12 | | | 2 | 2 | C | 38P | C | | | | 76S | BE | 4A | 24P | 10A | | | 62 | 2 | 02 | | R5 | | 70 | L | | | | | | |
| 55.68 | | 55.65 | END BRIDGE | D | | OLD SR 12 | | | 2 | 2 | 10A | 24P | 4A | | | | 76S | DE | 4A | 24P | 10A | | | 48 | 2 | 02 | | R5 | | 70 | L | | | | | | |
| 56.00 | | 55.97 | MP MARKER | B | | 56 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 56.05 | | 56.02 | MED XING | C | | OFFICIAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 56.79 | | 56.76 | | | | | | | 2 | 2 | 10A | 24P | 4A | | | | 76S | CA | 4A | 24P | 10A | | | 48 | 2 | 02 | | R5 | | 70 | L | | | | | | |
| 56.87 | | 56.84 | UXING | B | | HUDSON RD | ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 082/149 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 56.95 | | 56.92 | | | | | | | 2 | 2 | 10A | 24P | 4A | | | | 76S | DE | 4A | 24P | 10A | | | 48 | 2 | 02 | | R5 | | 70 | L | | | | | | |
| 57.00 | | 56.97 | MP MARKER | B | | 57 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 57.69 | | 57.66 | MED XING | C | | OFFICIAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 57.81 | | 57.78 | | | | | | | 2 | 2 | 10A | 24P | 4A | | | | 76S | CA | 4A | 24P | 10A | | | 48 | 2 | 02 | | R5 | | 70 | L | | | | | | |
| 57.87 | | 57.84 | UXING | B | | EAST E ST | ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 082/151 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 57.88 | | 57.85 | ENTER CITY | | | GRANGER | | | 2 | 2 | 10A | 24P | 4A | | | | 76S | CA | 4A | 24P | 10A | | | 48 | 2 | 02 | 0520 | R5 | | 70 | L | P | | | | | |
| 57.94 | | 57.91 | | | | | | | 2 | 2 | 10A | 24P | 4A | | | | 76S | DE | 4A | 24P | 10A | | | 48 | 2 | 02 | 0520 | R5 | | 70 | L | P | | | | | |
| 58.00 | | 57.97 | MP MARKER | B | | 58 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 58.02 | | 57.99 | ON RAMP | L | | VANBELLE RD | ST | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 58.17 | | 58.14 | LEAVE CITY | | | GRANGER | | | 2 | 2 | 10A | 24P | 4A | | | | 76S | DE | 4A | 24P | 10A | | | 48 | 2 | 02 | \$\$\$\$ | R5 | | 70 | L | \$ | | | | | |

SR 082 MAINLINE

INTERSTATE - ISSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|-------|------------|---|----|--------------------------|-----|-----|--------------|---------|-----|---------|-----|---------|---------------------------|------|---------|-----|---------|-----|-----|---|----|------|----|---|----|---|---|---|--|--|--|--|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | | | | |
| 63.36 | | 63.33 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | 48 | 2 | 02 | | R5 | | 70 | L | | | | | | | | |
| 63.39 | | 63.36 | MISC FEATR | L | | GORE (S106311) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 63.40 | | 63.37 | MISC FEATR | R | | GORE (P106329) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 63.57 | | 63.54 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | CA | 4A | 24P | 10A | | 48 | 2 | 02 | | R5 | | 70 | L | | | | | | | | |
| 63.64 | | 63.61 | UXING | B | | CEMETERY RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 082/161 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 63.70 | | 63.67 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | 48 | 2 | 02 | | R5 | | 70 | L | | | | | | | | |
| 63.87 | | 63.84 | MISC FEATR | L | | GORE (R106398) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 63.88 | | 63.85 | MISC FEATR | R | | GORE (Q106417) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 63.98 | | 63.95 | OFF RAMP | L | | CEMETERY RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 64.00 | | 63.97 | MP MARKER | B | | 64 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 64.17 | | 64.14 | ON RAMP | R | | CEMETERY RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 64.88 | | 64.85 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | CA | 4A | 24P | 10A | | 48 | 2 | 02 | | R5 | | 70 | L | | | | | | | | |
| 64.95 | | 64.92 | UXING | B | | GAP RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 082/163 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 65.00 | | 64.97 | MP MARKER | B | | 65 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 65.02 | | 64.99 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | 48 | 2 | 02 | | R5 | | 70 | L | | | | | | | | |
| 65.10 | | 65.07 | MISC FEATR | B | | TRAF RCDR S905 SEMI-PERM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 65.20 | | 65.17 | MED XING | C | | OFFICIAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 65.83 | | 65.80 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | BE | 4A | 24P | 10A | | 48 | 2 | 02 | | R5 | | 70 | L | | | | | | | | |
| 65.85 | | 65.82 | BEG BRIDGE | I | | SNIPES MTN LATERAL CANAL | | | | 2 | 2 | 10A | 24P | 4A | 76S | DE | \$\$\$W | 38P | \$\$\$W | | 62 | 2 | 02 | | R5 | | 70 | L | | | | | | | | |
| | | | | | | BRDG NUM 082/165S | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 65.86 | | 65.83 | END BRIDGE | I | | SNIPES MTN LATERAL CANAL | | | | 2 | 2 | \$\$\$W | 38P | \$\$\$W | 76S | BE | 4A | 24P | 10A | | 62 | 2 | 02 | | R5 | | 70 | L | | | | | | | | |
| | | | BEG BRIDGE | D | | SNIPES MTN LATERAL CANAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 082/165N | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 65.87 | | 65.84 | END BRIDGE | D | | SNIPES MTN LATERAL CANAL | | | | 2 | 2 | 10A | 24P | 4A | 76S | BE | 4A | 24P | 10A | | 48 | 2 | 02 | | R5 | | 70 | L | | | | | | | | |
| 65.90 | | 65.87 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | 48 | 2 | 02 | | R5 | | 70 | L | | | | | | | | |
| 65.92 | | 65.89 | BEG BRIDGE | B | | FARM ACCESS RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 082/165.25 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 65.93 | | 65.90 | END BRIDGE | B | | FARM ACCESS RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 66.00 | | 65.97 | MP MARKER | B | | 66 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 66.44 | | 66.41 | ON RAMP | L | | MIDVALE RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 66.53 | | 66.50 | OFF RAMP | R | | MIDVALE RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 66.65 | | 66.62 | MISC FEATR | R | | GORE (P106653) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 66.69 | | 66.66 | ENTER CITY | | | SUNNYSIDE | | | | 2 | 2 | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | 48 | 2 | 02 | 1275 | U5 | | 70 | L | P | | | | | | | |
| 66.71 | | 66.68 | MISC FEATR | L | | GORE (S106644) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 66.87 | | 66.84 | MISC FEATR | R | | GORE (Q506719) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 66.89 | | 66.86 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | BE | 4A | 24P | 10A | | 48 | 2 | 02 | 1275 | U5 | | 70 | L | P | | | | | | | |
| 66.93 | | 66.90 | BEG BRIDGE | I | | MIDVALE RD | | | | 2 | 2 | \$\$\$W | 38P | \$\$\$W | 76S | DE | \$\$\$W | 60P | \$\$\$W | | 98 | 2 | 02 | 1275 | U5 | | 70 | L | P | | | | | | | |
| | | | | | | BRDG NUM 082/167S | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE | D | | MIDVALE RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 082/167N | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 66.95 | | 66.92 | END BRIDGE | I | | MIDVALE RD | | | | 2 | 2 | 10A | 24P | 4A | 76S | BE | 4A | 24P | C | | 48 | 2 | 02 | 1275 | U5 | | 70 | L | P | | | | | | | |

SR 082 MAINLINE

INTERSTATE - ISSH

COUNTY BENTON

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|-------|------------|---|----|-----------------------|-----|-----|--------------|---------|-----|-------|-----|-------|---------------------------|------|-------|-----|-------|-----|-----|---|----|----------|----|---|----|---|----|---|--|--|--|--|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | | | | |
| 79.59 | | 79.56 | | | | | | | | 2 | 2 | 11A | 24P | 5A | 76S | DE | 5A | 24P | 11A | | 48 | 3 | 02 | | U5 | | 70 | L | | | | | | | | |
| 79.68 | | 79.65 | MISC FEATR | R | | GORE (P107956) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 79.69 | | 79.66 | MISC FEATR | L | | GORE (S107942) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 79.85 | | 79.82 | | | | | | | | 2 | 2 | 11A | 24P | 5A | 76S | CA | 5A | 24P | 11A | | 48 | 3 | 02 | | U5 | | 70 | L | | | | | | | | |
| 79.86 | | 79.83 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | CA | 4A | 24P | 10A | | 48 | 3 | 02 | | U5 | | 70 | L | | | | | | | | |
| 79.93 | | 79.90 | UXING | B | | GAP RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 082/209 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | MP MARKER | B | | 80 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 80.01 | | 79.98 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | 48 | 3 | 02 | | U5 | | 70 | L | | | | | | | | |
| 80.17 | | 80.14 | MISC FEATR | R | | GORE (Q108048) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 80.20 | | 80.17 | MISC FEATR | L | | GORE (R108032) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 80.32 | | 80.29 | OFF RAMP | L | | GAP RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 80.48 | | 80.45 | ON RAMP | R | | GAP RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 80.91 | | 80.88 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | CA | 4A | 24P | 10A | | 48 | 3 | 02 | | U5 | | 70 | L | | | | | | | | |
| 80.95 | | 80.92 | MP MARKER | B | | 81 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 81.00 | | 80.97 | UXING | B | | OLD INLAND EMPIRE HWY | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 082/211 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 81.08 | | 81.05 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | 48 | 3 | 02 | | U5 | | 70 | L | | | | | | | | |
| 81.84 | | 81.81 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | BE | 4A | 24P | 10A | | 48 | 3 | 02 | | U5 | | 70 | L | | | | | | | | |
| 81.86 | | 81.83 | BEG BRIDGE | I | | CHANDLER CANAL | | | | 2 | 2 | \$\$C | 38P | \$\$C | 760 | \$\$ | \$\$C | 38P | \$\$C | | 76 | 3 | 02 | | U5 | | 70 | L | | | | | | | | |
| | | | | | | BRDG NUM 082/213S | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE | D | | CHANDLER CANAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 082/213N | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 81.88 | | 81.85 | END BRIDGE | I | | CHANDLER CANAL | | | | 2 | 2 | 10A | 24P | 4A | 76S | BE | 4A | 24P | 10A | | 48 | 3 | 02 | | U5 | | 70 | L | | | | | | | | |
| | | | END BRIDGE | D | | CHANDLER CANAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 81.90 | | 81.87 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | 48 | 3 | 02 | | U5 | | 70 | L | | | | | | | | |
| 81.93 | | 81.90 | MP MARKER | B | | 82 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 81.95 | | 81.92 | BEG BRIDGE | B | | CANAL ACCESS RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 082/215.25 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 81.96 | | 81.93 | END BRIDGE | B | | CANAL ACCESS RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 82.02 | | 81.99 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | BE | 4A | 24P | 10A | | 48 | 3 | 02 | | U5 | | 70 | L | | | | | | | | |
| 82.04 | | 82.01 | BEG BRIDGE | I | | YAKIMA RIVER | | | | 2 | 2 | \$\$C | 38P | \$\$C | 760 | \$\$ | \$\$C | 38P | \$\$C | | 76 | 3 | 02 | | U5 | | 70 | L | | | | | | | | |
| | | | | | | BRDG NUM 082/215S | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE | D | | YAKIMA RIVER | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 082/215N | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 82.09 | | 82.06 | ENTER CITY | | | PROSSER | | | | 2 | 2 | C | 38P | C | 760 | | C | 38P | C | | 76 | 3 | 02 | 1020 | U5 | | 70 | R | P | | | | | | | |
| 82.14 | | 82.11 | END BRIDGE | I | | YAKIMA RIVER | | | | 2 | 2 | 10A | 24A | 4A | 76S | BE | 4A | 24A | 10A | | 48 | 3 | 02 | 1020 | U5 | | 70 | L | P | | | | | | | |
| | | | END BRIDGE | D | | YAKIMA RIVER | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | ON RAMP | L | | SR 22 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 82.20 | | 82.17 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 76S | DE | 4A | 24A | 10A | | 48 | 3 | 02 | 1020 | U5 | | 70 | L | P | | | | | | | |
| 82.22 | | 82.19 | OFF RAMP | R | | SR 22 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 82.23 | | 82.20 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 76S | CA | 4A | 24A | 10A | | 48 | 3 | 02 | 1020 | U5 | | 70 | L | P | | | | | | | |
| 82.26 | | 82.23 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 76S | CA | 4A | 24A | 10A | | 48 | 3 | 02 | 1020 | U5 | | 70 | L | \$ | | | | | | | |
| 82.31 | | 82.28 | LEAVE CITY | | | PROSSER | | | | 2 | 2 | 10A | 24A | 4A | 76S | CA | 4A | 24A | 10A | | 48 | 3 | 02 | \$\$\$\$ | U5 | | 70 | L | | | | | | | | |

SR 082 MAINLINE

INTERSTATE - ISSH

COUNTY BENTON

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | |
|-------------------------|---|--------|------------|---|----|--------------------------|-----|-----|------------|---------|-----|-------|-----|-------|---------------------------|------|-------|-----|-------|-----|-----|----|----|-----|----|----|----|----|----|---|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE- | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | |
| 101.65 | | 101.62 | OFF RAMP | R | | SR 182 | ST | Y | 2 | 2 | | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | | 48 | 3 | 02 | | U5 | | 70 | R | | |
| 101.68 | | 101.65 | | | | | | | 2 | 2 | | 10A | 24P | 4A | 76S | GR | 4A | 24P | 10A | | | 48 | 3 | 02 | | U5 | | 70 | R | | |
| 101.70 | | 101.67 | | | | | | | 2 | 2 | | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | | 48 | 3 | 02 | | U5 | | 70 | R | | |
| 101.76 | | 101.73 | MISC FEATR | R | | GORE (P110165) | | | | | | | | | | | | | | | | | | | | | | | | | |
| 102.00 | | 101.97 | ON RAMP | L | | SR 182 | ST | Y | 2 | 2 | | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | | 48 | 3 | 01 | | U5 | | 70 | R | | |
| 102.14 | | 102.11 | MP MARKER | B | | 102 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 102.30 | | 102.27 | MISC FEATR | L | | GORE (S110200) | | | | | | | | | | | | | | | | | | | | | | | | | |
| 102.33 | | 102.30 | MISC FEATR | R | | GORE (Q510262) | | | | | | | | | | | | | | | | | | | | | | | | | |
| 102.48 | | 102.45 | | | | | | | 2 | 2 | | 10A | 24P | 4A | 76S | JE | 4A | 24P | 10A | | | 48 | 3 | 01 | | U5 | | 70 | R | | |
| 102.51 | | 102.48 | BEG BRIDGE | I | | SR 182 | ST | | 2 | 2 | | 10A | 24P | 4A | 76S | DE | \$\$C | 43P | \$\$C | | | 67 | 3 | 01 | | U5 | | 70 | R | | |
| | | | | | | BRDG NUM 082/255S | | | | | | | | | | | | | | | | | | | | | | | | | |
| 102.52 | | 102.49 | BEG BRIDGE | D | | SR 182 | ST | | 2 | 2 | | \$\$C | 38P | \$\$C | 76O | \$\$ | | C | 43P | C | | | 81 | 3 | 01 | | U5 | | 70 | R | |
| | | | | | | BRDG NUM 082/255N | | | | | | | | | | | | | | | | | | | | | | | | | |
| 102.56 | | 102.53 | END BRIDGE | I | | SR 182 | | | 2 | 2 | | C | 38P | C | 76S | UP | 4A | 24P | 10A | | | 62 | 3 | 01 | | U5 | | 70 | R | | |
| 102.57 | | 102.54 | END BRIDGE | D | | SR 182 | | | 2 | 2 | | 10A | 24P | 4A | 76S | JE | 4A | 24P | 10A | | | 48 | 3 | 01 | | U5 | | 70 | R | | |
| 102.62 | | 102.59 | ON RAMP | R | | SR 182 | ST | Y | 2 | 2 | | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | | 48 | 3 | 01 | | U5 | | 70 | R | | |
| 102.76 | | 102.73 | MISC FEATR | L | | GORE (R110287) | | | | | | | | | | | | | | | | | | | | | | | | | |
| 102.80 | | 102.77 | | | | | | | 2 | 2 | | 10A | 24P | 4A | 76S | GR | 4A | 24P | 10A | | | 48 | 3 | 01 | | U5 | | 70 | R | | |
| 102.82 | | 102.79 | | | | | | | 2 | 2 | | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | | 48 | 3 | 01 | | U5 | | 70 | R | | |
| 102.87 | | 102.84 | OFF RAMP | L | | SR 182 | ST | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 103.12 | | 103.09 | MP MARKER | B | | 103 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 103.20 | | 103.17 | MISC FEATR | B | | TRAF RCDR S907 SEMI-PERM | | | | | | | | | | | | | | | | | | | | | | | | | |
| 103.54 | | 103.51 | MED XING | C | | OFFICIAL | | | | | | | | | | | | | | | | | | | | | | | | | |
| 104.05 | | 104.02 | ON RAMP | L | | DALLAS RD | ST | Y | 2 | 2 | | 10B | 24P | 4A | 76S | DE | 4A | 24P | 10A | | | 48 | 3 | 01 | | U5 | | 70 | R | | |
| 104.15 | | 104.12 | MP MARKER | B | | 104 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 104.16 | | 104.13 | OFF RAMP | R | | DALLAS RD | ST | Y | 2 | 2 | | 10B | 24P | 4A | 76S | DE | 4A | 24P | 10B | | | 48 | 3 | 01 | | U5 | | 70 | R | | |
| 104.25 | | 104.22 | | | | | | | 2 | 2 | | 10B | 24P | 4A | 76S | DE | 4A | 24P | 10A | | | 48 | 3 | 01 | | U5 | | 70 | R | | |
| 104.28 | | 104.25 | MISC FEATR | R | | GORE (P110416) | | | | | | | | | | | | | | | | | | | | | | | | | |
| 104.29 | | 104.26 | | | | | | | 2 | 2 | | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | | 48 | 3 | 01 | | U5 | | 70 | R | | |
| 104.33 | | 104.30 | MISC FEATR | L | | GORE (S110405) | | | | | | | | | | | | | | | | | | | | | | | | | |
| 104.48 | | 104.45 | | | | | | | 2 | 2 | | 10A | 24P | 4A | 76S | BE | 4A | 24P | 10A | | | 48 | 3 | 01 | | U5 | | 70 | R | | |
| 104.51 | | 104.48 | BEG BRIDGE | D | | DALLAS RD | ST | | 2 | 2 | | \$\$C | 38P | \$\$C | 76S | DE | 4A | 24P | 10A | | | 62 | 3 | 01 | | U5 | | 70 | R | | |
| | | | | | | BRDG NUM 082/257N | | | | | | | | | | | | | | | | | | | | | | | | | |
| 104.52 | | 104.49 | BEG BRIDGE | I | | DALLAS RD | ST | | 2 | 2 | | C | 38P | C | 76O | \$\$ | \$\$W | 38P | \$\$W | | | 76 | 3 | 01 | | U5 | | 70 | R | | |
| | | | | | | BRDG NUM 082/257S | | | | | | | | | | | | | | | | | | | | | | | | | |
| 104.54 | | 104.51 | END BRIDGE | D | | DALLAS RD | | | 2 | 2 | | 10A | 24P | 4A | 76S | DE | | C | 38P | C | | | 62 | 3 | 01 | | U5 | | 70 | R | |
| 104.55 | | 104.52 | END BRIDGE | I | | DALLAS RD | | | 2 | 2 | | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | | 48 | 3 | 01 | | U5 | | 70 | R | | |
| 104.57 | | 104.54 | | | | | | | 2 | 2 | | 10A | 24P | 4A | 76S | BE | 4A | 24P | 10A | | | 48 | 3 | 01 | | U5 | | 70 | R | | |
| 104.60 | | 104.57 | | | | | | | 2 | 2 | | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | | 48 | 3 | 01 | | U5 | | 70 | R | | |
| 104.73 | | 104.70 | MISC FEATR | L | | GORE (R110485) | | | | | | | | | | | | | | | | | | | | | | | | | |
| 104.76 | | 104.73 | | | | | | | 2 | 2 | | 10B | 24P | 4A | 76S | DE | 4A | 24P | 10A | | | 48 | 3 | 01 | | U5 | | 70 | R | | |
| 104.83 | | 104.80 | MISC FEATR | R | | GORE (Q110515) | | | | | | | | | | | | | | | | | | | | | | | | | |
| 104.85 | | 104.82 | OFF RAMP | L | | DALLAS RD | ST | Y | 2 | 2 | | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | | 48 | 3 | 01 | | U5 | | 70 | R | | |

SR 090 MAINLINE

INTERSTATE - ISSH

COUNTY KING

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | |
|-------------------------|---|-------|------------|---|----|-------------------------|-----|-----|--------------|---------|-----|-------|-----|-------|---------------------------|------|-------|-----|-------|-----|-----|---|----|-----|----|---|----|---|---|---|--|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RDY | RHT | LFT | RDY | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | |
| 33.29 | | 31.68 | BEG ROUTE | | | MAIN ROUTE | | | | 3 | 3 | 10A | 36P | 8A | 104S | DE | 6A | 36P | | 22 | 94 | 1 | 02 | | U5 | | 70 | R | | | | | |
| | | | BEG CTLSEC | | | SR 5/SEATTLE TO IDAHO | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG SU LN | R | | CHAIN UP | | | 22A | | | | | | | | | | | | | | | | | | | | | | | | |
| 33.48 | | 31.87 | | | | | | | | 3 | 3 | 10A | 36P | 6A | 70S | DE | 6A | 36P | | 22 | 94 | 1 | 02 | | U5 | | 70 | R | | | | | |
| 33.56 | | 31.95 | TRAF RCDR | B | | R039 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 33.62 | | 32.01 | MED XING | C | | OFFICIAL | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 34.00 | | 32.39 | MP MARKER | B | | 34 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 34.03 | | 32.42 | END SU LN | R | | CHAIN UP | | | 22A | | | | | | | | | | | | | | | | | | | | | | | | |
| 34.19 | | 32.58 | ON RAMP | L | | 468TH AVE SE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 34.33 | | 32.72 | OFF RAMP | R | | 468TH AVE SE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 34.42 | | 32.81 | | | | | | | | 3 | 3 | 10A | 36P | 6A | 200S | DE | 6A | 36P | 10A | | 72 | 1 | 02 | | U5 | | 70 | R | | | | | |
| 34.43 | | 32.82 | MISC FEATR | R | | GORE (P103433) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 34.48 | | 32.87 | MISC FEATR | L | | GORE (S103419) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 34.63 | | 33.02 | | | | | | | | 3 | 3 | 10A | 36P | 6A | 200S | BE | 6A | 36P | 10A | | 72 | 1 | 02 | | U5 | | 70 | R | | | | | |
| 34.65 | | 33.04 | BEG BRIDGE | D | | 468TH AVE SE | | | | 3 | 3 | \$\$C | 52P | \$\$C | 350S | BE | 6A | 36P | 10A | | 88 | 1 | 02 | | U5 | | 70 | R | | | | | |
| | | | | | | BRDG NUM 090/089N | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 34.67 | | 33.06 | BEG BRIDGE | I | | 468TH AVE SE | | | | 3 | 3 | C | 52P | C | 350O | \$\$ | \$\$C | 52P | \$\$C | | 104 | 1 | 02 | | U5 | | 70 | R | | | | | |
| | | | | | | BRDG NUM 090/089S | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 34.68 | | 33.07 | END BRIDGE | D | | 468TH AVE SE | | | | 3 | 3 | 10A | 36P | 6A | 350S | BE | C | 52P | C | | 88 | 1 | 02 | | U5 | | 70 | R | | | | | |
| 34.70 | | 33.09 | END BRIDGE | I | | 468TH AVE SE | | | | 3 | 3 | 10A | 36P | 6A | 350S | BE | 8A | 36P | 10A | | 72 | 1 | 02 | | U5 | | 70 | R | | | | | |
| 34.73 | | 33.12 | | | | | | | | 3 | 3 | 10A | 36P | 6A | 350S | DE | 8A | 36P | 10A | | 72 | 1 | 02 | | U5 | | 70 | R | | | | | |
| 34.90 | | 33.29 | MISC FEATR | L | | GORE (R103500) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 34.91 | | 33.30 | MISC FEATR | R | | GORE (Q103497) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 34.95 | | 33.34 | | | | | | | | 3 | 3 | 10A | 36P | 6A | 250S | DE | 8A | 36P | 10A | | 72 | 1 | 02 | | R5 | | 70 | R | | | | | |
| 34.97 | | 33.36 | ON RAMP | R | | 468TH AVE SE | | | | 3 | 4 | 10A | 36P | 6A | 250S | DE | 8A | 48P | 10A | | 84 | 1 | 02 | | R5 | | 70 | M | | | | | |
| 35.00 | | 33.39 | OFF RAMP | L | | 468TH AVE SE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 35.01 | | 33.40 | MP MARKER | B | | 35 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 35.34 | | 33.73 | | | | | | | | 3 | 4 | 10A | 36P | 6A | 100S | DE | 8A | 48P | 10A | | 84 | 1 | 02 | | R5 | | 70 | M | | | | | |
| 35.36 | | 33.75 | | | | | | | | 3 | 4 | 10A | 36P | 6A | 100S | GR | 8A | 48P | 10A | | 84 | 1 | 02 | | R5 | | 70 | M | | | | | |
| 36.01 | | 34.40 | MP MARKER | B | | 36 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 36.60 | | 34.99 | BEG BRIDGE | I | | S FORK SNOQUALMIE RIVER | | | | 3 | 4 | 10A | 36P | 6A | 100S | BE | \$\$C | 68P | \$\$C | | 104 | 1 | 02 | | R5 | | 70 | M | | | | | |
| | | | | | | BRDG NUM 090/090S | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 36.62 | | 35.01 | BEG BRIDGE | D | | S FORK SNOQUALMIE RIVER | | | | 3 | 4 | \$\$C | 52P | \$\$C | 30O | \$\$ | C | 68P | C | | 120 | 1 | 02 | | R5 | | 70 | M | | | | | |
| | | | | | | BRDG NUM 090/090N | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 36.64 | | 35.03 | END BRIDGE | I | | S FORK SNOQUALMIE RIVER | | | | 3 | 4 | C | 52P | C | 20S | BE | 8A | 48P | 10A | | 100 | 1 | 02 | | R5 | | 70 | M | | | | | |
| 36.66 | | 35.05 | END BRIDGE | D | | S FORK SNOQUALMIE RIVER | | | | 3 | 4 | 10A | 36P | 6A | 32S | DE | 8A | 48P | 10A | | 84 | 1 | 02 | | R5 | | 70 | M | | | | | |
| 36.80 | | 35.19 | MED XING | C | | OFFICIAL | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 36.81 | | 35.20 | | | | | | | | 3 | 4 | 10A | 36P | 6A | 50S | DE | 8A | 48P | 10A | | 84 | 1 | 02 | | R5 | | 70 | M | | | | | |
| 36.98 | | 35.37 | MP MARKER | B | | 37 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 37.05 | | 35.44 | | | | | | | | 3 | 4 | 10A | 36P | 6A | 50S | GR | 8A | 48P | 10A | | 84 | 1 | 02 | | R5 | | 70 | M | | | | | |
| 37.06 | | 35.45 | | | | | | | | 3 | 4 | 10A | 36P | 6A | 50S | JE | 8A | 48P | 10A | | 84 | 1 | 02 | | R5 | | 70 | M | | | | | |
| 37.27 | | 35.66 | | | | | | | | 3 | 4 | 10A | 36P | 6A | 50S | GR | 8A | 48P | 10A | | 84 | 1 | 02 | | R5 | | 70 | M | | | | | |

SR 090 MAINLINE

INTERSTATE - ISSH

COUNTY KING

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | |
|-------------------------|---|-------|------------|---|----|--------------------|-----------------|----|---|------------|---|--------|-------------|-------|------|---------------------------|-------|-----|--------|--------|-----|------|------|-----|-------|----|----|----|----|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | | NBR LFT RHT | | | LFT RHT | | | USE TOT | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | | LNS SHD RDY SHD | | | MEDIAN- | | | SHD RDY SHD | | | LNS RDY | | | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | MTCE | CITY | ST | LEGAL | T | P | S | | |
| | | | | | | | | | | | | | | | | | | | | | | A | SE | NBR | FC | D | IB | R | K | T |
| 45.37 | | 43.76 | MISC FEATR | L | | GORE (S104510) | | | | 3 | 3 | 10A | 36P | 6A | 78S | DE | 6A | 36P | 10A | | | 72 | 1 | 02 | | R5 | | 70 | M | |
| 45.43 | | 43.82 | | | | | | | | 3 | 3 | 10A | 36P | 6A | 78S | GR | 6A | 36P | 10A | | | 72 | 1 | 02 | | R5 | | 70 | M | |
| 45.52 | | 43.91 | BEG BRIDGE | I | | FS RD 9030 | | | | 3 | 3 | \$\$W | 52P | \$\$W | 600 | \$\$ | \$\$W | 52P | \$\$W | | | 104 | 1 | 02 | | R5 | | 70 | M | |
| | | | | | | BRDG NUM 090/095S | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE | D | | FS RD 9030 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 090/095N | | | | | | | | | | | | | | | | | | | | | | | | |
| 45.54 | | 43.93 | END BRIDGE | I | | FS RD 9030 | | | | 3 | 3 | 10A | 36P | 6A | 60S | BE | 6A | 36P | 10A | | | 72 | 1 | 02 | | R5 | | 70 | M | |
| | | | END BRIDGE | D | | FS RD 9030 | | | | | | | | | | | | | | | | | | | | | | | | |
| 45.59 | | 43.98 | | | | | | | | 3 | 3 | 10A | 36P | 6A | 60S | DE | 6A | 36P | 10A | | | 72 | 1 | 02 | | R5 | | 70 | M | |
| 45.70 | | 44.09 | MISC FEATR | R | | GORE (Q104602) | | | | | | | | | | | | | | | | | | | | | | | | |
| 45.71 | | 44.10 | MISC FEATR | L | | GORE (R104580) | | | | | | | | | | | | | | | | | | | | | | | | |
| 45.77 | | 44.16 | | | | | | | | 3 | 3 | 10A | 36P | 6A | 60S | GR | 6A | 36P | 10A | | | 72 | 1 | 02 | | R5 | | 70 | M | |
| 45.80 | | 44.19 | OFF RAMP | L | | FS RD #9030 | | | | | | | | | | | | | | | | | | | | | | | | |
| 45.83 | | 44.22 | | | | | | | | 3 | 3 | 10A | 36P | 6A | 90S | GR | 6A | 36P | 10A | | | 72 | 1 | 02 | | R5 | | 70 | M | |
| 45.98 | | 44.37 | MP MARKER | B | | 46 | | | | 3 | 3 | 10A | 36P | 6A | 200S | GR | 6A | 36P | 10A | | | 72 | 1 | 02 | | R5 | | 70 | M | |
| 46.02 | | 44.41 | ON RAMP | R | | FS RD #9030 | | | | | | | | | | | | | | | | | | | | | | | | |
| 46.09 | | 44.48 | BEG SU LN | R | | CHAIN UP | | | | | | | | | | | | | | | | | | | | | | | | |
| 46.17 | | 44.56 | | | | | | | | 3 | 3 | 10A | 36P | 6A | 180S | DE | 6A | 36P | \$\$\$ | | | 19 | 91 | 1 | 02 | | R5 | | 70 | M |
| 46.41 | | 44.80 | | | | | | | | 3 | 3 | 10A | 36P | 6A | 180S | GR | 6A | 36P | | | | 19 | 91 | 1 | 02 | | R5 | | 70 | M |
| 46.51 | | 44.90 | | | | | | | | 3 | 3 | 10A | 36P | 6A | 180S | DE | 6A | 36P | | | | 19 | 91 | 1 | 02 | | R5 | | 70 | M |
| 46.59 | | 44.98 | | | | | | | | 3 | 3 | 10A | 36P | 6A | 60S | GR | 6A | 36P | | | | 19 | 91 | 1 | 02 | | R5 | | 70 | M |
| 46.68 | | 45.07 | | | | | | | | 3 | 3 | 10A | 36P | 6A | 60S | DE | 6A | 36P | | | | 19 | 91 | 1 | 02 | | R5 | | 70 | M |
| 46.69 | | 45.08 | | | | | | | | 3 | 3 | 10A | 36P | 6A | 60S | DE | 6A | 36P | | | | 19 | 91 | 1 | 02 | | R5 | 65 | 70 | M |
| 46.77 | | 45.16 | | | | | | | | 3 | 3 | 10A | 36P | 6A | 60S | GR | 6A | 36P | | | | 19 | 91 | 1 | 02 | | R5 | 65 | 70 | M |
| 46.78 | | 45.17 | | | | | | | | 3 | 3 | 10A | 36P | 6A | 60S | DE | 6A | 36P | | | | 19 | 91 | 1 | 02 | | R5 | 65 | 70 | M |
| 46.93 | | 45.32 | MED XING | C | | OFFICIAL | | | | | | | | | | | | | | | | | | | | | | | | |
| 46.95 | | 45.34 | | | | | | | | 3 | 3 | 10A | 36P | 6A | 60S | \$\$ | 6A | 36P | | | | 19 | 91 | 1 | 02 | | R5 | 65 | 70 | M |
| 46.96 | | 45.35 | CHG SU LN | R | | CHAIN UP | | | | 3 | 3 | 10P | 36P | 6P | 60S | DE | 6P | 36P | | | | 19 | 91 | 1 | 02 | | R5 | 65 | 70 | M |
| 46.98 | | 45.37 | MP MARKER | B | | 47 | | | | | | | | | | | | | | | | | | | | | | | | |
| 47.00 | | 45.39 | BEG SU LN | L | | CHAIN UP | | | | 3 | 3 | \$\$\$ | 36P | 6P | 60S | DE | 6P | 36P | | | | 39 | 111 | 1 | 02 | | R5 | 65 | 70 | M |
| 47.07 | | 45.46 | | | | | | | | 3 | 3 | | 36P | 6P | 60S | JE | 6P | 36P | | | | 39 | 111 | 1 | 02 | | R5 | 65 | 70 | M |
| 47.19 | | 45.58 | END SU LN | R | | CHAIN UP | | | | 3 | 3 | | 36P | 6P | 60S | JE | 6P | 36P | 10P | | | 20 | 92 | 1 | 02 | | R5 | 65 | 70 | M |
| | | | OFF RAMP | R | | TINKHAM RD | | | | | | | | | | | | | | | | | | | | | | | | |
| 47.21 | | 45.60 | END SU LN | L | | CHAIN UP | | | | 3 | 3 | 10P | 36P | 6P | 60S | JE | 6P | 36P | 10P | \$\$\$ | | 72 | 1 | 02 | | R5 | 65 | 70 | M | |
| | | | ON RAMP | L | | TINKHAM RD | | | | | | | | | | | | | | | | | | | | | | | | |
| 47.29 | | 45.68 | MISC FEATR | R | | GORE (P104719) | | | | | | | | | | | | | | | | | | | | | | | | |
| 47.47 | | 45.86 | MISC FEATR | L | | GORE (S104721) | | | | | | | | | | | | | | | | | | | | | | | | |
| 47.71 | | 46.09 | EQUATION | | | 047.70 =047.71 | | | | 3 | 3 | 10P | 36P | 6P | 60S | JE | 10P | 36P | 10P | | | 72 | 1 | 02 | | R5 | 65 | 70 | M | |
| | | | TRAF RCDR | B | | S901 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | UXING | B | | TINKHAM RD | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 090/095.8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 47.87 | | 46.25 | MISC FEATR | L | | GORE (R104795) | | | | | | | | | | | | | | | | | | | | | | | | |
| 47.90 | | 46.28 | MISC FEATR | R | | GORE (Q104798) | | | | 3 | 3 | 10P | 36P | 6P | 275O | JE | 10P | 36P | 10P | | | 72 | 1 | 02 | | R5 | 65 | 70 | M | |

SR 090 MAINLINE

INTERSTATE - ISSH

COUNTY KITTITAS

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | |
|-------------------------|---|-------|------------|---|----|------------------|-----|-----|------------|---------|-----|-----|-----|--------|---------------------------|------|--------|-----|-------|--------|-----|---|----|-----|----|------|----|---|---|---|--|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | |
| 62.13 | | 60.45 | | | | | | | | 2 | 2 | | 24A | 4A | 100S | DE | 4A | 24A | 10A | 20 | 68 | 1 | 02 | | R5 | | 65 | M | | | | | |
| 62.16 | | 60.48 | END SU LN | L | | CHAIN UP | | | | 2 | 2 | 10A | 24A | 4A | 100S | DE | 4A | 24A | 10A | \$\$\$ | 48 | 1 | 02 | | R5 | | 65 | M | | | | | |
| 62.30 | | 60.62 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 100S | GR | 4A | 24A | 10A | | 48 | 1 | 02 | | R5 | | 65 | M | | | | | |
| 62.36 | | 60.68 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 100S | DE | 4A | 24A | 10A | | 48 | 1 | 02 | | R5 | | 65 | M | | | | | |
| 62.51 | | 60.83 | ON RAMP | L | | STAMPEDE RD | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 62.74 | | 61.06 | OFF RAMP | R | | STAMPEDE RD | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 62.80 | | 61.12 | MISC FEATR | L | | GORE (S106251) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | MISC FEATR | R | | GORE (P106274) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 62.97 | | 61.29 | UXING | B | | STAMPEDE RD | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 090/113 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 63.00 | | 61.32 | MP MARKER | B | | 63 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 63.17 | | 61.49 | MISC FEATR | L | | GORE (R106322) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | MISC FEATR | R | | GORE (Q106331) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 63.22 | | 61.54 | OFF RAMP | L | | STAMPEDE RD | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 63.31 | | 61.63 | ON RAMP | R | | STAMPEDE RD | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 63.49 | | 61.81 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 100S | GR | 4A | 24A | 10A | | 48 | 1 | 02 | | R5 | | 65 | M | | | | | |
| 63.53 | | 61.85 | ON RAMP | L | | CABIN CREEK RD | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 63.59 | | 61.91 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 100S | DE | 4A | 24A | 10A | | 48 | 1 | 02 | | R5 | | 65 | M | | | | | |
| 63.81 | | 62.13 | OFF RAMP | R | | CABIN CREEK RD | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 63.84 | | 62.16 | MISC FEATR | L | | GORE (S106353) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 63.85 | | 62.17 | MISC FEATR | R | | GORE (P106381) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 63.97 | | 62.29 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 100S | GR | 4A | 24A | 10A | | 48 | 1 | 02 | | R5 | | 65 | M | | | | | |
| 63.98 | | 62.30 | TRAF RCDR | B | | S903 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | UXING | B | | CABIN CREEK RD | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 090/114 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 63.99 | | 62.31 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 100S | DE | 4A | 24A | 10A | | 48 | 1 | 02 | | R5 | | 65 | M | | | | | |
| 64.00 | | 62.32 | MP MARKER | B | | 64 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 64.03 | | 62.35 | | | | | | | | 2 | 2 | 10A | 24A | 8A | 36S | DE | 4A | 24A | 10A | | 48 | 1 | 02 | | R5 | | 65 | M | | | | | |
| 64.09 | | 62.41 | | | | | | | | 2 | 2 | 10A | 24A | 8A | 36S | JE | 4A | 24A | 10A | | 48 | 1 | 02 | | R5 | | 65 | M | | | | | |
| 64.10 | | 62.42 | MISC FEATR | R | | GORE (Q106423) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 64.13 | | 62.45 | MISC FEATR | L | | GORE (R106417) | | | | 2 | 2 | 10A | 24A | 8A | 8S | JE | 4A | 24A | 10A | | 48 | 1 | 02 | | R5 | | 65 | M | | | | | |
| 64.15 | | 62.47 | | | | | | | | 2 | 2 | 10A | 24A | \$\$\$ | 16A | JE | \$\$\$ | 24A | 10A | | 48 | 1 | 02 | | R5 | | 65 | M | | | | | |
| 64.17 | | 62.49 | OFF RAMP | L | | CABIN CREEK RD | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 64.23 | | 62.55 | ON RAMP | R | | CABIN CREEK RD | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 64.34 | | 62.66 | | | | | | | | 2 | 2 | 10A | 24A | | 8A | JE | | 24A | 10A | | 48 | 1 | 02 | | R5 | | 65 | M | | | | | |
| 65.00 | | 63.32 | MP MARKER | B | | 65 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 65.54 | | 63.86 | | | | | | | | 2 | 2 | 10A | 24A | | 10A | JE | | 24A | 10A | | 48 | 1 | 02 | | R5 | | 65 | M | | | | | |
| 66.03 | | 64.35 | MP MARKER | B | | 66 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 66.19 | | 64.51 | BEG SU LN | R | | CLIMBING | | | | 2 | 2 | 10A | 24A | | 10A | JE | | 24A | 10A | 12 | 60 | 1 | 02 | | R5 | | 65 | M | | | | | |
| 66.59 | | 64.91 | | | | | | | | 2 | 2 | 10A | 24A | | 10A | JE | | 24A | 10A | 12 | 60 | 1 | 02 | | R5 | 65 | 70 | M | | | | | |
| 66.99 | | 65.31 | END SU LN | R | | CLIMBING | | | | 2 | 2 | 10A | 24A | | 10A | JE | | 24A | 10A | \$\$\$ | 48 | 1 | 02 | | R5 | 65 | 70 | M | | | | | |
| 67.02 | | 65.34 | MP MARKER | B | | 67 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 67.09 | | 65.41 | | | | | | | | 2 | 2 | 10A | 24A | | 10A | JE | | 24A | 10A | | 48 | 1 | 02 | | R5 | \$\$ | 70 | M | | | | | |

SR 090 MAINLINE

INTERSTATE - ISSH

COUNTY KITTITAS

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | |
|--------|---|--------|------------|---|----|-------------------|----|-------------|-----|-----|--------------|---------|-----|-------|---------------------------|------|-------|------|-------|-----|-------|---|----|-----|----|---|----|---|---|---|--|--|
| | | | | :DIRECTION TO INVENTORY | | -BRIDGE- | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | |
| | | | | : :LEFT/RIGHT INDICATOR | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | |
| | | | | : : | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | T | P | S | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | |
| 100.55 | | 98.83 | | | | BRDG NUM 090/152S | | | | 2 | 2 | 10A | 24P | 4A | 76S | BE | C | 36P | C | | 60 | 1 | 01 | | R5 | | 70 | R | | | | |
| 100.56 | | 98.84 | END BRIDGE | I | | WEST SIDE CANAL | | | | 2 | 2 | 10A | 24P | 4A | 76S | BE | 4A | 24P | 10A | | 48 | 1 | 01 | | R5 | | 70 | R | | | | |
| 100.57 | | 98.85 | MED XING | C | | OFFICIAL | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 100.60 | | 98.88 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | 48 | 1 | 01 | | R5 | | 70 | R | | | | |
| 100.66 | | 98.94 | ON RAMP | L | | THORP RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 100.89 | | 99.17 | OFF RAMP | R | | THORP RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 100.91 | | 99.19 | MISC FEATR | L | | GORE (S110066) | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 100.95 | | 99.23 | MISC FEATR | R | | GORE (P110089) | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 100.99 | | 99.27 | MP MARKER | B | | 101 | | | | 2 | 2 | 10A | 24P | 4A | 76S | CA | 4A | 24P | 10A | | 48 | 1 | 01 | | R5 | | 70 | R | | | | |
| 101.07 | | 99.35 | UXING | B | | THORP RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 090/153 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 101.14 | | 99.42 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | 48 | 1 | 01 | | R5 | | 70 | R | | | | |
| 101.20 | | 99.48 | MISC FEATR | L | | GORE (R110126) | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 101.21 | | 99.49 | MISC FEATR | R | | GORE (Q110148) | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 101.26 | | 99.54 | OFF RAMP | L | | THORP RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 101.48 | | 99.76 | ON RAMP | R | | THORP RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 101.63 | | 99.91 | MED XING | C | | OFFICIAL | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 101.99 | | 100.27 | MP MARKER | B | | 102 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 102.46 | | 100.74 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | BE | 4A | 24P | 10A | | 48 | 1 | 01 | | R5 | | 70 | R | | | | |
| 102.49 | | 100.77 | BEG BRIDGE | I | | YAKIMA RIVER | | | | 2 | 2 | \$\$C | 30P | \$\$C | 76O | \$\$ | \$\$C | 30P | \$\$C | | 60 | 1 | 01 | | R5 | | 70 | R | | | | |
| | | | | | | BRDG NUM 090/154S | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE | D | | YAKIMA RIVER | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 090/154N | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 102.61 | | 100.89 | END BRIDGE | I | | YAKIMA RIVER | | | | 2 | 2 | 10A | 24A | 4A | 76S | BE | 4A | 24A | 10A | | 48 | 1 | 01 | | R5 | | 70 | R | | | | |
| | | | END BRIDGE | D | | YAKIMA RIVER | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 102.64 | | 100.92 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 76S | DE | 4A | 24A | 10A | | 48 | 1 | 01 | | R5 | | 70 | R | | | | |
| 102.65 | | 100.93 | MED XING | C | | OFFICIAL | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 102.99 | | 101.27 | MP MARKER | B | | 103 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 103.14 | | 101.42 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 76S | BE | 4A | 24A | 10A | | 48 | 1 | 01 | | R5 | | 70 | R | | | | |
| 103.19 | | 101.47 | BEG BRIDGE | I | | YAKIMA RIVER OFLW | | | | 2 | 2 | \$\$C | 30P | \$\$C | 76O | \$\$ | \$\$C | 30P | \$\$C | | 60 | 1 | 01 | | R5 | | 70 | R | | | | |
| | | | | | | BRDG NUM 090/155S | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE | D | | YAKIMA RIVER OFLW | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 090/155N | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 103.25 | | 101.53 | END BRIDGE | I | | YAKIMA RIVER OFLW | | | | 2 | 2 | 10A | 24A | 4A | 76S | BE | 4A | 24A | 10A | | 48 | 1 | 01 | | R5 | | 70 | R | | | | |
| | | | END BRIDGE | D | | YAKIMA RIVER OFLW | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 103.31 | | 101.59 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 76S | DE | 4A | 24A | 10A | | 48 | 1 | 01 | | R5 | | 70 | R | | | | |
| 103.99 | | 102.27 | MP MARKER | B | | 104 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 104.68 | | 102.96 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 76S | BE | 4A | 24A | 10A | | 48 | 1 | 01 | | R5 | | 70 | R | | | | |
| 104.71 | | 102.99 | BEG BRIDGE | I | | DRY CREEK | | | | 2 | 2 | \$\$C | 30P | \$\$C | 76O | \$\$ | \$\$C | 30P | \$\$C | | 60 | 1 | 01 | | R5 | | 70 | R | | | | |
| | | | | | | BRDG NUM 090/156S | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE | D | | DRY CREEK | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 090/156N | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 104.79 | | 103.07 | END BRIDGE | I | | DRY CREEK | | | | 2 | 2 | 10A | 24A | 4A | 76S | BE | 4A | 24A | 10A | | 48 | 1 | 01 | | R5 | | 70 | R | | | | |

SR 090 MAINLINE

INTERSTATE - ISSH

COUNTY KITTITAS

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | |
|-------------------------|--------|-----|------------|---|----|--------------------------|-----|-----|------------|---------|-----|-------|-----|-------|---------------------------|------|-------|-----|-------|-----|-----|--------|----|-----|----------|----|----|----|----|----|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | |
| 109.15 | 107.43 | | END BRIDGE | I | | WILSON CREEK | | | | 2 | 2 | 10A | 24A | 4A | 76S | BE | 4A | 24A | 10A | | | 48 | 1 | 01 | | U5 | | 70 | R | | |
| | | | END BRIDGE | D | | WILSON CREEK | | | | | | | | | | | | | | | | | | | | | | | | | |
| 109.20 | 107.48 | | | | | | | | | 2 | 2 | 10A | 24A | 4A | 76S | DE | 4A | 24A | 10A | | | 48 | 1 | 01 | | U5 | | 70 | R | | |
| 109.32 | 107.60 | | | | | | | | | 2 | 2 | 10A | 24A | 4A | 76S | BE | 4A | 24A | 10A | | | 48 | 1 | 01 | | U5 | | 70 | R | | |
| 109.33 | 107.61 | | ENTER CITY | | | ELLENSBURG | | | | 2 | 2 | 10A | 24A | 4A | 76S | BE | 4A | 24A | 10A | | | 48 | 1 | 01 | 0380 | U5 | | 70 | R | P | |
| 109.34 | 107.62 | | BEG BRIDGE | D | | CANYON RD | | | ST | 2 | 2 | \$\$C | 45P | \$\$C | 76S | BE | 4A | 24A | 10A | | | 69 | 1 | 01 | 0380 | U5 | | 70 | R | P | |
| | | | | | | BRDG NUM 090/163N | | | | | | | | | | | | | | | | | | | | | | | | | |
| 109.36 | 107.64 | | BEG BRIDGE | I | | CANYON RD | | | ST | 2 | 2 | C | 45P | C | 760 | \$\$ | \$\$C | 33P | \$\$C | | | 78 | 1 | 01 | 0380 | U5 | | 70 | R | P | |
| | | | | | | BRDG NUM 090/163S | | | | | | | | | | | | | | | | | | | | | | | | | |
| 109.37 | 107.65 | | RR XING | B | | NUM 085188P STRUCTURE | | | | | | | | | | | | | | | | | | | | | | | | | |
| 109.42 | 107.70 | | END BRIDGE | D | | CANYON RD | | | | 2 | 2 | 10A | 24A | 4A | 76S | BE | C | 33P | C | | | 57 | 1 | 01 | 0380 | U5 | | 70 | R | P | |
| 109.44 | 107.72 | | END BRIDGE | I | | CANYON RD | | | | 2 | 2 | 10A | 24A | 4A | 76S | BE | 4A | 24A | 10A | | | 48 | 1 | 01 | 0380 | U5 | | 70 | R | P | |
| 109.47 | 107.75 | | | | | | | | | 2 | 2 | 10A | 24A | 4A | 76S | DE | 4A | 24A | 10A | | | 48 | 1 | 01 | 0380 | U5 | | 70 | R | P | |
| 109.48 | 107.76 | | LEAVE CITY | | | ELLENSBURG | | | | 2 | 2 | 10A | 24A | 4A | 76S | DE | 4A | 24A | 10A | | | 48 | 1 | 01 | \$\$\$\$ | U5 | | 70 | R | \$ | |
| 109.50 | 107.78 | | OFF RAMP | R | | CANYON RD | | | ST | | Y | | | | | | | | | | | | | | | | | | | | |
| 109.51 | 107.79 | | MISC FEATR | L | | GORE (S510902) | | | | | | | | | | | | | | | | | | | | | | | | | |
| 109.59 | 107.87 | | MISC FEATR | R | | GORE (P510950) | | | | | | | | | | | | | | | | | | | | | | | | | |
| 109.71 | 107.99 | | MISC FEATR | L | | GORE (R110982) | | | | | | | | | | | | | | | | | | | | | | | | | |
| 109.73 | 108.01 | | MISC FEATR | R | | GORE (Q110989) | | | | | | | | | | | | | | | | | | | | | | | | | |
| 109.82 | 108.10 | | BEG SU LN | L | | WEAVING/SPEED CHANGE 12A | | | | 2 | 2 | 10A | 24A | 4A | 76S | DE | 4A | 24A | 10A | | | 12 | 60 | 1 | 01 | | U5 | | 70 | R | |
| | | | OFF RAMP | L | | CANYON RD | | | ST | | Y | | | | | | | | | | | | | | | | | | | | |
| 109.88 | 108.16 | | | | | | | | | 2 | 2 | 10A | 24A | 4A | 76S | GR | 4A | 24A | 10A | | | 12 | 60 | 1 | 01 | | U5 | | 70 | R | |
| 109.89 | 108.17 | | BEG SU LN | R | | WEAVING/SPEED CHANGE 12A | | | | 2 | 2 | 10A | 24A | 4A | 76S | GR | 4A | 24A | 10A | | | 24 | 72 | 1 | 01 | | U5 | | 70 | R | |
| | | | ON RAMP | R | | CANYON RD | | | ST | | Y | | | | | | | | | | | | | | | | | | | | |
| 109.90 | 108.18 | | | | | | | | | 2 | 2 | 10A | 24A | 4A | 76S | DE | 4A | 24A | 10A | | | 24 | 72 | 1 | 01 | | U5 | | 70 | R | |
| 109.92 | 108.20 | | CHG SU LN | L | | WEAVING/SPEED CHANGE 24A | | | | 2 | 2 | 10A | 24A | 4A | 76S | DE | 4A | 24A | 10A | | | 36 | 84 | 1 | 01 | | U5 | | 70 | R | |
| 109.98 | 108.26 | | MED XING | C | | OFFICIAL | | | | | | | | | | | | | | | | | | | | | | | | | |
| 110.00 | 108.28 | | MP MARKER | B | | 110 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE | B | | FARM ACCESS RD | | | ST | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 090/164.25 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 110.01 | 108.29 | | END BRIDGE | B | | FARM ACCESS RD | | | | | | | | | | | | | | | | | | | | | | | | | |
| 110.03 | 108.31 | | | | | | | | | 2 | 2 | 10A | 24A | 4A | 76S | DE | 4A | 24A | 10A | | | 36 | 84 | 1 | 01 | | R5 | | 70 | R | |
| 110.10 | 108.38 | | | | | | | | | 2 | 2 | 10A | 24A | 4A | 76S | GR | 4A | 24A | 10A | | | 36 | 84 | 1 | 01 | | R5 | | 70 | R | |
| 110.11 | 108.39 | | END SU LN | L | | WEAVING/SPEED CHANGE 24A | | | | 2 | 2 | 10A | 24A | 4A | 76S | DE | 4A | 24A | 10A | | | 12 | 60 | 1 | 01 | | R5 | | 70 | R | |
| | | | ON RAMP | L | | SR 82 | | | ST | | Y | | | | | | | | | | | | | | | | | | | | |
| 110.12 | 108.40 | | END SU LN | R | | WEAVING/SPEED CHANGE 12A | | | | 2 | 2 | 10A | 24A | 4A | 76S | DE | 4A | 24A | 10A | | | \$\$\$ | 48 | 1 | 01 | | R5 | | 70 | R | |
| | | | OFF RAMP | R | | SR 82 | | | ST | | Y | | | | | | | | | | | | | | | | | | | | |
| 110.24 | 108.52 | | MISC FEATR | L | | GORE (S111011) | | | | | | | | | | | | | | | | | | | | | | | | | |
| 110.43 | 108.71 | | | | | | | | | 2 | 2 | 10A | 24A | 4A | 76S | GR | 4A | 24A | 10A | | | | | | | | R5 | | 70 | R | |
| 110.45 | 108.73 | | | | | | | | | 2 | 2 | 10A | 24A | 4A | 76S | DE | 4A | 24A | 10A | | | | | | | | R5 | | 70 | R | |
| 110.55 | 108.83 | | MISC FEATR | R | | GORE (P111012) | | | | | | | | | | | | | | | | | | | | | | | | | |
| 110.67 | 108.95 | | MISC FEATR | L | | GORE (R511078) | | | | | | | | | | | | | | | | | | | | | | | | | |
| 110.78 | 109.06 | | OFF RAMP | L | | SR 82 | | | ST | Y | 2 | 2 | 10A | 24A | 4A | 76S | CA | 4A | 24A | 10A | | | | | | R5 | | 70 | R | | |

SR 090 MAINLINE

INTERSTATE - ISSH

COUNTY KITTITAS

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|--------|------------|---|----|-----------------------|-----|-----|--------------|---------|-------|-----|-------|-----|---------------------------|-------|------|-------|-------|-----|-----|---|----|-----|----|---|----|---|---|---|--|--|--|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | | | |
| 115.73 | | 114.01 | OFF RAMP | L | | S MAIN ST | ST | Y | 2 | 2 | 10A | 24A | 4A | 76S | DE | 4A | 24A | 10A | | | 48 | 1 | 01 | | R5 | | 70 | R | | | | | | | |
| 115.97 | | 114.25 | ON RAMP | R | | S MAIN ST | ST | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 116.01 | | 114.29 | MP MARKER | B | | 116 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 116.03 | | 114.31 | MED XING | C | | OFFICIAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 116.58 | | 114.86 | BEG BRIDGE | B | | FARM ACCESS ST | ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 090/171.25 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 116.59 | | 114.87 | END BRIDGE | B | | FARM ACCESS ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE | B | | IRRIGATION CANAL | ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 090/171.35 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 116.60 | | 114.88 | END BRIDGE | B | | IRRIGATION CANAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 117.01 | | 115.29 | MP MARKER | B | | 117 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 117.73 | | 116.01 | | | | | | | 2 | 2 | 10A | 24A | 4A | 76S | CA | 4A | 24A | 10A | | | 48 | 1 | 01 | | R5 | | 70 | R | | | | | | | |
| 117.82 | | 116.10 | UXING | B | | PRATER RD | ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 090/172 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 117.89 | | 116.17 | | | | | | | 2 | 2 | 10A | 24A | 4A | 76S | DE | 4A | 24A | 10A | | | 48 | 1 | 01 | | R5 | | 70 | R | | | | | | | |
| 118.01 | | 116.29 | MP MARKER | B | | 118 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 118.60 | | 116.88 | MED XING | C | | OFFICIAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 119.01 | | 117.29 | MP MARKER | B | | 119 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 119.15 | | 117.43 | | | | | | | 2 | 2 | 10A | 24A | 4A | 76S | GR | 4A | 24A | 10A | | | 48 | 1 | 01 | | R5 | | 70 | R | | | | | | | |
| 119.47 | | 117.75 | | | | | | | 2 | 2 | 10A | 24A | 4A | 76S | DE | 4A | 24A | 10A | | | 48 | 1 | 01 | | R5 | | 70 | R | | | | | | | |
| 119.66 | | 117.94 | | | | | | | 2 | 2 | 10A | 24A | 4A | 76S | GR | 4A | 24A | 10A | | | 48 | 1 | 01 | | R5 | | 70 | R | | | | | | | |
| 119.76 | | 118.04 | | | | | | | 2 | 2 | 10A | 24A | 4A | 76S | DE | 4A | 24A | 10A | | | 48 | 1 | 01 | | R5 | | 70 | R | | | | | | | |
| 120.01 | | 118.29 | MP MARKER | B | | 120 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 120.08 | | 118.36 | | | | | | | 2 | 2 | 10A | 24A | 4A | 76S | GR | 4A | 24A | 10A | | | 48 | 1 | 01 | | R5 | | 70 | R | | | | | | | |
| 120.36 | | 118.64 | | | | | | | 2 | 2 | 10A | 24A | 4A | 76S | DE | 4A | 24A | 10A | | | 48 | 1 | 01 | | R5 | | 70 | R | | | | | | | |
| 120.88 | | 119.16 | | | | | | | 2 | 2 | 10A | 24A | 4A | 76S | BE | 4A | 24A | 10A | | | 48 | 1 | 01 | | R5 | | 70 | R | | | | | | | |
| 120.92 | | 119.20 | BEG BRIDGE | I | | RENSLOW BRIDGE | ST | | 2 | 2 | \$\$C | 38P | \$\$C | 76O | \$\$ | \$\$C | 38P | \$\$C | | | 76 | 1 | 01 | | R5 | | 70 | R | | | | | | | |
| | | | | | | BRDG NUM 090/174S | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE | D | | RENSLOW BRIDGE | ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 090/174N | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 120.94 | | 119.22 | UXING | B | | MILW RR | ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 090/175 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | RR XING | B | | NUM 396470C STRUCTURE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 120.96 | | 119.24 | END BRIDGE | I | | RENSLOW BRIDGE | | | 2 | 2 | 10A | 24A | 4A | 76S | BE | 4A | 24A | 10A | | | 48 | 1 | 01 | | R5 | | 70 | R | | | | | | | |
| | | | END BRIDGE | D | | RENSLOW BRIDGE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 121.00 | | 119.28 | | | | | | | 2 | 2 | 10A | 24A | 4A | 76S | DE | 4A | 24A | 10A | | | 48 | 1 | 01 | | R5 | | 70 | R | | | | | | | |
| 121.01 | | 119.29 | MP MARKER | B | | 121 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 121.15 | | 119.43 | | | | | | | 2 | 2 | 10A | 24A | 4A | 76S | BE | 4A | 24A | 10A | | | 48 | 1 | 01 | | R5 | | 70 | R | | | | | | | |
| 121.18 | | 119.46 | BEG BRIDGE | I | | STEVENS RD | ST | | 2 | 2 | \$\$C | 38A | \$\$C | 76O | \$\$ | \$\$C | 38A | \$\$C | | | 76 | 1 | 01 | | R5 | | 70 | R | | | | | | | |
| | | | | | | BRDG NUM 090/176S | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE | D | | STEVENS RD | ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 090/176N | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 121.20 | | 119.48 | END BRIDGE | I | | STEVENS RD | | | 2 | 2 | 10A | 24A | 4A | 76S | BE | 4A | 24A | 10A | | | 48 | 1 | 01 | | R5 | | 70 | R | | | | | | | |

SR 090 MAINLINE

INTERSTATE - ISSH

COUNTY KITTITAS

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | |
|-------------------------|---|--------|-----------|---|----|-------------|-----------------|----|---|-----------------|---|-----|---------|-----|------|---------------------------|-----|-----|-----|-----|-----|---|----|-----|----|-------|----|---|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE- | | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | | LFT RHT | | | LFT RHT | | | USE TOT | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | | LNS SHD RDY SHD | | | LNS SHD RDY SHD | | | LNS RDY | | | | | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | LEGAL | T | P | S |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 126.39 | | 124.67 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 999S | DE | 4A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 127.01 | | 125.29 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 999S | GR | 4A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 127.05 | | 125.33 | MP MARKER | B | | 127 | | | | | | | | | | | | | | | | | | | | | | | |
| 128.04 | | 126.32 | MP MARKER | B | | 128 | | | | | | | | | | | | | | | | | | | | | | | |
| 128.23 | | 126.51 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 999S | DE | 4A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 128.40 | | 126.68 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 80S | DE | 4A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 128.62 | | 126.90 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 80S | GR | 4A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 128.78 | | 127.06 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 80S | DE | 4A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 128.95 | | 127.23 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 80S | GR | 4A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 129.03 | | 127.31 | MP MARKER | B | | 129 | | | | | | | | | | | | | | | | | | | | | | | |
| 129.17 | | 127.45 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 80S | DE | 4A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 129.35 | | 127.63 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 80S | GR | 4A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 129.59 | | 127.87 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 80S | DE | 4A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 129.71 | | 127.99 | | | | | | | | 2 | 2 | 10A | 24A | 10A | 80S | DE | 4A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 129.80 | | 128.08 | | | | | | | | 2 | 2 | 10A | 24A | 10A | 80S | GR | 4A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 129.91 | | 128.19 | | | | | | | | 2 | 2 | 10A | 24A | 10A | 80S | GR | 10A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 129.93 | | 128.21 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 80S | GR | 10A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 130.00 | | 128.28 | MED XING | C | | OFFICIAL | | | | | | | | | | | | | | | | | | | | | | | |
| 130.04 | | 128.32 | MP MARKER | B | | 130 | | | | | | | | | | | | | | | | | | | | | | | |
| 130.05 | | 128.33 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 80S | DE | 10A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 130.14 | | 128.42 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 80S | DE | 4A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 130.15 | | 128.43 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 80S | GR | 4A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 130.79 | | 129.07 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 80S | DE | 4A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 130.88 | | 129.16 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 80S | GR | 4A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 131.05 | | 129.33 | MP MARKER | B | | 131 | | | | | | | | | | | | | | | | | | | | | | | |
| 131.13 | | 129.41 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 80S | DE | 4A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 131.43 | | 129.71 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 80S | GR | 4A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 131.50 | | 129.78 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 80S | DE | 4A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 131.89 | | 130.17 | | | | | | | | 2 | 2 | 10A | 24A | 10A | 80S | DE | 4A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 131.93 | | 130.21 | | | | | | | | 2 | 2 | 10A | 24A | 10A | 80S | DE | 10A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 132.02 | | 130.30 | MED XING | C | | OFFICIAL | | | | | | | | | | | | | | | | | | | | | | | |
| 132.05 | | 130.33 | MP MARKER | B | | 132 | | | | | | | | | | | | | | | | | | | | | | | |
| 132.06 | | 130.34 | | | | | | | | 2 | 2 | 10A | 24A | 10A | 80S | GR | 10A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 132.12 | | 130.40 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 80S | GR | 10A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 132.16 | | 130.44 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 80S | GR | 4A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 132.29 | | 130.57 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 80S | DE | 4A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 132.86 | | 131.14 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 80S | GR | 4A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 133.05 | | 131.33 | MP MARKER | B | | 133 | | | | | | | | | | | | | | | | | | | | | | | |
| 133.98 | | 132.26 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 80S | DE | 4A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 134.05 | | 132.33 | MP MARKER | B | | 134 | | | | | | | | | | | | | | | | | | | | | | | |
| 134.47 | | 132.75 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 80S | GR | 4A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 134.54 | | 132.82 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 80S | DE | 4A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |
| 134.60 | | 132.88 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 80S | GR | 4A | 24A | 10A | 12 | 60 | 1 | 01 | | | R5 | 70 | R | |

SR 097 MAINLINE

U.S. ROUTE - USSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|-------|------------|---|----|-------------------------|-----|-----|------------|---------|-----|-----|-----|-----|------|---------------------------|--------|-----|-------|--------|-----|----|----|-----|----|----|----|----|---|---|--|--|--|--|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | | | | |
| 33.52 | | 33.22 | BEG ROUTE | | | MAIN ROUTE | | | | 1 | 1 | | | | | | 6A | 24B | 6A | | | 24 | 2 | 02 | | R1 | | 60 | R | | | | | | | |
| | | | BEG CTLSEC | | | OREGON ST. LN TO CANADA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | MISC FEATR | R | | CONTROL SECTION 3901 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | MISC FEATR | L | | SGN ENT YAKIMA COUNTY | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 33.54 | | 33.24 | INTRSECTN | R | | TOMITH RD*BIA 280 RD | | RS | N | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 33.77 | | 33.47 | BEG SU LN | L | | CHAIN UP | | | | 1 | 1 | | | | | | \$\$\$ | 24B | 6A | 36 | | 60 | 2 | 02 | | R1 | | 60 | R | | | | | | | |
| 33.90 | | 33.60 | END SU LN | L | | CHAIN UP | | | | 1 | 1 | | | | | | 6A | 24B | 6A | \$\$\$ | | 24 | 2 | 02 | | R1 | | 60 | R | | | | | | | |
| 33.99 | | 33.69 | MP MARKER | R | | 34 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 34.65 | | 34.35 | | | | | | | | 1 | 1 | | | | | | 6A | 24B | 6A | | | 24 | 2 | 02 | | R1 | | 65 | R | | | | | | | |
| 34.96 | | 34.66 | MP MARKER | R | | 35 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 35.89 | | 35.59 | BEG BRIDGE | B | | SATUS CREEK | | | ST | 1 | 1 | | | | | | \$\$W | 36P | \$\$W | | | 36 | 2 | 02 | | R1 | | 65 | R | | | | | | | |
| | | | | | | BRDG NUM 097/102 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 35.93 | | 35.63 | END BRIDGE | B | | SATUS CREEK | | | | 1 | 1 | | | | | | 6A | 24B | 6A | | | 24 | 2 | 02 | | R1 | | 65 | R | | | | | | | |
| 36.15 | | 35.84 | EQUATION | | | 036.14 =036.15 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 37.00 | | 36.69 | MP MARKER | R | | 37 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 37.54 | | 37.23 | BEG BRIDGE | B | | SATUS CREEK | | | ST | 1 | 1 | | | | | | \$\$W | 40P | \$\$W | | | 40 | 2 | 02 | | R1 | | 65 | R | | | | | | | |
| | | | | | | BRDG NUM 097/103 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 37.58 | | 37.27 | END BRIDGE | B | | SATUS CREEK | | | | 1 | 1 | | | | | | 6A | 24B | 6A | | | 24 | 2 | 02 | | R1 | | 65 | R | | | | | | | |
| 38.00 | | 37.69 | MP MARKER | R | | 38 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 39.00 | | 38.69 | MP MARKER | R | | 39 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 40.00 | | 39.69 | MP MARKER | R | | 40 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 40.11 | | 39.80 | INTRSECTN | L | | BIA RD #216 | | RS | N | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 40.24 | | 39.93 | BEG SU LN | L | | SLOW VEHICLE | | | | 1 | 1 | | | | | | \$\$\$ | 24B | 6A | 16 | | 40 | 2 | 02 | | R1 | | 65 | R | | | | | | | |
| 40.60 | | 40.29 | END SU LN | L | | SLOW VEHICLE | | | | 1 | 1 | | | | | | 6A | 24B | 6A | \$\$\$ | | 24 | 2 | 02 | | R1 | | 65 | R | | | | | | | |
| 41.00 | | 40.69 | MP MARKER | R | | 41 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 41.36 | | 41.05 | | | | | | | | 1 | 1 | | | | | | 6A | 24B | 8A | | | 24 | 2 | 02 | | R1 | | 65 | R | | | | | | | |
| 41.65 | | 41.34 | | | | | | | | 1 | 1 | | | | | | 6A | 24B | 6A | | | 24 | 2 | 02 | | R1 | | 65 | R | | | | | | | |
| 41.99 | | 41.68 | MP MARKER | R | | 42 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 42.10 | | 41.79 | | | | | | | | 1 | 1 | | | | | | 6A | 24B | 8A | | | 24 | 2 | 02 | | R1 | | 65 | R | | | | | | | |
| 42.19 | | 41.88 | | | | | | | | 1 | 1 | | | | | | 6A | 24B | 6A | | | 24 | 2 | 02 | | R1 | | 65 | R | | | | | | | |
| 43.00 | | 42.69 | MP MARKER | R | | 43 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 43.20 | | 42.89 | | | | | | | | 1 | 1 | | | | | | 6A | 24B | 8A | | | 24 | 2 | 02 | | R1 | | 65 | R | | | | | | | |
| 43.36 | | 43.05 | | | | | | | | 1 | 1 | | | | | | 6A | 24B | 6A | | | 24 | 2 | 02 | | R1 | | 65 | R | | | | | | | |
| 43.54 | | 43.23 | | | | | | | | 1 | 1 | | | | | | 6A | 24B | 8A | | | 24 | 2 | 02 | | R1 | | 65 | R | | | | | | | |
| 43.84 | | 43.53 | | | | | | | | 1 | 1 | | | | | | 6A | 24B | 6A | | | 24 | 2 | 02 | | R1 | | 65 | R | | | | | | | |
| 43.96 | | 43.65 | INTRSECTN | L | | BIA RD #79 | | RS | N | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 43.99 | | 43.68 | MP MARKER | R | | 44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 44.50 | | 44.19 | | | | | | | | 1 | 1 | | | | | | 6A | 24A | 6A | | | 24 | 2 | 02 | | R1 | | 65 | R | | | | | | | |
| 44.89 | | 44.58 | | | | | | | | 1 | 1 | | | | | | 7A | 24A | 6A | | | 24 | 2 | 02 | | R1 | | 65 | R | | | | | | | |
| 44.98 | | 44.67 | MP MARKER | R | | 45 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 45.07 | | 44.76 | | | | | | | | 1 | 1 | | | | | | 6A | 24A | 6A | | | 24 | 2 | 02 | | R1 | | 65 | R | | | | | | | |
| 45.25 | | 44.94 | | | | | | | | 1 | 1 | | | | | | 6A | 24A | 7A | | | 24 | 2 | 02 | | R1 | | 65 | R | | | | | | | |

SR 097 MAINLINE

U.S. ROUTE - USSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | |
|-------------------------|---|-------|------------|---|----|--------------------------|-----|-----|--------------|---------|-----|-----|-----|-----|------|---------------------------|--------|-----|-------|-----|-----|----|----|-----|----|----|----|----|---|---|--|--|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | | |
| 57.61 | | 57.22 | | | | BRDG NUM 097/117.75 | | | | 1 | 1 | | | | | | 6A | 24B | 6A | | | 24 | 2 | 02 | | R1 | | 65 | L | | | | | |
| 57.62 | | 57.23 | END BRIDGE | B | | TOPPENISH CR DRAINAGE #7 | | | | | | | | | | | 6A | 24B | 6A | | | 24 | 2 | 02 | | R1 | | 60 | L | | | | | |
| 57.85 | | 57.46 | | | | | | | | 1 | 1 | | | | | | 6A | 24B | 6A | | | 24 | 2 | 02 | | R1 | | 60 | L | | | | | |
| 57.95 | | 57.56 | MP MARKER | R | | 58 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 58.25 | | 57.86 | BEG BRIDGE | B | | CANAL DRAINAGE | ST | | | 1 | 1 | | | | | | \$\$C | 33B | \$\$C | | | 33 | 2 | 02 | | R1 | | 60 | L | | | | | |
| | | | | | | BRDG NUM 097/118 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 58.26 | | 57.87 | END BRIDGE | B | | CANAL DRAINAGE | | | | 1 | 1 | | | | | | 5A | 24B | 5A | | | 24 | 2 | 02 | | R1 | | 60 | L | | | | | |
| 58.76 | | 58.37 | INTRSECTN | L | | JENSEN RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | | |
| 58.96 | | 58.57 | MP MARKER | R | | 59 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 59.26 | | 58.87 | INTRSECTN | R | | ROCKY FORD RD | CO | | N | 1 | 1 | | | | | | 7A | 24B | 7A | | | 24 | 2 | 02 | | R1 | | 60 | L | | | | | |
| 59.75 | | 59.36 | INTRSECTN | L | | YOST RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | | |
| 59.94 | | 59.55 | MP MARKER | R | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 60.10 | | 59.71 | | | | | | | | 1 | 1 | | | | | | 7A | 24B | 7A | | | 24 | 2 | 02 | | R1 | | 55 | L | | | | | |
| 60.77 | | 60.38 | INTRSECTN | B | | LARUE RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | | |
| 60.83 | | 60.44 | BEG BRIDGE | B | | CANAL DRAINAGE | ST | | | 1 | 1 | | | | | | \$\$W | 38A | \$\$W | | | 38 | 2 | 02 | | R1 | | 55 | L | | | | | |
| | | | | | | BRDG NUM 097/120 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 60.85 | | 60.46 | END BRIDGE | B | | CANAL DRAINAGE | | | | 1 | 1 | | | | | | 7A | 24B | 7A | | | 24 | 2 | 02 | | R1 | | 55 | L | | | | | |
| 60.95 | | 60.56 | MP MARKER | R | | 61 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 61.19 | | 60.80 | ON RAMP | L | | SR 97 SB | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 61.26 | | 60.87 | | | | | | | | 1 | 1 | | | | | | 7A | 24B | 7A | | | 24 | 2 | 02 | | U1 | | 55 | L | | | | | |
| 61.27 | | 60.88 | | | | | | | | 1 | 1 | | | | | | 7A | 24A | 7A | | | 24 | 2 | 02 | | U1 | | 55 | L | | | | | |
| 61.39 | | 61.00 | MISC FEATR | L | | GORE (R106162) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 61.44 | | 61.05 | END CTLSEC | | | CONTROL SECTION 3901 | | | | 1 | 2 | 10A | 12A | | 16A | UP | \$\$\$ | 24A | 10A | | | 36 | 2 | 02 | | U2 | | 55 | L | | | | | |
| | | | BEG CTLSEC | | | CONTROL SECTION 3932 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | SR 22 | ST | | SG | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| 61.51 | | 61.12 | MISC FEATR | L | | GORE (R106162) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 61.54 | | 61.15 | | | | | | | | 1 | 2 | 10A | 12A | | 20A | JE | | 24A | 10A | | | 36 | 2 | 02 | | U2 | | 55 | L | | | | | |
| 61.62 | | 61.23 | OFF RAMP | L | | SR 97 SB | ST | | Y | 2 | 2 | 10A | 24A | | 20A | JE | | 24A | 10A | | | 48 | 2 | 02 | | U2 | | 55 | L | | | | | |
| 61.71 | | 61.32 | INTRSECTN | R | | FRONTAGE RD | ST | | N | | | | | | | | | | | | | | | | | | | | | | | | | |
| 61.91 | | 61.52 | | | | | | | | 2 | 2 | 10A | 24A | | 20A | UP | | 24A | 10A | | | 48 | 2 | 02 | | U2 | | 55 | L | | | | | |
| 61.96 | | 61.57 | MP MARKER | B | | 62 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 61.97 | | 61.58 | WYE CONN | R | | W 1ST AVE | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 61.98 | | 61.59 | INTRSECTN | C | | MEDIAN XROAD | ST | | SG | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | FORT RD | CO | | SG | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | W 1ST AVE | CO | | SG | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| 62.00 | | 61.61 | WYE CONN | R | | W 1ST AVE | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|-------|---|-------|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B | ARM | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 61.44 | | 61.05 | | | | .04 | 15 | | | | |
| 61.98 | | 61.59 | | .03 | 20 | .06 | 20 | | | | |

SR 097 MAINLINE

U.S. ROUTE - USSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | |
|-------------------------|-------|-----|---------------------|---|----|---------------------|-----|-----|------------|---------|-----|-------|-----|-----|------|---------------------------|------|-----|-------|-----|-------|----|----|-----|----|----|----|----|---|---|--|--|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | T | P | S | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | | |
| 62.00 | 61.61 | | WYE CONN | L | | FORT RD | CO | Y | 2 | 2 | | 10A | 24A | | | 20A | UP | | 24A | 10A | | 48 | 2 | 02 | | U2 | 55 | L | | | | | | |
| 62.06 | 61.67 | | | | | | | | 2 | 2 | | 10A | 24A | | | 20A | JE | | 24A | 10A | | 48 | 2 | 02 | | U2 | 55 | L | | | | | | |
| 62.22 | 61.83 | | INTRSECTN | L | | FRONTAGE RD | ST | | N | | | | | | | | | | | | | | | | | | | | | | | | | |
| 62.38 | 61.99 | | INTRSECTN | R | | WARD RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | | |
| 62.39 | 62.00 | | WYE CONN | R | | WARD RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | | |
| 62.59 | 62.20 | | | | | | | | 2 | 2 | | 10A | 24A | | | 20A | UP | | 24A | 10A | | 48 | 2 | 02 | | U2 | 55 | L | | | | | | |
| 62.74 | 62.35 | | INTRSECTN | B | | FRONTAGE RD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 62.76 | 62.37 | | WYE CONN | R | | FRONTAGE RD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 62.86 | 62.47 | | | | | | | | 2 | 2 | | 10A | 24A | | | 20A | BE | | 24A | 10A | | 48 | 2 | 02 | | U2 | 55 | L | | | | | | |
| 62.89 | 62.50 | | BEG BRIDGE | I | | WANITY SLOUGH | ST | | 2 | 2 | | \$\$C | 36P | | C | 200 | \$\$ | | C | 36A | \$\$C | 72 | 2 | 02 | | U2 | 55 | L | | | | | | |
| | | | BEG BRIDGE | D | | WANITY SLOUGH | ST | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BRDG NUM 097/124E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BRDG NUM 097/124W | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 62.90 | 62.51 | | END BRIDGE | I | | WANITY SLOUGH | | | 2 | 2 | | 10A | 24A | | \$ | 20A | JE | | \$ | 24A | 10A | | 48 | 2 | 02 | | U2 | 55 | L | | | | | |
| | | | END BRIDGE | D | | WANITY SLOUGH | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 62.97 | 62.58 | | MP MARKER | B | | 63 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 63.23 | 62.84 | | INTRSECTN | R | | FRONTAGE RD | ST | | N | | | | | | | | | | | | | | | | | | | | | | | | | |
| 63.51 | 63.12 | | | | | | | | 2 | 2 | | 10A | 24A | | | 20A | UP | | 24A | 10A | | 48 | 2 | 02 | | U2 | 55 | L | | | | | | |
| 63.67 | 63.28 | | INTRSECTN | C | | MEDIAN XROAD | ST | YS | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | ROUNDAABOUT | R | | E MCDONALD RD | CO | YS | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | ROUNDAABOUT | L | | MCDONALD RD | CO | YS | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 63.83 | 63.44 | | | | | | | | 2 | 2 | | 10A | 24A | | | 20A | JE | | 24A | 10A | | 48 | 2 | 02 | | U2 | 55 | L | | | | | | |
| 63.97 | 63.58 | | MP MARKER | B | | 64 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 64.41 | 64.02 | | BEG BRIDGE | B | | IRRIGATION CANAL #1 | ST | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BRDG NUM 097/126.25 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 64.42 | 64.03 | | END BRIDGE | B | | IRRIGATION CANAL #1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 64.43 | 64.04 | | BEG BRIDGE | B | | IRRIGATION CANAL #2 | ST | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BRDG NUM 097/127 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 64.44 | 64.05 | | END BRIDGE | B | | IRRIGATION CANAL #2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 64.78 | 64.39 | | | | | | | | 2 | 2 | | 10A | 24A | | | 20A | UP | | 24A | 10A | | 48 | 2 | 02 | | U2 | 55 | L | | | | | | |
| 64.89 | 64.50 | | INTRSECTN | L | | S OLDENWAY RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 64.97 | 64.58 | | MP MARKER | B | | 65 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 65.10 | 64.71 | | RR XING | B | | NUM 99199T GRADE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| INTERSECTION DETAIL | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | | |
|---------------------|-------|----------------------|--------|--------|-------|------------------------------|--------|--------|--------|--------|
| SRMP | B | ARM | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| | | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 62.00 | 61.61 | | | | | | | | | .05 12 |
| 62.74 | 62.35 | | .03 | 20 | | .03 | 20 | | | |
| 64.89 | 64.50 | | .03 | 20 | | | | | | |

SR 097 MAINLINE

U.S. ROUTE - USSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------|-----|------------|---|----|---------------------|-----|-----|------------|---------|-----|-----|-----|-----|------|---------------------------|------|-----|-------|-----|-----|----|----|-----|----|----|----|----|---|---|--|--|--|--|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | | | | |
| 65.11 | 64.72 | | INTRSECTN | C | | MEDIAN XROAD | ST | Y | 2 | 2 | | 10A | 24A | | | 20A | UP | | 24A | 10A | | 48 | 2 | 02 | | U2 | | 55 | L | | | | | | | |
| | | | INTRSECTN | R | | E BRANCH RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | BRANCH RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 65.12 | 64.73 | | | | | | | | 2 | 2 | | 10A | 24A | | | 20A | UP | | 24A | 10A | | 48 | 2 | 02 | | R2 | | 55 | L | | | | | | | |
| 65.22 | 64.83 | | | | | | | | 2 | 2 | | 10A | 24A | | | 20A | JE | | 24A | 10A | | 48 | 2 | 02 | | R2 | | 55 | L | | | | | | | |
| 65.23 | 64.84 | | INTRSECTN | L | | FRONTAGE RD | ST | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 65.58 | 65.19 | | INTRSECTN | L | | S MARTIN RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 65.63 | 65.24 | | WYE CONN | L | | S MARTIN RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 65.93 | 65.54 | | INTRSECTN | L | | FRONTAGE RD | ST | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 65.94 | 65.55 | | INTRSECTN | R | | FRONTAGE RD | ST | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 66.00 | 65.61 | | MP MARKER | B | | 66 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 66.13 | 65.74 | | INTRSECTN | L | | FRONTAGE RD | ST | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 66.14 | 65.75 | | INTRSECTN | R | | FRONTAGE RD | ST | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 66.30 | 65.91 | | TRAF RCDR | B | | P03 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 66.32 | 65.93 | | INTRSECTN | L | | FRONTAGE RD | ST | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 66.33 | 65.94 | | | | | | | | 2 | 2 | | 10A | 24A | | | 20A | UP | | 24A | 10A | | 48 | 2 | 02 | | R2 | | 55 | L | | | | | | | |
| 66.42 | 66.03 | | INTRSECTN | L | | FRONTAGE RD | ST | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 66.50 | 66.11 | | INTRSECTN | C | | MEDIAN XROAD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | PROGRESSIVE RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | E PROGRESSIVE RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 66.51 | 66.12 | | WYE CONN | L | | PROGRESSIVE RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 66.62 | 66.23 | | | | | | | | 2 | 2 | | 10A | 24A | | | 18A | UP | | 24A | 10A | | 48 | 2 | 02 | | R2 | | 55 | L | | | | | | | |
| 66.67 | 66.28 | | | | | | | | 2 | 2 | | 10A | 24A | | | 18A | JE | | 24A | 10A | | 48 | 2 | 02 | | R2 | | 55 | L | | | | | | | |
| 67.00 | 66.61 | | MP MARKER | B | | 67 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 67.71 | 67.32 | | WYE CONN | R | | S CAMAS AVE | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 67.76 | 67.37 | | | | | | | | 2 | 2 | | 10A | 24A | | | 18A | UP | | 24A | 10A | | 48 | 2 | 02 | | R2 | | 55 | L | | | | | | | |
| 67.79 | 67.40 | | WYE CONN | L | | S WAPATO RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 67.81 | 67.42 | | | | | | | | 2 | 2 | | 10A | 24A | | | 18A | UP | | 24A | 10A | | 48 | 2 | 02 | | U2 | | 55 | L | | | | | | | |
| 67.82 | 67.43 | | INTRSECTN | R | | S CAMAS AVE | CO | SG | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | S WAPATO RD | CO | SG | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | SG | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 67.85 | 67.46 | | WYE CONN | R | | S CAMAS AVE | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 67.86 | 67.47 | | BEG BRIDGE | B | | IRRIGATION CANAL #3 | ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 097/128 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 67.87 | 67.48 | | END BRIDGE | B | | IRRIGATION CANAL #3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|-------|-------|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B ARM | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 65.11 | 64.72 | .04 | 20 | | | | | | |
| 66.50 | 66.11 | .05 | 13 | | | | | | |
| 67.82 | 67.43 | .04 | 16 | | | | | .02 | 12 |

SR 097 MAINLINE

U.S. ROUTE - USSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | |
|-------------------------|-------|------------|---------|---|----|---|-----|-----|------------|---------|-------|-----|-----|-----|------|---------------------------|------|-------|-------|-----|-----|---|----|----------|----|---|----|---|----|---|--|--|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE- | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | | |
| 67.88 | 67.49 | BEG BRIDGE | B | | | IRRIGATION CANAL #4 BRDG NUM 097/129 | ST | | 2 | 2 | 10A | 24A | | | 18A | UP | 24A | 10A | | | 48 | 2 | 02 | | U2 | | 55 | L | | | | | | |
| 67.89 | 67.50 | END BRIDGE | B | | | IRRIGATION CANAL #4 | | | 2 | 2 | 10A | 24A | | | 16A | JE | 24A | 10A | | | 48 | 2 | 02 | | U2 | | 55 | L | | | | | | |
| 67.91 | 67.52 | ENTER CITY | | | | WAPATO | | | 2 | 2 | 10A | 24A | | | 16A | JE | 24A | 10A | | | 48 | 2 | 02 | 1375 | U2 | | 55 | L | B | | | | | |
| 67.96 | 67.57 | MP MARKER | B | | | 68 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 68.54 | 68.15 | WYE CONN | R | | | W NINTH ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 68.55 | 68.16 | LEAVE CITY | | | | WAPATO | | | 2 | 2 | 10A | 24A | | | 16A | JE | 24A | 10A | | | 48 | 2 | 02 | \$\$\$\$ | U2 | | 55 | L | \$ | | | | | |
| | | INTRSECTN | R | | | W NINTH ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | WYE CONN | L | | | HOFFER RD | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 68.58 | 68.19 | INTRSECTN | L | | | HOFFER RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 68.94 | 68.55 | INTRSECTN | R | | | FRONTAGE RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 68.96 | 68.57 | MP MARKER | B | | | 69 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 69.00 | 68.61 | | | | | | | | 2 | 2 | 10A | 24A | | | 18A | UP | 24A | 10A | | | 48 | 2 | 02 | | U2 | | 55 | L | | | | | | |
| 69.08 | 68.69 | WYE CONN | L | | | W WAPATO RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | WYE CONN | R | | | W FIRST ST | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 69.09 | 68.70 | INTRSECTN | C | | | MEDIAN XROAD | ST | | SG | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| | | INTRSECTN | R | | | W FIRST ST | CO | | SG | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| | | INTRSECTN | L | | | W WAPATO RD | CO | | SG | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| 69.11 | 68.72 | WYE CONN | R | | | W FIRST ST | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | WYE CONN | L | | | W WAPATO RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 69.20 | 68.81 | | | | | | | | 2 | 2 | 10A | 24A | | | 18A | JE | 24A | 10A | | | 48 | 2 | 02 | | U2 | | 55 | L | | | | | | |
| 69.59 | 69.20 | INTRSECTN | R | | | FRONTAGE RD | ST | | N | | | | | | | | | | | | | | | | | | | | | | | | | |
| 69.65 | 69.26 | INTRSECTN | L | | | FRONTAGE RD | ST | | N | | | | | | | | | | | | | | | | | | | | | | | | | |
| 69.95 | 69.56 | MP MARKER | B | | | 70 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 70.00 | 69.61 | | | | | | | | 2 | 2 | 10A | 24A | | | 18A | UP | 24A | 10A | | | 48 | 2 | 02 | | U2 | | 55 | L | | | | | | |
| 70.13 | 69.74 | WYE CONN | L | | | JONES RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 70.14 | 69.75 | | | | | | | | 2 | 2 | 10A | 24A | | | 18A | UP | 24A | 10A | | | 48 | 2 | 02 | | R2 | | 55 | L | | | | | | |
| 70.15 | 69.76 | INTRSECTN | C | | | MEDIAN XROAD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | INTRSECTN | L | | | JONES RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | INTRSECTN | R | | | E JONES RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 70.17 | 69.78 | WYE CONN | R | | | E JONES RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 70.31 | 69.92 | | | | | | | | 2 | 2 | 10A | 24A | | | 16A | JE | 24A | 10A | | | 48 | 2 | 02 | | R2 | | 55 | L | | | | | | |
| 70.61 | 70.22 | INTRSECTN | L | | | FRONTAGE RD | ST | | N | | | | | | | | | | | | | | | | | | | | | | | | | |
| 70.73 | 70.34 | BEG BRIDGE | B | | | IRRIGATION CANAL BRDG NUM 097/130.25 | ST | | 2 | 2 | \$\$C | 33P | | | 16A | JE | 30A | \$\$C | | | 63 | 2 | 02 | | R2 | | 55 | L | | | | | | |

INTERSECTION DETAIL

| | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|-------|-------|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B ARM | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 69.09 | 68.70 | .06 | 15 | | | | | | |
| 69.11 | 68.72 | | | | | | | .14 | 12 |
| 70.15 | 69.76 | .03 | 16 | | | | | | |

SR 097 MAINLINE

U.S. ROUTE - USSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | |
|-------------------------|---|-------|---------------------|---|----|------------------|-----|-----|--------------|---------|-----|-------|-----|-----|------|---------------------------|------|-----|-------|-------|-------|----|----|-----|----|----|----|----|----|---|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | T | P | S | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | |
| 70.74 | | 70.35 | END BRIDGE | B | | IRRIGATION CANAL | | | | 2 | 2 | 10A | 24A | | 16A | JE | | | | 24A | 10A | | 48 | 2 | 02 | | R2 | | 55 | L | | |
| 71.00 | | 70.61 | MP MARKER | B | | 71 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 71.18 | | 70.79 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | UP | | | | 24A | 10A | | 48 | 2 | 02 | | R2 | | 55 | L | | |
| 71.27 | | 70.88 | INTRSECTN | L | | FRONTAGE RD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 71.32 | | 70.93 | INTRSECTN | B | | LATERAL 1 RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 71.33 | | 70.94 | WYE CONN | R | | LATERAL 1 RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 71.47 | | 71.08 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | JE | | | | 24A | 10A | | 48 | 2 | 02 | | R2 | | 55 | L | | |
| 71.52 | | 71.13 | BEG BRIDGE | B | | IRRIGATION CANAL | ST | | | 2 | 2 | \$\$C | 33A | | 16A | JE | | | | 30A | \$\$C | | 63 | 2 | 02 | | R2 | | 55 | L | | |
| | | | BRDG NUM 097/132.25 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 71.53 | | 71.14 | END BRIDGE | B | | IRRIGATION CANAL | | | | 2 | 2 | 10A | 24A | | 16A | JE | | | | 24A | 10A | | 48 | 2 | 02 | | R2 | | 55 | L | | |
| 71.96 | | 71.57 | MP MARKER | B | | 72 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 72.07 | | 71.68 | INTRSECTN | L | | FRONTAGE RD | ST | | N | | | | | | | | | | | | | | | | | | | | | | | |
| 72.33 | | 71.94 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | UP | | | | 24A | 10A | | 48 | 2 | 02 | | R2 | | 55 | L | | |
| 72.47 | | 72.08 | WYE CONN | L | | KAYS RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | |
| 72.49 | | 72.10 | INTRSECTN | L | | KAYS RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 72.50 | | 72.11 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | JE | | | | 24A | 10A | | 48 | 2 | 02 | | R2 | | 55 | L | | |
| 72.53 | | 72.14 | WYE CONN | L | | KAYS RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 72.94 | | 72.55 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | UP | | | | 24A | 10A | | 48 | 2 | 02 | | R2 | | 55 | L | | |
| 72.97 | | 72.58 | MP MARKER | B | | 73 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 73.01 | | 72.62 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | UP | | | | 24A | 10A | | 48 | 2 | 02 | | U1 | | 55 | L | | |
| 73.08 | | 72.69 | INTRSECTN | L | | 5TH AVE | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 73.10 | | 72.71 | | | | | | | | 2 | 2 | 10B | 24A | | 16A | JE | | | | 24A | 10A | | 48 | 2 | 02 | | U1 | | 55 | L | | |
| 73.24 | | 72.85 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | UP | | | | 24A | 10A | | 48 | 2 | 02 | | U1 | | 55 | L | | |
| 73.39 | | 73.00 | INTRSECTN | C | | MEDIAN XROAD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | E 2ND AVE | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | 2ND AVE | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 73.45 | | 73.06 | INTRSECTN | R | | FRONTAGE RD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 73.55 | | 73.16 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | JE | | | | 24A | 10A | | 48 | 2 | 02 | | U1 | | 55 | L | | |
| 73.61 | | 73.22 | INTRSECTN | L | | FRONTAGE RD | ST | | N | | | | | | | | | | | | | | | | | | | | | | | |
| 74.00 | | 73.61 | MP MARKER | B | | 74 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 74.22 | | 73.83 | BEG BRIDGE | I | | WAPATO CANAL | ST | | | 2 | 2 | \$\$C | 38A | C | 16O | GR | C | | 36A | \$\$C | | 74 | 2 | 02 | | U1 | | 55 | L | | | |

| INTERSECTION DETAIL | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|---------------------|---|-------|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B | ARM | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 71.32 | | 70.93 | .06 | 16 | | | .05 | 16 | | |
| 72.49 | | 72.10 | .08 | 16 | | | | | | |
| 73.08 | | 72.69 | .07 | 16 | | | | | | |
| 73.39 | | 73.00 | .08 | 16 | | | .06 | 16 | | |

SR 097 MAINLINE

U.S. ROUTE - USSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | |
|-------------------------|---|-------|------------|---|-----------------------------------|---------|-----|--------------|---------|---------|---------|---------|---------|---------|----------|---------------------------|------|-------|----|--------|----|----|----|------|---------|------|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D LR | DESCRIPTION | OW TC L | D I | W/S | RDY W/S | SHD W/S | MEDIAN- | SHD W/S | RDY W/S | SHD W/S | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | |
| 74.22 | | 73.83 | BEG BRIDGE | D | BRDG NUM 097/138E WAPATO CANAL | | ST | | | | 16O GR | | | | | | 74 | 2 | 02 | | U1 | | | 55 L | | |
| 74.24 | | 73.85 | END BRIDGE | I | BRDG NUM 097/138W WAPATO CANAL | | | | | | 16S GR | 4A | 24A | 10A | | | 48 | 2 | 02 | | U1 | | | 55 L | | |
| 74.28 | | 73.89 | END BRIDGE | D | WAPATO CANAL | | | | | | 16S DE | 4A | 24A | 10A | | | 48 | 2 | 02 | | U1 | | | 55 L | | |
| 74.45 | | 74.06 | INTRSECTN | C | MEDIAN XROAD | | ST | SG | Y | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | LATERAL A RD | | CO | SG | Y | | | | | | | | | | | | | | | | | |
| 74.50 | | 74.11 | | | | | | | | | | | | | | | | | | | | | | | | |
| 74.57 | | 74.12 | EQUATION | | 074.51 =074.57 | | | | | | 40S DE | 4A | 24A | 10A | | | 48 | 2 | 02 | | U1 | | | 55 L | | |
| 74.67 | | 74.22 | | | | | | | | | 40S DE | 6A | 24A | 10A | | | 48 | 2 | 02 | | U1 | | | 55 L | | |
| 74.72B | | 74.27 | BEG EQ | | BEGIN BACK | | | | | | | | | | | | | | | | | | | | | |
| 74.72 | | 74.29 | EQUATION | | 074.74B=074.72 | | | | | | 16A JE | \$\$\$ | 24A | 10A | | | 48 | 2 | 02 | | U1 | | | 55 L | | |
| | | | INTRSECTN | C | MEDIAN XROAD | | ST | | Y | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | RESERVATION RD | | RS | | Y | | | | | | | | | | | | | | | | | |
| 74.95 | | 74.52 | ENT FROM | L | HISTORICAL MARKER | | CO | | N | | | | | | | | | | | | | | | | | |
| 75.04 | | 74.61 | MP MARKER | B | 75 | | | | | | | | | | | | | | | | | | | | | |
| 75.21 | | 74.78 | EXIT TO | L | HISTORICAL MARKER | | CO | | N | | | | | | | | | | | | | | | | | |
| 75.63 | | 75.20 | ON RAMP | L | UNION GAP-OLD SR 97 | | ST | Y | 1 | 2 | 6A | 14A | | 16A JE | | 24A | 10A | | | 38 | 2 | 02 | | U1 | 55 L | |
| 75.80 | | 75.37 | MISC FEATR | L | GORE (S107563) | | | | | | | | | | | | | | | | | | | | | |
| 75.92 | | 75.49 | BEG BRIDGE | I | ATHANUM CREEK | | ST | | 1 | 2 | 6A | 14A | | 16O JE | | W | 38P | \$\$W | | 52 | 2 | 02 | | U1 | 55 R | |
| | | | | | BRDG NUM 097/140E | | | | | | | | | | | | | | | | | | | | | |
| 75.95 | | 75.52 | BEG BRIDGE | D | ATHANUM CREEK | | ST | | 1 | 2 | \$\$W | 26P | | W | 16O \$\$ | | W | 38P | W | | 64 | 2 | 02 | | U1 | 55 R |
| | | | | | BRDG NUM 097/140W | | | | | | | | | | | | | | | | | | | | | |
| 76.17 | | 75.74 | END BRIDGE | I | ATHANUM CREEK | | | | \$ | 1 | \$ | \$\$\$ | | \$ | \$\$\$ | | 4A | 14A | 8A | | 14 | 2 | 02 | | U1 | 55 R |
| | | | END BRIDGE | D | ATHANUM CREEK | | | | | | | | | | | | | | | | | | | | | |
| | | | OFF RAMP | R | UNION GAP | | ST | | Y | | | | | | | | | | | | | | | | | |
| 76.21 | | 75.78 | MISC FEATR | R | GORE (P507617) | | | | | | | | | | | | | | | | | | | | | |
| 76.31 | | 75.88 | BEG BRIDGE | I | SR 82 | | ST | | | 1 | | | | \$\$W | 26P | \$\$W | | | | 26 | 2 | 02 | | U1 | 55 R | |
| | | | | | BRDG NUM 097/145E | | | | | | | | | | | | | | | | | | | | | |
| 76.36 | | 75.93 | END BRIDGE | I | SR 82 | | | | \$ | | | | | \$ | \$\$\$ | \$ | | | | \$\$\$ | 2 | 02 | | \$\$ | \$\$ \$ | |
| | | | BEG COINCI | | SR 082 | | | | | | | | | | | | | | | | | | | | | |
| | | | END CTLSEC | | CONTROL SECTION 3932 | | | | | | | | | | | | | | | | | | | | | |
| 94.32 | | 93.89 | LEAVE CO | | YAKIMA | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|-------|---|-------|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B | ARM | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 74.45 | | 74.06 | | .09 | 12 | | | | | .09 | 12 |
| 74.72 | | 74.29 | | .07 | 12 | | | | | | |

SR 124 MAINLINE

STATE ROUTE - SRSH

COUNTY WALLA WALLA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|-------|------------|---|----|------------------|-----|-----|------------|---------|-----|-----|-----|-----|---------------------------|-----|-------|------|-------|-------|-----|----|----|-----|----|----|----|----|---|---|--|--|--|--|--|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | LFT | | RHT | LFT | | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | | T | P | S | | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | | | | | |
| 5.24 | | 5.28 | BEG BRIDGE | B | | UP RR | ST | | | 1 | 1 | | | | | | W | 36P | W | | | 36 | 3 | 01 | | R2 | 60 | L | | | | | | | | | |
| | | | | | | BRDG NUM 124/003 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.27 | | 5.31 | END BRIDGE | B | | UP RR | | | | 1 | 1 | | | | | | 5A | 22A | 5A | | | 22 | 3 | 01 | | R2 | 60 | L | | | | | | | | | |
| 5.47 | | 5.51 | | | | | | | | 1 | 1 | | | | | | 3A | 22A | 3A | | | 22 | 3 | 01 | | R2 | 60 | L | | | | | | | | | |
| 5.66 | | 5.70 | | | | | | | | 1 | 1 | | | | | | 2B | 22B | 2B | | | 22 | 3 | 01 | | R2 | 60 | L | | | | | | | | | |
| 5.97 | | 6.01 | MP MARKER | R | | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6.51 | | 6.55 | | | | | | | | 1 | 1 | | | | | | 3B | 24B | 3B | | | 24 | 3 | 01 | | R2 | 60 | L | | | | | | | | | |
| 6.78 | | 6.82 | | | | | | | | 1 | 1 | | | | | | 2B | 22B | 2B | | | 22 | 3 | 01 | | R2 | 60 | L | | | | | | | | | |
| 7.02 | | 7.06 | MP MARKER | R | | 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7.96 | | 8.00 | MP MARKER | R | | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8.50 | | 8.54 | INTRSECTN | L | | SUN HARBOR RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8.99 | | 9.03 | MP MARKER | R | | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9.66 | | 9.70 | INTRSECTN | R | | WALKLEY RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9.73 | | 9.77 | INTRSECTN | B | | AGATE RD | CO | | N | 1 | 1 | | | | | | 2B | 22B | 2B | | | 22 | 4 | 01 | | R2 | 60 | L | | | | | | | | | |
| 9.76 | | 9.80 | | | | | | | | | | | | | | | | 2B | 22B | 2B | | | 22 | 4 | 01 | | R2 | 65 | L | | | | | | | | |
| 9.99 | | 10.03 | MP MARKER | R | | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10.99 | | 11.03 | MP MARKER | R | | 11 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11.17 | | 11.21 | | | | | | | | 1 | 1 | | | | | | | 2B | 24B | 2B | | | 24 | 4 | 01 | | R2 | 65 | L | | | | | | | | |
| 11.98 | | 12.02 | MP MARKER | R | | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 12.00 | | 12.04 | | | | | | | | 1 | 1 | | | | | | | 4B | 24B | 4B | | | 24 | 4 | 01 | | R2 | 65 | L | | | | | | | | |
| 12.97 | | 13.01 | MP MARKER | R | | 13 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13.97 | | 14.01 | MP MARKER | R | | 14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 14.97 | | 15.01 | MP MARKER | R | | 15 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 15.96 | | 16.00 | | | | | | | | 1 | 1 | | | | | | | 4B | 24B | 4B | | | 24 | 4 | 01 | | R2 | 65 | R | | | | | | | | |
| 15.97 | | 16.01 | MP MARKER | R | | 16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 16.04 | | 16.08 | INTRSECTN | L | | FISHHOOK PARK RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 16.70 | | 16.74 | INTRSECTN | L | | NEFF RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 16.99 | | 17.03 | MP MARKER | R | | 17 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 17.61 | | 17.65 | | | | | | | | 1 | 1 | | | | | | | 4A | 24A | 4A | | | 24 | 4 | 01 | | R2 | 65 | R | | | | | | | | |
| 17.97 | | 18.01 | MP MARKER | R | | 18 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 18.97 | | 19.01 | MP MARKER | R | | 19 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.99 | | 20.03 | MP MARKER | R | | 20 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20.03 | | 20.07 | INTRSECTN | L | | RICE RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20.12 | | 20.16 | INTRSECTN | L | | BLANCHARD RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20.51 | | 20.55 | INTRSECTN | R | | TOUCHET NORTH RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20.98 | | 21.02 | MP MARKER | R | | 21 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 21.03 | | 21.07 | INTRSECTN | L | | EUREKA NORTH RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 22.02 | | 22.06 | INTRSECTN | R | | STRUTHERS RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 22.03 | | 22.07 | MP MARKER | R | | 22 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 22.58 | | 22.62 | INTRSECTN | R | | W LAMAR RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 22.62 | | 22.66 | BEG BRIDGE | B | | OLD BN RR | ST | | | 1 | 1 | | | | | | \$\$C | 26P | \$\$C | | | 26 | 4 | 01 | | R2 | 65 | R | | | | | | | | | |
| | | | | | | BRDG NUM 124/008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 22.65 | | 22.69 | END BRIDGE | B | | OLD BN RR | | | | 1 | 1 | | | | | | | 6B | 24B | 6B | | | 24 | 4 | 01 | | R2 | 65 | R | | | | | | | | |

SR 125 MAINLINE

STATE ROUTE - SRSH

COUNTY WALLA WALLA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | |
|-------------------------|------|-----|------------|---|----|-------------------------|-----|-----|--------------|---------|-----|-----|-----|-----|---------------------------|------|------|-----|-------|-----|-------|---|----|-----|----|------|----|---|----|-----|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | |
| 0.00 | 0.00 | | BEG ROUTE | | | MAIN ROUTE | | | | 2 | 2 | 10A | 24A | | | 16A | UP | | | 24A | 10A | | 48 | 4 | 01 | | U1 | | 55 | R | |
| | | | BEG CTLSEC | | | OREGON ST. LN TO SR 124 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | TRAF RCDR | B | | CONTROL SECTION 3606 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | MISC FEATR | C | | OR03 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | MISC FEATR | C | | OREGON STATE LINE | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.01 | 0.01 | | INTRSECTN | B | | STATE LINE RD | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.02 | 0.02 | | MISC FEATR | R | | SGN ENT WASHINGTON | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.07 | 0.07 | | | | | | | | | 2 | 2 | 10A | 24A | | | 16A | JE | | | 24A | 10A | | 48 | 4 | 01 | | U1 | | 55 | R | |
| 0.22 | 0.22 | | | | | | | | | 2 | 2 | 10A | 24A | | | 16A | JE | | | 24A | 40A | | 48 | 4 | 01 | | U1 | | 55 | R | |
| 0.32 | 0.32 | | | | | | | | | 2 | 2 | 10A | 24A | | | 16A | JE | | | 24A | 10A | | 48 | 4 | 01 | | U1 | | 55 | R | |
| 0.69 | 0.69 | | | | | | | | | 2 | 2 | 10A | 24A | | | 16A | UP | | | 24A | 10A | | 48 | 4 | 01 | | U1 | | 55 | R | |
| 0.74 | 0.74 | | WYE CONN | L | | FARMLAND RD | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.78 | 0.78 | | INTRSECTN | L | | FARMLAND RD | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | EXIT TO | R | | U-TURN ACCESS | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.81 | 0.81 | | ENT FROM | R | | U-TURN ACCESS | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.83 | 0.83 | | BEG BRIDGE | B | | WALLA WALLA RIVER | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 125/003 | | | | 2 | 2 | 10A | 24A | | | 16A | UP | | | 24A | 10A | | 48 | 4 | 01 | | U1 | | 55 | R | |
| 0.86 | 0.86 | | END BRIDGE | B | | WALLA WALLA RIVER | | | | 2 | 2 | 10A | 24A | | | 16A | UP | | | 24A | 10A | | 48 | 4 | 01 | | U1 | | 55 | R | |
| 0.89 | 0.89 | | | | | | | | | 2 | 2 | 10A | 24A | | | 16A | JE | | | 24A | 10A | | 48 | 4 | 01 | | U1 | | 55 | R | |
| 0.99 | 0.99 | | MP MARKER | R | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.47 | 1.47 | | | | | | | | | 2 | 2 | 10A | 24A | | | 16A | UP | | | 24A | 10A | | 48 | 4 | 01 | | U1 | | 55 | R | |
| 1.53 | 1.53 | | BEG BRIDGE | B | | YELLOW HAWK CREEK | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 125/005 | | | | 2 | 2 | 10A | 24A | | | 16P | UP | | | 34P | \$\$W | | 68 | 4 | 01 | | U1 | | 55 | R | |
| 1.55 | 1.55 | | END BRIDGE | B | | YELLOW HAWK CREEK | | | | 2 | 2 | 10A | 24A | | | 16A | UP | | | 24A | 10A | | 48 | 4 | 01 | | U1 | | 55 | R | |
| 1.62 | 1.62 | | INTRSECTN | B | | OLD MILTON HWY | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.75 | 1.75 | | ENTER CITY | | | COLLEGE PLACE | | | | 2 | 2 | 10A | 24A | | | 16A | UP | | | 24A | 10A | | 48 | 4 | 01 | 0235 | U1 | | 55 | R B | |
| 1.88 | 1.88 | | INTRSECTN | L | | COLLEGE AVE | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.89 | 1.89 | | | | | | | | | 2 | 2 | 10A | 24A | | | 16A | JE | | | 24A | 10A | | 48 | 4 | 01 | 0235 | U1 | | 55 | R B | |
| 1.93 | 1.93 | | MISC FEATR | R | | SGN ENT COLLEGE PLACE | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.99 | 1.99 | | MP MARKER | B | | 2 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.23 | 2.23 | | | | | | | | | 2 | 2 | 10A | 24A | | | 16A | UP | | | 24A | 10A | | 48 | 4 | 01 | 0235 | U1 | | 55 | R B | |
| 2.34 | 2.34 | | INTRSECTN | L | | MEADOWBROOK BLVD | | | | 2 | 2 | 4A | 24A | | | 16A | UP | | | 24A | 10A | | 48 | 4 | 01 | 0235 | U1 | | 55 | R B | |
| | | | INTRSECTN | R | | TAUMARSON RD | | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|------|------|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 0.01 | 0.01 | .01 | 16 | .05 | 16 | .12 | 12 | | |
| 0.78 | 0.78 | .04 | 16 | .02 | 16 | | | | |
| 1.62 | 1.62 | .03 | 16 | .02 | 12 | .03 | 16 | .02 | 12 |
| 1.88 | 1.88 | .07 | 16 | | | .02 | 12 | | |
| 2.34 | 2.34 | .05 | 16 | .03 | 12 | .04 | 16 | .06 | 12 |

SR 125 MAINLINE

STATE ROUTE - SRSH

COUNTY WALLA WALLA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | |
|-------------------------|------|-----|-------------|---|----|-----------------------|-----|-----|------------|---------|--------|--------|-----|--------|---------------------------|------|-------|-----|--------|-----|-----|----|------|------|----|----|----|---|---|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | T | P | S | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T |
| 2.35 | 2.35 | | WYE CONN | R | | TAUMARSON RD | CT | Y | 2 | 2 | 4A | 24A | | 16A | UP | | 24A | 10A | | 48 | 4 | 01 | 0235 | U1 | | 55 | R | B | | |
| 2.43 | 2.43 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | UP | | 24A | 10A | | 48 | 4 | 01 | 0235 | U1 | | 55 | R | B | | |
| 2.47 | 2.47 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | JE | | 24A | 10A | | 48 | 4 | 01 | 0235 | U1 | | 55 | R | B | | |
| 2.50 | 2.50 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | JE | | 24A | 8A | | 48 | 4 | 01 | 0235 | U1 | | 55 | R | B | | |
| 2.88 | 2.88 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | UP | | 24A | 8A | | 48 | 4 | 01 | 0235 | U1 | | 55 | R | B | | |
| 2.99 | 2.99 | | MP MARKER | R | 3 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.02 | 3.02 | | INTRSECTN | L | | SE COMMERCIAL DR | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | |
| 3.03 | 3.03 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | JE | | 24A | 8A | | 48 | 4 | 01 | 0235 | U1 | | 55 | R | B | | |
| 3.11 | 3.11 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | UP | | 24A | 8A | | 48 | 4 | 01 | 0235 | U1 | | 55 | R | B | | |
| 3.14 | 3.14 | | MISC FEATR | L | | SGN ENT COLLEGE PLACE | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.15 | 3.15 | | LEAVE CITY | | | COLLEGE PLACE | | | 2 | 2 | 10A | 24A | | 16A | UP | | 24A | 8A | | 48 | 4 | 01 | 1365 | U1 | | 55 | R | B | | |
| | | | ENTER CITY | | | WALLA WALLA | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.30 | 3.30 | | MISC FEATR | R | | SGN ENT WALLA WALLA | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.42 | 3.42 | | INTRSECTN | L | | MYRA RD | CT | SG | Y | | | | | 16A | UP | | 36A | 8A | | 60 | 4 | 01 | 1365 | U1 | | 55 | R | B | | |
| 3.43 | 3.43 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | JE | | 36A | 8A | | 60 | 4 | 01 | 1365 | U1 | | 55 | R | B | | |
| 3.64 | 3.64 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | JE | | 24A | 8A | | 48 | 4 | 01 | 1365 | U1 | | 55 | R | B | | |
| 3.99 | 3.99 | | MP MARKER | R | 4 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.27 | 4.27 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | JE | | 24A | 10A | | 48 | 4 | 01 | 1365 | U1 | | 55 | R | B | | |
| 4.35 | 4.35 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | UP | | 24A | 10A | | 48 | 4 | 01 | 1365 | U1 | | 55 | R | B | | |
| 4.37 | 4.37 | | | | | | | | 2 | 2 | 10A | 24A | | 16P | CU | | 24A | 10A | | 48 | 4 | 01 | 1365 | U1 | | 55 | R | B | | |
| 4.39 | 4.39 | | | | | | | | 2 | 2 | 10A | 24A | | 16P | CU | | 24A | 10A | | 48 | 4 | 01 | 1365 | U1 | | 30 | R | B | | |
| 4.45 | 4.45 | | ROUNDAABOUT | R | | PLAZA WAY | CT | YS | Y | | | | | | | | | | | | | | | | | | | | | |
| | | | ROUNDAABOUT | L | | MILITARY RD | CT | YS | Y | | | | | | | | | | | | | | | | | | | | | |
| 4.50 | 4.49 | | EQUATION | | | 004.49 =004.50 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | ENT/EXIT | R | | SHOPPING CENTER | PV | | Y | | | | | | | | | | | | | | | | | | | | | |
| 4.52 | 4.51 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | UP | | 24A | 10A | | 48 | 4 | 01 | 1365 | U1 | | 30 | R | B | | |
| 4.53 | 4.52 | | RR XING | B | | NUM 808942N GRADE | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.55 | 4.54 | | | | | | | | 2 | 2 | 3A | 24A | | 16A | UP | | 24A | 3A | | 48 | 4 | 01 | 1365 | U1 | | 30 | R | B | | |
| 4.63 | 4.62 | | BEG SU LN | C | | TWO WAY TURN | 12A | | 2 | 2 | \$\$\$ | \$\$\$ | | \$\$\$ | \$\$ | 2A | 48A | 2A | 12 | 60 | 4 | 01 | 1365 | U1 | | 30 | R | B | | |
| | | | INTRSECTN | R | | ORCHARD ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 4.69 | 4.68 | | | | | | | | 2 | 2 | | | | | | | \$\$C | 54A | \$\$C | 12 | 66 | 4 | 01 | 1365 | U1 | | 30 | R | B | |
| 4.79 | 4.78 | | END SU LN | C | | TWO WAY TURN | 12A | | 2 | 2 | | | | | | C | 66A | C | \$\$\$ | 66 | 4 | 01 | 1365 | U1 | | 30 | R | B | | |
| 4.83 | 4.82 | | INTRSECTN | R | | MALCOLM ST | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | |
| | | | ENT/EXIT | L | | BUSINESS | PV | SG | Y | | | | | | | | | | | | | | | | | | | | | |
| 4.86 | 4.85 | | BEG SU LN | C | | TWO WAY TURN | 12A | | 2 | 2 | | | | | | C | 54A | C | 12 | 66 | 4 | 01 | 1365 | U1 | | 30 | R | B | | |

INTERSECTION DETAIL

| | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|------|-------|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B ARM | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 3.02 | 3.02 | .09 | 12 | | | | | | |
| 3.42 | 3.42 | .08 | 16 | | | | | .03 | 12 |
| 4.83 | 4.82 | .02 | 12 | | .02 | 12 | | | |

SR 125 MAINLINE

STATE ROUTE - SRSH

COUNTY WALLA WALLA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | |
|-------------------------|---|------|------------|---|----|---------------------|-----|-----|------------|---------|-----|-----|-----|-----|------|---------------------------|------|-----|-------|--------|-----|---|----|------|----|---|----|---|---|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | T | P | S | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T |
| 4.91 | | 4.90 | INTRSECTN | L | | EMMA ST | CT | | Y | 2 | 2 | | | | | | C | 54A | C | 12 | 66 | 4 | 01 | 1365 | U1 | | 30 | R | B | |
| 4.94 | | 4.93 | END SU LN | C | | TWO WAY TURN | | 12A | | | 2 | 2 | | | | | C | 66A | C | \$\$\$ | 66 | 4 | 01 | 1365 | U1 | | 30 | R | B | |
| 4.98 | | 4.97 | WYE CONN | L | | W CHESTNUT ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 4.99 | | 4.98 | INTRSECTN | B | | W CHESTNUT ST | CT | | SG | Y | | | | | | | | | | | | | | | | | | | | |
| 5.03 | | 5.02 | BEG SU LN | C | | TWO WAY TURN | | 12A | | | 2 | 2 | | | | | C | 54A | C | 12 | 66 | 4 | 01 | 1365 | U1 | | 30 | R | B | |
| 5.07 | | 5.06 | INTRSECTN | L | | WILLOW ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 5.12 | | 5.11 | END SU LN | C | | TWO WAY TURN | | 12A | | | 2 | 2 | | | | | C | 66A | C | \$\$\$ | 66 | 4 | 01 | 1365 | U1 | | 30 | R | B | |
| 5.14 | | 5.13 | INTRSECTN | B | | W BIRCH | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 5.21 | | 5.20 | INTRSECTN | B | | W POPLAR ST | CT | | SG | Y | | | | | | | | | | | | | | | | | | | | |
| 5.24 | | 5.23 | BEG SU LN | C | | TWO WAY TURN | | 12A | | | 2 | 2 | | | | | C | 66A | C | 12 | 78 | 4 | 01 | 1365 | U1 | | 30 | R | B | |
| 5.26 | | 5.25 | END SU LN | C | | TWO WAY TURN | | 12A | | | 2 | 2 | | | | | C | 66A | C | \$\$\$ | 66 | 4 | 01 | 1365 | U1 | | 30 | R | B | |
| 5.28 | | 5.27 | INTRSECTN | B | | W ALDER ST | CT | | SG | Y | | | | | | | | | | | | | | | | | | | | |
| 5.30 | | 5.29 | BEG SU LN | C | | TWO WAY TURN | | 12A | | | 2 | 2 | | | | | C | 66A | C | 12 | 78 | 4 | 01 | 1365 | U1 | | 30 | R | B | |
| 5.31 | | 5.30 | END SU LN | C | | TWO WAY TURN | | 12A | | | 2 | 2 | | | | | C | 66A | C | \$\$\$ | 66 | 4 | 01 | 1365 | U1 | | 30 | R | B | |
| 5.33 | | 5.32 | BEG ST | I | | 9TH AVE N | | | | | 2 | 2 | | | | | C | 66A | C | | 66 | 4 | 01 | 1365 | U1 | | 30 | R | B | * |
| 5.34 | | 5.33 | INTRSECTN | B | | W MAIN ST | CT | | SG | Y | | | | | | | | | | | | | | | | | | | | |
| 5.37 | | 5.36 | BEG SU LN | C | | TWO WAY TURN | | 12A | | | 2 | 2 | | | | | C | 66A | C | 12 | 78 | 4 | 01 | 1365 | U1 | | 30 | R | B | * |
| 5.38 | | 5.37 | END SU LN | C | | TWO WAY TURN | | 12A | | | 2 | 2 | | | | | C | 66A | C | \$\$\$ | 66 | 4 | 01 | 1365 | U1 | | 30 | R | B | * |
| 5.40 | | 5.39 | END ST | I | | 9TH AVE N | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG ST | I | | MILITARY RD-9TH AVE | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.41 | | 5.40 | INTRSECTN | B | | W ROSE ST | CT | | SG | Y | 1 | 2 | | | | | C | 48A | C | | 48 | 4 | 01 | 1365 | U1 | | 30 | L | P | * |
| 5.47 | | 5.46 | ENT/EXIT | B | | BUSINESS | PV | | Y | | | | | | | | | | | | | | | | | | | | | |
| 5.51 | | 5.50 | | | | | | | | | 1 | 1 | | | | | C | 36A | C | | 36 | 4 | 01 | 1365 | U1 | | 30 | L | P | * |
| 5.54 | | 5.53 | BEG BRIDGE | B | | MILL CREEK | ST | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BRDG NUM | | | 125/010 | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.55 | | 5.54 | END BRIDGE | B | | MILL CREEK | | | | | 1 | 1 | | | | | C | 36A | C | | 36 | 4 | 01 | 1365 | U1 | | 30 | L | B | * |
| 5.67 | | 5.66 | END ST | I | | MILITARY RD-9TH AVE | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG ST | I | | MULLEN RD | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | B | | W CHERRY ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 5.77 | | 5.76 | END ST | I | | MULLEN RD | | | | | 1 | 1 | | | | | C | 40A | C | | 40 | 4 | 01 | 1365 | U1 | | 30 | L | B | * |
| | | | BEG ST | I | | W PINE ST | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|------|-------|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B ARM | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 4.99 | 4.98 | .02 | 12 | | | .02 | 12 | | |
| 5.14 | 5.13 | .02 | 12 | | | .02 | 12 | | |
| 5.21 | 5.20 | .02 | 12 | | | .02 | 12 | | |
| 5.28 | 5.27 | .02 | 12 | | | .02 | 12 | | |
| 5.34 | 5.33 | .02 | 12 | | | .02 | 12 | | |
| 5.41 | 5.40 | .02 | 12 | | | .02 | 12 | | |
| 5.47 | 5.46 | .01 | 12 | | | .01 | 12 | | |

SR 127 MAINLINE

STATE ROUTE - SRSH

COUNTY GARFIELD

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | |
|-------------------------|------|-----|--------------|---|----|-------------------------|-----|-----|------------|---------|-----|-----|-----|-----|------|---------------------------|------|-----|-------|-----|-----|---|----|-----|----|---|----|---|---|---|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | T | P | S | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | |
| 0.03 | 0.00 | | BEG ROUTE | | | MAIN ROUTE | | | | 1 | 1 | | | | | | 8A | 24A | 6A | | 24 | 4 | 02 | | R1 | | 55 | R | | | | |
| | | | BEG CTLSEC | | | SR 12/DODGE TO SR 26 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | CONTROL SECTION 1202 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.07 | 0.04 | | | | | SR 12 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.98 | 0.95 | | MP MARKER | R | | 1 | | | | | | | | | | | 6B | 24B | 6B | | 24 | 4 | 02 | | R1 | | 55 | R | | | | |
| 1.67B | 1.64 | | BEG EQ | | | BEGIN BACK | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.67 | 1.67 | | EQUATION | | | 001.70B=001.67 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | HAGEN RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.02 | 2.02 | | MP MARKER | R | | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.31 | 2.31 | | INTRSECTN | R | | KUHL RIDGE RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.95 | 2.95 | | MP MARKER | R | | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.95 | 3.95 | | MP MARKER | R | | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.30 | 4.30 | | INTRSECTN | R | | NEW YORK GULCH RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | LOWER NEW YORK GULCH RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.03 | 5.03 | | MP MARKER | R | | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.89 | 5.89 | | INTRSECTN | L | | HAGEN RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.96 | 5.96 | | MP MARKER | R | | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6.94 | 6.94 | | MP MARKER | R | | 7 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7.62 | 7.62 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7.65 | 7.65 | | INTRSECTN | R | | MEADOW CREEK RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7.66 | 7.66 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7.94 | 7.94 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7.99 | 7.99 | | MP MARKER | R | | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8.04 | 8.04 | | INTRSECTN | R | | MEADOW CREEK RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8.93 | 8.93 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8.95 | 8.95 | | INTRSECTN | L | | GARFIELD COUNTY PORT RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8.97 | 8.97 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8.98 | 8.98 | | MP MARKER | R | | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9.13 | 9.13 | | BEG BRIDGE B | | | DEADMAN CREEK | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 127/008 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9.16 | 9.16 | | END BRIDGE B | | | DEADMAN CREEK | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9.20 | 9.20 | | INTRSECTN | R | | LOWER DEADMAN RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9.22 | 9.22 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9.65 | 9.65 | | BEG BRIDGE B | | | SNAKE RIVER | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 127/010 | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|------|------|-----|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B | ARM | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 8.95 | 8.95 | | | .03 | 11 | | | | | | |
| 9.20 | 9.20 | | | | | .03 | 11 | | | | |

SR 128 MAINLINE

STATE ROUTE - SRSH

COUNTY ASOTIN

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | |
|-------------------------|------|-----|------------|---|----|------------------------|-----|-----|--------------|---------|-----|-----|-----|-----|------|---------------------------|------|-----|-------|-----|-----|----|----|-----|----|----|----|----|---|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | T | P | S | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T |
| 0.00 | 0.00 | | BEG ROUTE | | | MAIN ROUTE | | | | 1 | 1 | | | | | | 2A | 36A | | C | | 36 | 4 | 02 | | U2 | | 35 | R | |
| | | | BEG CTLSEC | | | SR 12 TO IDAHO ST LINE | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | B | | CONTROL SECTION 0233 | | | | ST | SG | Y | | | | | | | | | | | | | | | | | | |
| 0.05 | 0.05 | | | | | | | | | 1 | 1 | | | | | | 6A | 26A | | 6A | | 26 | 4 | 02 | | U2 | | 35 | R | |
| 0.09 | 0.09 | | INTRSECTN | L | | PORT DISTRICT RD | | | | CO | | Y | | | | | | | | | | | | | | | | | | |
| 0.15 | 0.15 | | | | | | | | | 1 | 1 | | | | | | 4A | 24A | | 4A | | 24 | 4 | 02 | | U2 | | 35 | R | |
| 0.22 | 0.22 | | BEG BRIDGE | B | | SNAKE RIVER | | | | ST | | 1 | 1 | | | | \$W | 32P | | \$W | | 32 | 4 | 02 | | U2 | | 35 | R | |
| | | | | | | BRDG NUM 128/010 | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.39 | 0.39 | | END CTLSEC | | | CONTROL SECTION 0233 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | LEAVE CO | | | ASOTIN | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|------|-------|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B ARM | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 0.00 | 0.00 | | | | | | | | |
| 0.09 | 0.09 | .03 | 13 | | | | | | |

SR 129 MAINLINE

STATE ROUTE - SRSH

COUNTY ASOTIN

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | |
|-------------------------|-------|-----|------------|---|----|-----------------------|-----|-----|------------|---------|-----|-----|-----|-----|------|---------------------------|--------|-----|--------|--------|-----|----|----|------|------|----|----|---|---|----|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T |
| 41.25 | 41.25 | | INTRSECTN | B | | CHAMBERLAIN CT | CT | | N | 1 | 1 | | | | | | 3A | 24A | 3A | | 24 | 4 | 02 | 0215 | U2 | 35 | L | P | * | |
| 41.28 | 41.28 | | INTRSECTN | B | | HIGHLAND AVE | CT | | Y | 1 | 1 | | | | | | \$\$\$ | 43A | \$\$\$ | | 43 | 4 | 02 | 0215 | U2 | 25 | L | P | * | |
| 41.31 | 41.31 | | END ST | I | | 5TH ST | | | | | 1 | 1 | | | | | | C | 43A | C | | 43 | 4 | 02 | 0215 | U2 | 25 | L | P | \$ |
| | | | INTRSECTN | R | | 5TH ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 41.41 | 41.41 | | WYE CONN | L | | 6TH ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 41.42 | 41.42 | | WYE CONN | L | | 6TH ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | OAK ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 41.44 | 41.44 | | BEG ST | I | | SIXTH ST | | | | | 1 | 1 | | | | | C | 43A | C | | 43 | 4 | 02 | 0215 | U2 | 25 | L | B | * | |
| | | | INTRSECTN | L | | 6TH ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 41.54 | 41.54 | | INTRSECTN | B | | LIBBY ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 41.66 | 41.66 | | INTRSECTN | R | | ADAMS ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 41.73 | 41.73 | | INTRSECTN | L | | PARK ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 41.79 | 41.79 | | INTRSECTN | B | | CHESTNUT ST | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | |
| 41.92 | 41.92 | | INTRSECTN | B | | SYCAMORE ST | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | |
| 42.06 | 42.06 | | INTRSECTN | B | | ELM ST | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | |
| 42.16 | 42.16 | | WYE CONN | R | | SR 129 | ST | | Y | | | | | | | | | | | | | | | | | | | | | |
| 42.17 | 42.17 | | END ST | I | | SIXTH ST | | | | | 1 | 1 | | | | | C | 66A | C | | 66 | 4 | 02 | 0215 | U2 | 25 | L | P | * | |
| | | | BEG ST | I | | DIAGONAL ST | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | SR 129 SP6THST (SPUR) | ST | SG | Y | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | MAPLE ST | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | DIAGONAL ST | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | |
| 42.19 | 42.19 | | WYE CONN | R | | SR 129 | ST | | Y | 2 | 2 | | | | | | C | 66A | C | | 66 | 4 | 02 | 0215 | U2 | 25 | L | P | * | |
| 42.24 | 42.24 | | BEG SU LN | C | | TWO WAY TURN | | 12A | | | 2 | 2 | | | | | C | 54A | C | 12 | 66 | 4 | 02 | 0215 | U2 | 25 | L | P | * | |
| | | | INTRSECTN | B | | 5TH ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 42.34 | 42.34 | | INTRSECTN | B | | 4TH ST*POPLAR ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 42.41 | 42.41 | | INTRSECTN | B | | 3RD ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 42.46 | 42.46 | | END SU LN | C | | TWO WAY TURN | | 12A | | | 2 | 2 | | | | | C | 66A | C | \$\$\$ | 66 | 4 | 02 | 0215 | U2 | 25 | L | P | * | |
| 42.51 | 42.51 | | INTRSECTN | B | | 2ND ST | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | |
| 42.55 | 42.55 | | END ST | I | | DIAGONAL ST | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | B | | SR 12 | ST | SG | Y | | | | | | | | | | | | | | | | | | | | | |
| | | | END CTLSEC | | | CONTROL SECTION 0201 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | END ROUTE | | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|-------|-------|-----|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B | ARM | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 41.79 | 41.79 | | | | | .02 | 10 | | | .02 | 10 |
| 42.16 | 42.16 | | | | | .01 | 12 | | | | |
| 42.17 | 42.17 | | | | | | | | | .02 | 11 |
| 42.24 | 42.24 | | | .02 | 12 | | | | | | |
| 42.51 | 42.51 | | | .03 | 12 | | | | | | |

SR 182 MAINLINE

INTERSTATE - ISSH

COUNTY BENTON

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | |
|-------------------------|---|------|--------------|---|----|--------------------------|-----|-----|------------|---------|-----|-------|-----|-------|------|---------------------------|-------|-----|-------|--------|-----|----|----|-----|------|----|----|----|---|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T |
| 2.93 | | 2.93 | | | | BRDG NUM 182/009 | | | | 2 | 2 | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | | 48 | 3 | 01 | 1080 | U5 | | 70 | R | P |
| 2.97 | | 2.97 | BEG SU LN | L | | WEAVING/SPEED CHANGE 12P | | | | 2 | 2 | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | 12 | | 60 | 3 | 01 | 1080 | U5 | | 70 | R | P |
| | | | OFF RAMP | L | | QUEENSGATE DR | ST | | Y | | | | | | | | | | | | | | | | | | | | | |
| 3.00 | | 3.00 | MP MARKER | B | | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.13 | | 3.13 | MISC FEATR | L | | GORE (R100326) | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.15 | | 3.15 | MISC FEATR | R | | GORE (Q100344) | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.26 | | 3.26 | OFF RAMP | L | | QUEENSGATE DR | ST | | Y | | | | | | | | | | | | | | | | | | | | | |
| 3.44 | | 3.44 | ON RAMP | R | | QUEENSGATE DR | ST | | Y | | | | | | | | | | | | | | | | | | | | | |
| 3.49 | | 3.49 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | JE | 4A | 24P | 10A | 12 | | 60 | 3 | 01 | 1080 | U5 | | 70 | R | P |
| 3.50 | | 3.50 | END SU LN | L | | WEAVING/SPEED CHANGE 12P | | | | 2 | 2 | 10A | 24P | 4A | 76S | JE | 4A | 24P | 10A | \$\$\$ | | 48 | 3 | 01 | 1080 | U5 | | 70 | R | P |
| | | | ON RAMP | L | | SR 240*WELLSIAN WAY | ST | | Y | | | | | | | | | | | | | | | | | | | | | |
| 3.54 | | 3.54 | BEG BRIDGE D | | | YAKIMA RIVER | ST | | | 2 | 2 | \$\$W | 38P | \$\$W | 76S | JE | 4A | 24P | 10A | | | 62 | 3 | 01 | 1080 | U5 | | 70 | R | P |
| | | | | | | BRDG NUM 182/010N | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.55 | | 3.55 | BEG BRIDGE I | | | YAKIMA RIVER | ST | | | 2 | 2 | W | 38P | W | 76O | \$\$ | \$\$W | 38P | \$\$W | | | 76 | 3 | 01 | 1080 | U5 | | 70 | R | P |
| | | | | | | BRDG NUM 182/010S | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.67 | | 3.67 | MISC FEATR | L | | GORE (S100350) | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.70 | | 3.70 | END BRIDGE I | | | YAKIMA RIVER | | | | 2 | 2 | 10A | 24P | 4A | 76S | JE | 4A | 24P | 10A | | | 48 | 3 | 01 | 1080 | U5 | | 70 | R | P |
| | | | END BRIDGE D | | | YAKIMA RIVER | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.73 | | 3.73 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | | 48 | 3 | 01 | 1080 | U5 | | 70 | R | P |
| 3.75 | | 3.75 | UXING | B | | TRI-CITY RAILROAD | ST | | | | | | | | | | | | | | | | | | | | | | | |
| | | | RR XING | B | | BRDG NUM 182/011 | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.76 | | 3.76 | | | | NUM 901129R STRUCTURE | | | | 2 | 2 | 10A | 24P | 4A | 76S | CA | 4A | 24P | 10A | | | 48 | 3 | 01 | 1080 | U5 | | 70 | R | P |
| 3.83 | | 3.83 | UXING | B | | SR 240 | ST | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 240/008 | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.89 | | 3.89 | OFF RAMP | R | | SR 240 | ST | | Y | | | | | | | | | | | | | | | | | | | | | |
| 3.92 | | 3.92 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | | 48 | 3 | 01 | 1080 | U5 | | 70 | L | P |
| 3.94 | | 3.94 | MISC FEATR | L | | GORE (R100421) | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.99 | | 3.99 | MP MARKER | B | | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.01 | | 4.01 | MISC FEATR | R | | GORE (P500389) | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.05 | | 4.05 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | GR | 4A | 24P | 10A | | | 48 | 3 | 01 | 1080 | U5 | | 70 | L | P |
| 4.08 | | 4.08 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | | 48 | 3 | 01 | 1080 | U5 | | 70 | L | P |
| 4.21 | | 4.21 | BEG SU LN | L | | WEAVING/SPEED CHANGE 12P | | | | 2 | 2 | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | 12 | | 60 | 3 | 01 | 1080 | U5 | | 70 | L | P |
| | | | OFF RAMP | L | | SR 240*THAYER DR | ST | | Y | | | | | | | | | | | | | | | | | | | | | |
| 4.28 | | 4.28 | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | CA | 4A | 24P | 10A | 12 | | 60 | 3 | 01 | 1080 | U5 | | 70 | L | P |
| 4.30 | | 4.30 | MISC FEATR | R | | GORE (Q100440) | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.36 | | 4.36 | UXING | B | | JADWIN AVE | ST | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 182/012 | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.40 | | 4.40 | BEG SU LN | R | | WEAVING/SPEED CHANGE 12P | | | | 2 | 3 | 10A | 24P | 4A | 76S | CA | 6A | 36P | 10A | 12 | | 72 | 3 | 01 | 1080 | U5 | | 70 | L | P |
| | | | END SU LN | L | | WEAVING/SPEED CHANGE 12P | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | ON RAMP | R | | SR 240 | ST | | Y | | | | | | | | | | | | | | | | | | | | | |
| | | | ON RAMP | L | | SR 240*GEORGE WA WAY | ST | | Y | | | | | | | | | | | | | | | | | | | | | |
| 4.44 | | 4.44 | | | | | | | | 2 | 3 | 10A | 24P | 4A | 76S | DE | 6A | 36P | 10A | 12 | | 72 | 3 | 01 | 1080 | U5 | | 70 | L | P |

SR 182 MAINLINE

INTERSTATE - ISSH

COUNTY BENTON

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | |
|-------------------------|------|-----|--------------------------------------|---|----|---|-----|-----|--------------|---------|-----|-------|-----|-------|------|---------------------------|-------|-----|-------|--------|-----|---|----|------|----|---|----|---|---|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T |
| 4.51 | 4.51 | | END SU LN OFF RAMP MISC FEATR | R | | WEAVING/SPEED CHANGE 12P SR 240 EB GORE (S100440) | ST | | Y | 2 | 3 | 10A | 24P | 4A | 76S | DE | 6A | 36P | 10A | \$\$\$ | 60 | 3 | 01 | 1080 | U5 | | 70 | L | P | |
| 4.74 | 4.74 | | | | | | | | | 2 | 3 | 10A | 24P | 4A | 76S | CA | 6A | 36P | 10A | | 60 | 3 | 01 | 1080 | U5 | | 70 | L | P | |
| 4.77 | 4.77 | | MISC FEATR | R | | GORE (P100451) | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.82 | 4.82 | | UXING | B | | S-E RAMP BRDG NUM 182/013S-E | ST | | | | | | | | | | | | | | | | | | | | | | | |
| 4.83 | 4.83 | | OFF RAMP | R | | SR 240*GEORGE WA WAY | ST | | Y | 2 | 2 | 10A | 24P | 4A | 76S | CA | 6A | 24P | 10A | | 48 | 3 | 01 | 1080 | U5 | | 70 | L | P | |
| 4.84 | 4.84 | | MISC FEATR | L | | GORE (R500501) | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.88 | 4.88 | | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | CA | 4A | 24P | 10A | | 48 | 3 | 01 | 1080 | U5 | | 70 | L | P | |
| 4.89 | 4.89 | | | | | | | | | 2 | 2 | 10A | 24P | 4A | 76S | DE | 4A | 24P | 10A | | 48 | 3 | 01 | 1080 | U5 | | 70 | L | P | |
| 4.95 | 4.95 | | UXING | B | | SR 240 BRDG NUM 182/014 | ST | | | | | | | | | | | | | | | | | | | | | | | |
| 4.99 | 4.99 | | MP MARKER | B | | 5 | | | | 2 | 2 | 10A | 24P | 4A | 76S | CA | 4A | 24P | 10A | | 48 | 3 | 01 | 1080 | U5 | | 70 | L | P | |
| 5.01 | 5.01 | | OFF RAMP | L | | SR 240 SB | ST | | Y | | | | | | | | | | | | | | | | | | | | | |
| 5.03 | 5.03 | | MISC FEATR | R | | GORE (P500483) | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.07 | 5.07 | | UXING | B | | W-W RAMP BRDG NUM 240/011W-W | ST | | | | | | | | | | | | | | | | | | | | | | | |
| 5.10 | 5.10 | | | | | | | | | 2 | 2 | 10A | 24P | 6A | 76S | CA | 4A | 24P | 10A | | 48 | 3 | 01 | 1080 | U5 | | 70 | L | P | |
| 5.14 | 5.14 | | MISC FEATR | L | | GORE (R100540) | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.16 | 5.16 | | | | | | | | | 2 | 2 | 10A | 24P | 6A | 76S | DE | 4A | 24P | 10A | | 48 | 3 | 01 | 1080 | U5 | | 70 | L | P | |
| 5.17 | 5.17 | | | | | | | | | 2 | 2 | 10A | 24P | 6A | 76S | GR | 4A | 24P | 10A | | 48 | 3 | 01 | 1080 | U5 | | 70 | L | P | |
| 5.21 | 5.21 | | | | | | | | | 2 | 2 | 10A | 24P | 6A | 76S | DE | 4A | 24P | 10A | | 48 | 3 | 01 | 1080 | U5 | | 70 | L | P | |
| 5.40 | 5.40 | | OFF RAMP MISC FEATR | L R | | GEORGE WA WAY GORE (Q100567) | ST | | Y | 3 | 2 | 10A | 36P | 6A | 76S | DE | 4A | 24P | 14A | | 60 | 3 | 01 | 1080 | U5 | | 70 | L | P | |
| 5.61 | 5.61 | | | | | | | | | 3 | 3 | 10A | 36P | 6A | 76S | DE | 7A | 36P | 10A | | 72 | 3 | 01 | 1080 | U5 | | 70 | L | P | |
| 5.67 | 5.67 | | ON RAMP | R | | SR 240*GEORGE WA WAY | ST | | Y | 3 | 3 | 14A | 36P | 6A | 76S | GR | 7A | 36P | 10A | | 72 | 3 | 01 | 1080 | U5 | | 70 | L | P | |
| 5.69 | 5.69 | | | | | | | | | 3 | 3 | 14A | 36P | 6A | 76S | DE | 7A | 36P | 10A | | 72 | 3 | 01 | 1080 | U5 | | 70 | L | P | |
| 5.76 | 5.76 | | MED XING | C | | OFFICIAL | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.82 | 5.82 | | | | | | | | | 3 | 3 | 14A | 36P | 6A | 76S | JE | 7A | 36P | 10A | | 72 | 3 | 01 | 1080 | U5 | | 70 | L | P | |
| 5.87 | 5.87 | | BEG BRIDGE | D | | COLUMBIA RIVER BRDG NUM 182/016N | ST | | | 3 | 3 | \$\$W | 52P | \$\$W | 76S | JE | 7A | 36P | 10A | | 88 | 3 | 01 | 1080 | U5 | | 70 | L | P | |
| 5.88 | 5.88 | | BEG BRIDGE | I | | COLUMBIA RIVER BRDG NUM 182/016S | ST | | | 3 | 3 | W | 52P | W | 76O | \$\$ | \$\$W | 52P | \$\$W | | 104 | 3 | 01 | 1080 | U5 | | 70 | L | P | |
| 6.04 | 6.04 | | LEAVE CITY END CTLSEC LEAVE CO | | | RICHLAND CONTROL SECTION 0314 BENTON | | | | 3 | 3 | W | 52P | W | 76O | | W | 52P | W | | 104 | 3 | 01 | 0960 | U5 | | 70 | R | P | |

SR 223 MAINLINE

STATE ROUTE - SRSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | | | |
|-------------------------|------|-----|------------|---|----|--------------------------|-----|-----|------------|---------|-----|-----|-----|-----|------|---------------------------|------|-----|-------|-----|-----|---|----|-----|----|---|----|---|---|---|--|--|--|--|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | T | P | S | | | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | | | | |
| 0.00 | 0.00 | | BEG ROUTE | | | MAIN ROUTE | | | | 1 | 1 | | | | | | 8B | 24B | 8B | | 24 | 2 | 02 | | R3 | | 55 | R | | | | | | | | |
| | | | BEG CTLSEC | | | SR 22 TO SR 82/GRANGER | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | B | | CONTROL SECTION 3936 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.41 | 0.41 | | | | | SR 22 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.44 | 0.44 | | WYE CONN | L | S | TRACK RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.47 | 0.47 | | INTRSECTN | B | S | TRACK RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.48 | 0.48 | | BEG SU LN | L | | WEAVING/SPEED CHANGE 12B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | WYE CONN | R | S | TRACK RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.50 | 0.50 | | BEG SU LN | R | | WEAVING/SPEED CHANGE 12B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.51 | 0.51 | | RR XING | B | | NUM 104520Y GRADE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.52 | 0.52 | | END SU LN | L | | WEAVING/SPEED CHANGE 12B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.53 | 0.53 | | END SU LN | R | | WEAVING/SPEED CHANGE 12B | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.60 | 0.60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.73 | 0.73 | | INTRSECTN | L | | CONNIE RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.00 | 1.00 | | MP MARKER | R | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.98 | 1.98 | | MP MARKER | R | | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.10 | 2.09 | | EQUATION | | | 002.09 =002.10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.27 | 2.26 | | INTRSECTN | B | | INDIAN CHURCH RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.47 | 2.46 | | BEG BRIDGE | B | | YAKIMA RIVER | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 223/005 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.62 | 2.61 | | END BRIDGE | B | | YAKIMA RIVER | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.81 | 2.80 | | ENTER CITY | | | GRANGER | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.83 | 2.82 | | INTRSECTN | L | | MAIN ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.87 | 2.86 | | MISC FEATR | R | | SGN ENT GRANGER | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.00 | 2.99 | | MP MARKER | R | | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.03 | 3.02 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.15 | 3.14 | | INTRSECTN | L | S | THIRD ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | EMERALD RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.37 | 3.36 | | RR XING | B | | NUM 98574M STRUCTURE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE | B | | BN RR | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 223/007 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.41 | 3.40 | | END BRIDGE | B | | BN RR | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.42 | 3.41 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.63 | 3.62 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|------|-------|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B ARM | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 0.73 | 0.73 | .02 | 11 | | | | | | |
| 2.27 | 2.26 | .03 | 12 | .03 | 12 | | | | |
| 3.15 | 3.14 | .03 | 12 | .03 | 12 | | | | |

SR 223 MAINLINE

STATE ROUTE - SRSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | |
|-------------------------|------|-----|------------|---|----|----------------------|-----|-----|--------------|---------|-----|-----|-----|-----|------|---------------------------|------|-----|-------|-----|-----|---|----|----------|----|---|----|---|----|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | T | P | S | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T |
| 3.68 | 3.67 | | INTRSECTN | B | | BAILEY AVE | CT | Y | 1 | 1 | | | | | | | 8A | 24A | 8A | | 24 | 2 | 02 | 0520 | R3 | | 45 | R | B | |
| 3.74 | 3.73 | | OFF RAMP | R | | SR 82 | ST | Y | | | | | | | | | | | | | | | | | | | | | | |
| | | | ON RAMP | L | | SR 82 | ST | Y | | | | | | | | | | | | | | | | | | | | | | |
| 3.77 | 3.76 | | LEAVE CITY | | | GRANGER | | | 1 | 1 | | | | | | | 8A | 24A | 8A | | 24 | 2 | 02 | \$\$\$\$ | R3 | | 45 | R | B | |
| 3.79 | 3.78 | | UXING | B | | SR 82 EB | ST | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 082/153S | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.80 | 3.79 | | | | | | | | 1 | 1 | | | | | | | 8A | 24A | 8A | | 24 | 2 | 02 | | R3 | | 45 | R | \$ | |
| 3.81 | 3.80 | | UXING | B | | SR 82 WB | ST | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 082/153N | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | END CTLSEC | | | CONTROL SECTION 3936 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | END ROUTE | | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|------|-------|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B ARM | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 3.68 | 3.67 | .03 | 12 | .04 | 12 | | | | |
| 3.74 | 3.73 | | | .04 | 12 | | | | |

SR 224 MAINLINE

STATE ROUTE - SRSH

COUNTY BENTON

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | |
|-------------------------|------|-----|-------------|---|----|-----------------------|-----|-----|--------------|---------|-----|-----|-----|--------|------|---------------------------|------|--------|-------|-------|-----|----|----|------|----------|------|----|----|----|----|----|---|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | |
| 0.00B | 0.00 | | BEG ROUTE | | | MAIN ROUTE | | | | 1 | 1 | | | | | | 8A | 24A | 8A | | 24 | 3 | 02 | 0085 | R3 | | | 55 | R | P | | | |
| | | | ENTER CITY | | | SR 82/KIONA TO SR 240 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG EQ | | | BENTON CITY | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG CTLSEC | | | BEGIN BACK | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | UXING | B | | CONTROL SECTION 0336 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | SR 82 EB | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 082/250S | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.02B | 0.02 | | UXING | B | | SR 82 WB | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 082/250N | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.03B | 0.03 | | | | | | | | | 1 | 1 | | C | 12P | | 60P | CU | \$\$\$ | 12P | \$\$C | | 24 | 3 | 02 | 0085 | R3 | | | 55 | R | P | | |
| 0.06B | 0.06 | | ROUNDAABOUT | R | | SR 82 WB ON RAMP | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | ROUNDAABOUT | L | | SR 82 WB OFF RAMP | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | ROUNDAABOUT | L | | SR 225 DECREASING | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | ROUNDAABOUT | RC | | SR 225 INCREASING | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.07B | 0.07 | | WYE CONN | R | | SR 82 WB ON RAMP | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | ROUNDAABOUT | L | | SR 225 INCREASING | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | ROUNDAABOUT | LC | | SR 225 INCREASING | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.09B | 0.09 | | | | | | | | | 1 | 1 | | \$ | \$\$\$ | | \$\$\$\$ | \$\$ | | C | 26P | C | | 26 | 3 | 02 | 0085 | R3 | | | 55 | R | P | |
| 0.10B | 0.10 | | | | | | | | | 1 | 1 | | | | | | | 5A | 26A | C | | 26 | 3 | 02 | 0085 | R3 | | | 55 | R | P | | |
| 0.13B | 0.13 | | LEAVE CITY | | | BENTON CITY | | | | 1 | 1 | | | | | | | 5A | 26A | C | | 26 | 3 | 02 | \$\$\$\$ | R3 | | | 55 | R | \$ | | |
| 0.14B | 0.14 | | ENT/EXIT | R | | PARK AND RIDE LOT | | | | ST | Y | 1 | 1 | | | | | 5A | 24A | 5A | | 24 | 3 | 02 | | R3 | | | 55 | R | | | |
| 0.17B | 0.17 | | ENT/EXIT | R | | PARK AND RIDE LOT | | | | ST | Y | | | | | | | | | | | | | | | | | | | | | | |
| 0.23B | 0.23 | | | | | | | | | 1 | 1 | | | | | | | 8B | 22B | 8B | | 22 | 3 | 02 | | R3 | | | 55 | R | | | |
| 0.24B | 0.24 | | INTRSECTN | R | | KENNEDY RD | | | | CO | N | | | | | | | | | | | | | | | | | | | | | | |
| 0.00 | 0.25 | | EQUATION | | | 00.25B=000.00 | | | | 1 | 1 | | | | | | | 8B | 21B | 8B | | 21 | 3 | 02 | | R3 | | | 55 | R | | | |
| 0.37 | 0.62 | | INTRSECTN | L | | DEMOSSE RD | | | | CO | N | | | | | | | | | | | | | | | | | | | | | | |
| 1.00 | 1.25 | | MP MARKER | R | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.15 | 1.40 | | INTRSECTN | R | | HUMMINGBIRD RD NE | | | | CO | N | | | | | | | | | | | | | | | | | | | | | | |
| 1.35 | 1.60 | | INTRSECTN | B | | SUNSET RD | | | | CO | N | 1 | 1 | | | | | 3B | 22B | 8B | | 22 | 3 | 02 | | R3 | | | 55 | R | | | |
| 1.44 | 1.69 | | INTRSECTN | R | | SANDSTONE RD | | | | CO | N | 1 | 1 | | | | | 3B | 22B | 3B | | 22 | 3 | 02 | | R3 | | | 55 | R | | | |
| 1.78 | 2.03 | | INTRSECTN | R | | FLAGSTONE DR | | | | CO | N | | | | | | | | | | | | | | | | | | | | | | |
| 2.00 | 2.25 | | MP MARKER | R | | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.51 | 2.76 | | INTRSECTN | L | | AMBASSADOR DR | | | | PV | N | | | | | | | | | | | | | | | | | | | | | | |
| 2.87 | 3.12 | | INTRSECTN | L | | ANTINORI RD | | | | CO | Y | | | | | | | | | | | | | | | | | | | | | | |
| 3.00 | 3.25 | | MP MARKER | R | | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.66 | 3.91 | | | | | | | | | 1 | 1 | | | | | | | 3B | 22B | 3B | | 22 | 3 | 02 | | U3 | | | 55 | R | | | |
| 4.00 | 4.23 | | EQUATION | | | 003.98 =004.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|------|------|-----|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B | ARM | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 2.87 | 3.12 | | | .02 | 12 | | | .02 | 12 | | |

SR 224 MAINLINE

STATE ROUTE - SRSH

COUNTY BENTON

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | |
|-------------------------|---|------|--------------|---|----|-----------------------|-----|-----|------------|---------|-----|-----|-----|-----|---------------------------|------|------|-----|-------|-------|-----|-------|--------|-----|----|----|------|----|---|----|---|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | |
| 4.00 | | 4.23 | MP MARKER | R | | 4 | | | | | | 1 | 1 | | | | | | | 3B | 22B | 3B | | 22 | 3 | 02 | | U3 | | 55 | R | |
| 4.24 | | 4.47 | INTRSECTN | L | | RED MOUNTAIN RD | CO | | N | 1 | 1 | | | | | | | | | 4B | 22B | 3B | | 22 | 3 | 02 | | U3 | | 55 | R | |
| 4.48 | | 4.71 | ENT/EXIT | R | | TRI CITY RACEWAY | CO | | N | 1 | 1 | | | | | | | | | 4B | 22B | 4B | | 22 | 3 | 02 | | U3 | | 55 | R | |
| 4.58 | | 4.81 | INTRSECTN | L | | MAYO DR | CO | | N | | | | | | | | | | | | | | | | | | | | | | | |
| 4.73 | | 4.96 | ENTER CITY | | | WEST RICHLAND | | | | 1 | 1 | | | | | | | | | 4B | 22B | 4B | | 22 | 3 | 02 | 1425 | U3 | | 55 | R | P |
| 4.78 | | 5.01 | MISC FEATR | R | | SGN ENT WEST RICHLAND | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.90 | | 5.13 | INTRSECTN | B | | KEENE RD | CO | | Y | 1 | 1 | | | | | | | | | 4B | 22B | 4B | | 22 | 3 | 02 | 1425 | U2 | | 55 | R | P |
| 4.99 | | 5.22 | MP MARKER | R | | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.18 | | 5.41 | | | | | | | | 1 | 1 | | | | | | | | | 4B | 24B | 4B | | 24 | 3 | 02 | 1425 | U2 | | 55 | R | P |
| 5.30 | | 5.53 | INTRSECTN | B | | PARADISE WAY | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 5.42 | | 5.65 | | | | | | | | 1 | 1 | | | | | | | | | 4B | 22B | 4B | | 22 | 3 | 02 | 1425 | U2 | | 55 | R | P |
| 5.77 | | 6.00 | | | | | | | | 1 | 1 | | | | | | | | | 4B | 22B | 4B | | 22 | 3 | 02 | 1425 | U2 | | 35 | R | P |
| 5.98 | | 6.21 | MP MARKER | R | | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6.00 | | 6.23 | INTRSECTN | L | | RUPPERT RD | CT | | N | | | | | | | | | | | | | | | | | | | | | | | |
| 6.16 | | 6.39 | INTRSECTN | L | | N 69TH AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 6.20 | | 6.43 | INTRSECTN | L | | N 68TH AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 6.27 | | 6.50 | INTRSECTN | R | | MEYERS ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 6.41 | | 6.64 | INTRSECTN | L | | N 64TH AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 6.54 | | 6.77 | | | | | | | | 1 | 1 | | | | | | | | | 5B | 22B | 5B | | 22 | 3 | 02 | 1425 | U2 | | 35 | R | P |
| 6.59 | | 6.82 | BEG ST | I | | W VAN GIESEN ST | | | | 1 | 1 | | | | | | | | | 5B | 22B | 5B | | 22 | 3 | 02 | 1425 | U2 | | 35 | R | P |
| | | | INTRSECTN | R | | N 62ND AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 6.60 | | 6.83 | INTRSECTN | L | | N 62ND AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 6.63 | | 6.86 | | | | | | | | 1 | 1 | | | | | | | | | 5B | 24B | 3B | | 24 | 3 | 02 | 1425 | U2 | | 35 | R | P |
| 6.93 | | 7.16 | INTRSECTN | R | | N 58TH PL | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 6.99 | | 7.22 | MP MARKER | R | | 7 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7.04 | | 7.27 | INTRSECTN | L | | GROSSCUP BLVD | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 7.44 | | 7.67 | | | | | | | | 1 | 1 | | | | | | | | | \$\$C | 62A | \$\$C | | 62 | 3 | 02 | 1425 | U2 | | 35 | R | P |
| 7.48 | | 7.71 | BEG SU LN | C | | TWO WAY TURN | | 12A | | 1 | 2 | | | | | | | | | C | 50A | C | 12 | 62 | 3 | 02 | 1425 | U2 | | 35 | R | P |
| 7.55 | | 7.78 | END SU LN | C | | TWO WAY TURN | | 12A | | 1 | 2 | | | | | | | | | C | 62A | C | \$\$\$ | 62 | 3 | 02 | 1425 | U2 | | 35 | R | P |
| | | | INTRSECTN | R | | S 48TH AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 7.61 | | 7.84 | INTRSECTN | L | | CANAL DR | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 7.62 | | 7.85 | BEG BRIDGE B | B | | C.I.D. CANAL | ST | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 224/007C | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|------|---|------|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B | ARM | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 4.90 | | 5.13 | | .02 | 12 | .07 | 12 | .02 | 12 | .07 | 12 |
| 5.30 | | 5.53 | | .03 | 12 | .11 | 12 | .03 | 12 | .11 | 12 |
| 7.04 | | 7.27 | | .03 | 12 | | | .03 | 12 | | |
| 7.55 | | 7.78 | | | | | | .02 | 12 | | |
| 7.61 | | 7.84 | | .02 | 12 | | | | | | |

SR 224 MAINLINE

STATE ROUTE - SRSH

COUNTY BENTON

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | |
|-------------------------|-------|-----|------------|---|----|----------------------|-----|-----|------------|---|-----|-----|-----|-----|------|---------------------------|-------|------|-------|--------|-----|---|----|------|----|----|----|---|---|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | | LFT | RHT | | LFT | | RHT | USE | TOT | MTCE | | CITY | ST | LEGAL | | T | P | S | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T |
| 9.13 | 9.36 | | INTRSECTN | R | | JONES RD | CT | Y | 2 | 2 | | | | | | | 8A | 44A | 8A | | 44 | 3 | 01 | 1080 | U1 | 40 | R | P | * | |
| 9.19 | 9.42 | | BEG SU LN | C | | TWO WAY TURN | 12A | | 2 | 2 | | | | | | | 8A | 44A | 8A | 12 | 56 | 3 | 01 | 1080 | U1 | 40 | R | P | * | |
| 9.43 | 9.66 | | CHG SU LN | C | | TWO WAY TURN | 12P | | 2 | 2 | | | | | | | \$\$W | 60P | \$\$W | 12 | 72 | 3 | 01 | 1080 | U1 | 40 | R | P | * | |
| | | | BEG BRIDGE | B | | CHANNEL OVERFLOW | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BRDG NUM | | | 224/010 | | | | | | | | | | | | | | | | | | | | | | | | |
| 9.44 | 9.67 | | END BRIDGE | B | | CHANNEL OVERFLOW | | | 2 | 2 | | | | | | | 8A | 44A | 8A | 12 | 56 | 3 | 01 | 1080 | U1 | 40 | R | P | * | |
| | | | CHG SU LN | C | | TWO WAY TURN | 12A | | | | | | | | | | | | | | | | | | | | | | | |
| 9.47 | 9.70 | | INTRSECTN | L | | BUCKSKIN LN | CT | | | N | | | | | | | | | | | | | | | | | | | | |
| 9.62 | 9.85 | | INTRSECTN | R | | HALL RD | CT | | | Y | | | | | | | | | | | | | | | | | | | | |
| 9.74 | 9.97 | | INTRSECTN | L | | BRONCO LN | CT | | | N | | | | | | | | | | | | | | | | | | | | |
| 9.75 | 9.98 | | | | | | | | 2 | 2 | | | | | | | 6A | 44A | 6A | 12 | 56 | 3 | 01 | 1080 | U1 | 40 | R | P | * | |
| 9.78 | 10.01 | | END SU LN | C | | TWO WAY TURN | 12A | | 2 | 2 | | | | | | | 6A | 44A | 6A | \$\$\$ | 44 | 3 | 01 | 1080 | U1 | 40 | R | P | * | |
| 9.84 | 10.07 | | | | | | | | 2 | 1 | | | | | | | 6A | 36A | 6A | | 36 | 3 | 01 | 1080 | U1 | 40 | R | P | * | |
| 9.86 | 10.09 | | INTRSECTN | L | | TERMINAL DR | CT | | | Y | | | | | | | | | | | | | | | | | | | | |
| 9.87B | 10.10 | | BEG EQ | | | BEGIN BACK | | | | | | | | | | | | | | | | | | | | | | | | |
| 9.87 | 10.12 | | EQUATION | | | 009.89B=009.87 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | RR XING | B | | NUM 310386F | | | | | | | | | | | | | | | | | | | | | | | | |
| 9.88 | 10.13 | | WYE CONN | R | | SR 240 | ST | Y | 2 | 1 | | | | | | | 6A | 46A | \$\$C | | 46 | 3 | 01 | 1080 | U1 | 40 | R | P | * | |
| 9.90 | 10.15 | | END ST | I | | W VAN GIESEN ST | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | B | | SR 240 | ST | SG | Y | | | | | | | | | | | | | | | | | | | | | |
| | | | END CTLSEC | | | CONTROL SECTION 0336 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | END ROUTE | | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | | |
|-------|-------|----------------------|--------|--------|-------|------------------------------|--------|--------|--------|--------|
| SRMP | B | ARM | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| ----- | ----- | ----- | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 9.13 | 9.36 | | | | .03 | 12 | | | | |
| 9.86 | 10.09 | | .02 | 24 | | | | | | |
| 9.88 | 10.13 | | | | .06 | 12 | | | | |
| 9.90 | 10.15 | | .06 | 24 | | | | | | |

SR 225 MAINLINE

STATE ROUTE - SRSH

COUNTY BENTON

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|------|-----|------------|---|----|----------------------|-----|-----|------------|---------|-----|-----|--------|-----|---------------------------|--------|------|------|-----|-------|-----|---|----|-----|----|----|------|------|----|---|----|----|---|---|---|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | | LFT | RHT | | LFT | | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | | T | P | S | | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | | | | | |
| 0.00B | 0.00 | | BEG ROUTE | | | MAIN ROUTE | | | | 1 | 1 | C | 12P | | | 60P | CU | | | 12P | C | | | 24 | 3 | 02 | 0085 | R3 | | | 35 | L | P | * | | | |
| | | | ENTER CITY | | | SR 224 TO SR 240 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG EQ | | | BENTON CITY | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG CTLSEC | | | BEGIN BACK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG ST | I | | CONTROL SECTION 0320 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | ROUNDABOUT | R | | 1ST ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | ROUNDABOUT | LC | | SR 224 INCREASING | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.00 | 0.01 | | EQUATION | | | SR 224 DECREASING | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | ROUNDABOUT | R | | 000.01B=000.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | ROUNDABOUT | RC | | SR 224 DECREASING | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.01 | 0.02 | | | | | | | | | 1 | 1 | \$ | \$\$\$ | | | \$\$\$ | \$\$ | | | C | 26A | C | | | 26 | 3 | 02 | 0085 | R3 | | | 35 | L | P | * | | |
| 0.03 | 0.04 | | BEG BRIDGE | B | | YAKIMA RIVER | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 225/001 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.10 | 0.11 | | END BRIDGE | B | | YAKIMA RIVER | | | | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG SU LN | R | | BICYCLE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG SU LN | L | | BICYCLE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.16 | 0.17 | | INTRSECTN | L | | ABBY AVE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.26 | 0.27 | | BEG BRIDGE | B | | DRAINAGE CHANNEL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 225/005 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.27 | 0.28 | | END BRIDGE | B | | DRAINAGE CHANNEL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.28 | 0.29 | | INTRSECTN | L | | ALMA AVE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.41 | 0.42 | | END ST | I | | 1ST ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG ST | I | | BABS AVE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | BABS AVE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.48 | 0.49 | | INTRSECTN | L | | 2ND ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.49 | 0.50 | | MISC FEATR | L | | BUS PULLOUT | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.53 | 0.54 | | INTRSECTN | R | | 3RD ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.72 | 0.73 | | INTRSECTN | R | | 6TH ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.78 | 0.79 | | INTRSECTN | R | | 7TH ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.91 | 0.92 | | END ST | I | | BABS AVE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG ST | I | | 9TH ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | BABS AVE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.00 | 1.01 | | MP MARKER | R | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.11 | 1.12 | | INTRSECTN | L | | SUN VALLEY WAY | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.18 | 1.19 | | MISC FEATR | B | | KLONA CANAL XING | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.19 | 1.20 | | INTRSECTN | L | | CHRIS AVE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|------|------|-----|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B | ARM | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 0.91 | 0.92 | | | .02 | 12 | | | | | | |

SR 240 MAINLINE

STATE ROUTE - SRSH

COUNTY BENTON

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | |
|-------------------------|---|-------|------------|---|----|------------------|-----|-----|------------|---------|-----|-----|-----|-----|---------------------------|------|--------|-----|--------|--------|-----|---|----|------|----|---|----|---|---|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE- | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T |
| 15.15 | | 15.15 | | | | | | | | 1 | 1 | | | | | | 7B | 26B | 7B | | 26 | 3 | 01 | | R2 | | 65 | L | | |
| 15.20 | | 15.20 | | | | | | | | 1 | 1 | | | | | | 7B | 26B | 7B | | 26 | 3 | 01 | | R2 | | 65 | R | | |
| 15.26 | | 15.26 | BEG SU LN | R | | SLOW VEHICLE | 25B | | | 1 | 1 | | | | | | 7B | 26B | \$\$\$ | 25 | 51 | 3 | 01 | | R2 | | 65 | R | | |
| 15.33 | | 15.33 | END SU LN | R | | SLOW VEHICLE | 25B | | | 1 | 1 | | | | | | 7B | 26B | 7B | \$\$\$ | 26 | 3 | 01 | | R2 | | 65 | R | | |
| 16.02 | | 16.02 | MP MARKER | R | | 16 | | | | | | | | | | | | | | | | | | | | | | | | |
| 16.17 | | 16.17 | BEG SU LN | L | | SLOW VEHICLE | 25B | | | 1 | 1 | | | | | | \$\$\$ | 26B | 7B | 25 | 51 | 3 | 01 | | R2 | | 65 | R | | |
| 16.25 | | 16.25 | END SU LN | L | | SLOW VEHICLE | 25B | | | 1 | 1 | | | | | | 7B | 26B | 7B | \$\$\$ | 26 | 3 | 01 | | R2 | | 65 | R | | |
| 16.97 | | 16.97 | MP MARKER | R | | 17 | | | | | | | | | | | | | | | | | | | | | | | | |
| 17.96 | | 17.96 | MP MARKER | R | | 18 | | | | | | | | | | | | | | | | | | | | | | | | |
| 18.96 | | 18.96 | MP MARKER | R | | 19 | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.96 | | 19.96 | MP MARKER | R | | 20 | | | | | | | | | | | | | | | | | | | | | | | | |
| 20.25 | | 20.25 | | | | | | | | 1 | 1 | | | | | | 7B | 26B | 7B | | 26 | 3 | 01 | | R2 | | 55 | R | | |
| 20.41 | | 20.41 | | | | | | | | 1 | 1 | | | | | | 7A | 26A | 7A | | 26 | 3 | 01 | | R2 | | 55 | R | | |
| 20.47 | | 20.47 | WYE CONN | R | | SR 225 | | | ST | | Y | | | | | | | | | | | | | | | | | | | |
| 20.48 | | 20.48 | INTRSECTN | L | | HORN RD | | | CO | | Y | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | SR 225 | | | ST | | Y | | | | | | | | | | | | | | | | | | | |
| 20.49 | | 20.49 | WYE CONN | L | | HORN RD | | | CO | | Y | | | | | | | | | | | | | | | | | | | |
| 20.59 | | 20.59 | | | | | | | | 1 | 1 | | | | | | 7B | 26B | 7B | | 26 | 3 | 01 | | R2 | | 55 | R | | |
| 20.99 | | 20.99 | MP MARKER | R | | 21 | | | | | | | | | | | | | | | | | | | | | | | | |
| 21.43 | | 21.43 | | | | | | | | 1 | 1 | | | | | | 7B | 26B | 7B | | 26 | 3 | 01 | | U1 | | 55 | R | | |
| 21.81 | | 21.81 | MISC FEATR | R | | SGN ENT RICHLAND | | | | | | | | | | | | | | | | | | | | | | | | |
| 21.93 | | 21.93 | INTRSECTN | R | | SNIVELY RD | | | CO | | N | | | | | | | | | | | | | | | | | | | |
| 21.96 | | 21.96 | MP MARKER | R | | 22 | | | | | | | | | | | | | | | | | | | | | | | | |
| 22.36 | | 22.36 | ENTER CITY | | | RICHLAND | | | | 1 | 1 | | | | | | 7B | 26B | 7B | | 26 | 3 | 01 | 1080 | U1 | | 55 | R | P | |
| 23.00 | | 23.00 | BEG SU LN | R | | SLOW VEHICLE | 25B | | | 1 | 1 | | | | | | \$\$\$ | 26B | \$\$\$ | 50 | 76 | 3 | 01 | 1080 | U1 | | 55 | R | P | |
| | | | BEG SU LN | L | | SLOW VEHICLE | 25B | | | | | | | | | | | | | | | | | | | | | | | |
| | | | MP MARKER | R | | 23 | | | | | | | | | | | | | | | | | | | | | | | | |
| 23.05 | | 23.05 | END SU LN | R | | SLOW VEHICLE | 25B | | | 1 | 1 | | | | | | 7B | 26B | 7B | \$\$\$ | 26 | 3 | 01 | 1080 | U1 | | 55 | R | P | |
| | | | END SU LN | L | | SLOW VEHICLE | 25B | | | | | | | | | | | | | | | | | | | | | | | |
| 23.99 | | 23.99 | MP MARKER | R | | 24 | | | | | | | | | | | | | | | | | | | | | | | | |
| 24.01 | | 24.01 | INTRSECTN | L | | BEARDSLEY RD | | | CT | | N | | | | | | | | | | | | | | | | | | | |
| 24.98 | | 24.98 | MP MARKER | R | | 25 | | | | | | | | | | | | | | | | | | | | | | | | |
| 25.03 | | 25.03 | | | | | | | | 1 | 1 | | | | | | 7A | 26A | 7A | | 26 | 3 | 01 | 1080 | U1 | | 55 | R | P | |
| 25.13 | | 25.13 | INTRSECTN | B | | TWIN BRIDGES RD | | | CT | | Y | | | | | | | | | | | | | | | | | | | |
| 25.23 | | 25.23 | | | | | | | | 1 | 1 | | | | | | 7B | 26B | 7B | | 26 | 3 | 01 | 1080 | U1 | | 55 | R | P | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|-------|--|-------|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| | | | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 20.47 | | 20.47 | | | | .02 | 12 | | | | |
| 20.49 | | 20.49 | | | | | | | | .05 | 12 |
| 25.13 | | 25.13 | | .03 | 12 | | | .03 | 12 | | |

SR 240 MAINLINE

STATE ROUTE - SRSH

COUNTY BENTON

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | |
|-------------------------|-------|-----|------------|---|----|--------------------------|-----|-----|------------|---------|-----|-----|-----|-----|---------------------------|------|--------|-----|--------|-----|-----|----|----|------|------|----|----|----|---|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | T | P | S | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T |
| 25.90 | 25.90 | | MP MARKER | R | | 26 | | | | | | | | | | | 7B | 26B | 7B | | | 26 | 3 | 01 | 1080 | U1 | | 55 | R | P |
| 26.03 | 26.03 | | WYE CONN | R | | VILLAGE PKWY | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 26.04 | 26.04 | | INTRSECTN | R | | VILLAGE PKWY | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 26.05 | 26.05 | | WYE CONN | R | | VILLAGE PKWY | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 26.35 | 26.35 | | | | | | | | | 1 | 1 | | | | | | 8B | 24B | 8B | | | 24 | 3 | 01 | 1080 | U1 | | 55 | R | P |
| 26.87 | 26.87 | | | | | | | | | 1 | 1 | | | | | | 8A | 24A | 8A | | | 24 | 3 | 01 | 1080 | U1 | | 55 | R | P |
| 26.91 | 26.91 | | INTRSECTN | B | | KINGSGATE WAY | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | |
| 26.96 | 26.96 | | | | | | | | | 1 | 1 | | | | | | 8B | 24B | 8B | | | 24 | 3 | 01 | 1080 | U1 | | 55 | R | P |
| 27.08 | 27.08 | | MP MARKER | R | | 27 | | | | | | | | | | | | | | | | | | | | | | | | |
| 27.18 | 27.18 | | | | | | | | | 1 | 1 | | | | | | 8B | 24B | 8B | | | 24 | 3 | 01 | 1080 | U1 | | 55 | L | P |
| 27.78 | 27.78 | | INTRSECTN | L | | LOGSTON BLVD | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 27.98 | 27.98 | | MP MARKER | R | | 28 | | | | | | | | | | | | | | | | | | | | | | | | |
| 28.15 | 28.15 | | | | | | | | | 1 | 1 | | | | | | 8A | 24A | 8A | | | 24 | 3 | 01 | 1080 | U1 | | 55 | L | P |
| 28.22 | 28.22 | | MISC FEATR | B | | AEC BOUNDARY | | | | | | | | | | | | | | | | | | | | | | | | |
| 28.27 | 28.27 | | INTRSECTN | R | | HAGEN RD | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | ROBERTSON DR | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | |
| 28.43 | 28.43 | | | | | | | | | 1 | 1 | | | | | | 8B | 24B | 8B | | | 24 | 3 | 01 | 1080 | U1 | | 55 | L | P |
| 28.51 | 28.51 | | BEG SU LN | R | | WEAVING/SPEED CHANGE 12A | | | | 1 | 1 | | | | | 4B | 23B | 4B | 12 | | 35 | 3 | 01 | 1080 | U1 | | 55 | L | P | |
| 28.52 | 28.52 | | | | | | | | | 1 | 1 | | | | | | 4A | 23A | 4A | 12 | | 35 | 3 | 01 | 1080 | U1 | | 55 | L | P |
| 28.54 | 28.54 | | BEG SU LN | L | | WEAVING/SPEED CHANGE 12A | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | END SU LN | R | | WEAVING/SPEED CHANGE 12A | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | RR XING | B | | NUM 310401F GRADE | | | | | | | | | | | | | | | | | | | | | | | | |
| 28.57 | 28.57 | | END SU LN | L | | WEAVING/SPEED CHANGE 12A | | | | 1 | 1 | | | | | 4A | 23A | 4A | \$\$\$ | | 23 | 3 | 01 | 1080 | U1 | | 55 | L | P | |
| 28.62 | 28.62 | | | | | | | | | 1 | 1 | | | | | | 3A | 23A | 3A | | | 23 | 3 | 01 | 1080 | U1 | | 55 | L | P |
| 28.71 | 28.71 | | | | | | | | | 1 | 1 | | | | | | 8A | 24A | 10A | | | 24 | 3 | 01 | 1080 | U1 | | 55 | L | P |
| 28.77 | 28.77 | | | | | | | | | 2 | 2 | | | | | | 8A | 48A | 10A | | | 48 | 3 | 01 | 1080 | U1 | | 55 | L | P |
| 28.84 | 28.84 | | WYE CONN | L | | BYPASS HWY | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| | | | WYE CONN | R | | SR 240 | ST | | Y | | | | | | | | | | | | | | | | | | | | | |
| 30.63 | 28.86 | | EQUATION | I | | 028.86 =030.63 | | | | 3 | 3 | 10A | 36A | | 16A | UP | \$\$\$ | 36A | 8A | | | 72 | 3 | 01 | 1080 | U1 | | 55 | L | P |
| | | | BEG ST | I | | BYPASS HWY | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | BYPASS HWY | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | |

| INTERSECTION DETAIL | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | | | |
|---------------------|-------|----------------------|--------|--------|-------|------------------------------|--------|--------|--------|--------|--------|
| SRMP | B | ARM | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- | |
| | | | LGT | WD | LGT | WD | LGT | WD | LGT | WD | |
| 26.03 | 26.03 | | | .07 | 12 | | | | | | |
| 26.04 | 26.04 | | | | .06 | 12 | | | | | |
| 26.05 | 26.05 | | | | | | | | | .17 12 | |
| 26.91 | 26.91 | | .05 | 12 | .03 | 16 | .06 | 12 | .04 | 15 | .13 12 |
| 27.78 | 27.78 | | .03 | 12 | | | | | | | .15 12 |
| 28.27 | 28.27 | | .03 | 12 | | .07 | 12 | | | | |
| 28.84 | 28.84 | | | .07 | 24 | | | | | | |

SR 241 MAINLINE

STATE ROUTE - SRSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|------|-----|------------|---|----|---------------------|----|-----|------------|---|-----|-----|-----|-----|---------------------------|---------|-------|------|-------|-------|----|-----|-----|-----|-----|-----|----|------|-----|----|----|----|---|---|---|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | | LFT | RHT | | LFT | | RHT | USE | TOT | MTCE | | CITY | ST | LEGAL | | T | P | S | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | RDY | W/S | W/S | MEDIAN- | SHD | RDY | SHD | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | |
| 3.23 | 3.23 | | INTRSECTN | L | | GREEN VALLEY RD | CO | Y | 1 | 1 | | | | | | | 8B | 23B | 8B | | | | | | 23 | 2 | 02 | | R3 | | 55 | L | | * | | |
| 3.73 | 3.73 | | INTRSECTN | L | | MORSE RD | CO | | | N | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.00 | 4.00 | | MP MARKER | R | | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.24 | 4.24 | | INTRSECTN | B | | STOVER RD | CO | | | N | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.63 | 4.63 | | INTRSECTN | L | | DUFFY RD | CO | | N | 1 | 1 | | | | | | 8B | 23B | 8B | | | | | | 23 | 2 | 02 | | U3 | | 55 | L | | * | | |
| 4.74 | 4.74 | | INTRSECTN | R | | WILLOWCREST RD | CO | | | N | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.00 | 5.00 | | MP MARKER | R | | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.18 | 5.18 | | INTRSECTN | R | | TEAR RD | CO | | | N | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.20 | 5.20 | | BEG BRIDGE | B | | CANAL | ST | | | 1 | 1 | | | | | | \$\$C | 26B | \$\$C | | | | | | 26 | 2 | 02 | | U3 | | 55 | L | | * | | |
| | | | | | | BRDG NUM 241/007 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.21 | 5.21 | | END BRIDGE | B | | CANAL | | | | 1 | 1 | | | | | | 8B | 26B | 8B | | | | | | 26 | 2 | 02 | | U3 | | 55 | L | | * | | |
| 6.00 | 6.00 | | MP MARKER | R | | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6.24 | 6.24 | | | | | | | | | 1 | 1 | | | | | | 7B | 23B | 7B | | | | | | 23 | 2 | 02 | | U3 | | 55 | L | | * | | |
| 6.25 | 6.25 | | END ST | I | | MABTON-SUNNYSIDE RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG ST | I | | ALEXANDER RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | MABTON-SUNNYSIDE RD | CO | RF | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | ALEXANDER RD | CO | RF | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6.26 | 6.26 | | | | | | | | | 1 | 1 | | | | | | 7B | 23B | 7B | | | | | | 23 | 2 | 02 | | U3 | | 50 | L | | * | | |
| 6.54 | 6.54 | | BEG BRIDGE | B | | CANAL | ST | | | 1 | 1 | | | | | | \$\$C | 30A | \$\$C | | | | | | 30 | 2 | 02 | | U3 | | 50 | L | | * | | |
| | | | | | | BRDG NUM 241/009 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6.56 | 6.56 | | END BRIDGE | B | | CANAL | | | | 1 | 1 | | | | | | 7B | 23B | 7B | | | | | | 23 | 2 | 02 | | U3 | | 50 | L | | * | | |
| 6.99 | 6.99 | | MP MARKER | R | | 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7.25 | 7.25 | | END ST | I | | ALEXANDER RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG ST | I | | WANETA RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | WANETA RD | CO | RF | N | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | ALEXANDER RD | CO | RF | N | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7.26 | 7.26 | | ENTER CITY | | | SUNNYSIDE | | | | 1 | 1 | | | | | | 9B | 26B | 9B | | | | | | 26 | 2 | 02 | 1275 | U2 | | 40 | L | P | * | | |
| 7.44 | 7.44 | | | | | | | | | 1 | 1 | | | | | | 8A | 26A | 8A | | | | | | 26 | 2 | 02 | 1275 | U2 | | 40 | L | P | * | | |
| 7.46 | 7.46 | | ON RAMP | L | | SR 82 | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | OFF RAMP | R | | SR 82 | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7.52 | 7.52 | | BEG BRIDGE | B | | SR 82 | ST | | | 1 | 1 | | | | | | \$\$C | 55P | \$\$C | | | | | | 55 | 3 | 02 | 1275 | U2 | | 40 | L | P | * | | |
| | | | | | | BRDG NUM 241/010 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7.56 | 7.56 | | END BRIDGE | B | | SR 82 | | | | 1 | 1 | | | | | | 8A | 24A | 8A | | | | | | 24 | 3 | 02 | 1275 | U2 | | 40 | L | P | * | | |
| 7.61 | 7.61 | | OFF RAMP | L | | SR 82 | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | ON RAMP | R | | SR 82 | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| INTERSECTION DETAIL | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | | |
|---------------------|------|----------------------|--------|--------|-------|------------------------------|--------|--------|--------|--------|
| SRMP | B | ARM | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| | | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 3.23 | 3.23 | | .04 | 10 | | | | | | |
| 7.46 | 7.46 | | | | .06 | 13 | | | | |
| 7.61 | 7.61 | | .05 | 13 | | | | | | |

SR 241 MAINLINE

STATE ROUTE - SRSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|------|-----|------------|---|----|--------------------------|-----|-----|------------|---------|-----|-----|-----|-----|---------------------------|------|------|-----|-------|-----|-----|----|--------|-----|----|----|-----------|----|----|----|----|----|----|--|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | T | P | S | | | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | | | | |
| 7.63 | 7.63 | | BEG SU LN | C | | TWO WAY TURN | | | 12A | | 1 | 1 | | | | | | | | 8A | 24A | 8A | 12 | 36 | 3 | 02 | 1275 | U2 | | 40 | L | P | * | | | |
| 7.69 | 7.69 | | INTRSECTN | R | | PICARD RD | | | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7.70 | 7.70 | | END SU LN | C | | TWO WAY TURN | | | 12A | | 1 | 1 | | | | | | | | 8A | 24A | 8A | \$\$\$ | 24 | 3 | 02 | 1275 | U2 | | 40 | L | P | * | | | |
| 7.76 | 7.76 | | INTRSECTN | B | | ALLEN RD | | | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7.77 | 7.77 | | | | | | | | | | 1 | 1 | | | | | | | | 4A | 24A | 2A | | 24 | 3 | 02 | 1275 | U2 | | 40 | L | P | * | | | |
| 7.82 | 7.82 | | BEG SU LN | C | | TWO WAY TURN | | | 12A | | 1 | 1 | | | | | | | | 4A | 24A | 2A | 12 | 36 | 3 | 02 | 1275 | U2 | | 40 | L | P | * | | | |
| 7.87 | 7.87 | | END SU LN | C | | TWO WAY TURN | | | 12A | | 1 | 1 | | | | | | | | 4A | 24A | 2A | \$\$\$ | 24 | 3 | 02 | 1275 | U2 | | 40 | L | P | * | | | |
| 7.92 | 7.92 | | | | | | | | | | 1 | 1 | | | | | | | | 4A | 24A | 4A | | 24 | 3 | 02 | 1275 | U2 | | 40 | L | P | * | | | |
| 7.94 | 7.94 | | RR XING | B | | NUM 98597U GRADE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7.96 | 7.96 | | END ST | I | | WANETA RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG ST | I | | HANFORD RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | B | | YAKIMA VLY HY(OLD SR 12) | | | CT | | SG | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| 8.00 | 8.00 | | MP MARKER | R | | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | E ALLEN RD | | | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8.02 | 8.02 | | LEAVE CITY | | | SUNNYSIDE | | | | | 1 | 1 | | | | | | | | 4A | 24A | 4A | | 24 | 3 | 02 | \$\$\$ U2 | | 40 | L | \$ | * | | | | |
| 8.17 | 8.17 | | | | | | | | | | 1 | 1 | | | | | | | | 2A | 24A | 4A | | 24 | 3 | 02 | | U2 | | 40 | L | | * | | | |
| 8.20 | 8.20 | | | | | | | | | | 1 | 1 | | | | | | | | 2A | 24A | 2A | | 24 | 3 | 02 | | U2 | | 40 | L | | * | | | |
| 8.28 | 8.28 | | ENTER CITY | | | SUNNYSIDE | | | | | 1 | 1 | | | | | | | | 2A | 24A | 2A | | 24 | 3 | 02 | 1275 | U2 | | 40 | L | P | * | | | |
| 8.29 | 8.29 | | INTRSECTN | B | | FACTORY RD | | | CT | | N | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8.33 | 8.33 | | | | | | | | | | 1 | 1 | | | | | | | | 5B | 20B | 5B | | 20 | 3 | 02 | 1275 | U2 | | 40 | L | P | * | | | |
| 8.80 | 8.80 | | INTRSECTN | B | | E EDISON RD | | | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8.88 | 8.88 | | | | | | | | | | 1 | 1 | | | | | | | | 5B | 20B | 5B | | 20 | 3 | 02 | 1275 | U2 | | 45 | L | P | * | | | |
| 8.99 | 8.99 | | MP MARKER | R | | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9.05 | 9.05 | | | | | | | | | | 1 | 1 | | | | | | | | 5B | 20B | 5B | | 20 | 3 | 02 | 1275 | U3 | | 45 | L | P | * | | | |
| 9.29 | 9.29 | | END ST | I | | HANFORD RD | | | | | 1 | 1 | | | | | | | | 5A | 20A | 5A | | 20 | 3 | 02 | 1275 | U3 | | 45 | L | \$ | \$ | | | |
| 9.30 | 9.30 | | LEAVE CITY | | | SUNNYSIDE | | | | | 1 | 1 | | | | | | | | 5A | 20A | 5A | | 20 | 3 | 02 | \$\$\$ R3 | | 45 | L | | | | | | |
| | | | INTRSECTN | B | | SHELLER RD | | | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9.31 | 9.31 | | | | | | | | | | 1 | 1 | | | | | | | | 3A | 20A | 3A | | 20 | 3 | 02 | | | R3 | | 45 | L | | | | |
| 9.33 | 9.33 | | | | | | | | | | 1 | 1 | | | | | | | | 3B | 20B | 3B | | 20 | 3 | 02 | | | R3 | | 45 | L | | | | |
| 9.40 | 9.40 | | | | | | | | | | 1 | 1 | | | | | | | | 3B | 20B | 3B | | 20 | 3 | 02 | | | R3 | | 50 | L | | | | |
| 9.75 | 9.75 | | BEG BRIDGE | B | | WASTEWATER CANAL NO 5 S | | | ST | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 241/011C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9.76 | 9.76 | | END BRIDGE | B | | WASTEWATER CANAL NO 5 S | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9.77 | 9.77 | | BEG BRIDGE | B | | WASTEWATER CANAL NO 5 N | | | ST | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 241/011.2C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9.78 | 9.78 | | END BRIDGE | B | | WASTEWATER CANAL NO 5 N | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|------|------|-----|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B | ARM | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 7.76 | 7.76 | | | .03 | 12 | .03 | 12 | .08 | 12 | | |
| 7.96 | 7.96 | | | .05 | 12 | .03 | 12 | | | | |

SR 260 MAINLINE

STATE ROUTE - SRSH

COUNTY FRANKLIN

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|------|-----|------------|---|----|--------------------------|-----|-----|------------|---------|-----|-----|-----|-----|---------------------------|------|------|-----|-------|-----|-----|---|----|-----|----|---|----|---|---|---|--|--|--|--|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | | | | |
| 0.00 | 0.00 | | BEG ROUTE | | | MAIN ROUTE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | SR 17 TO SR 26/WASHTUCNA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG CTLSEC | | | CONTROL SECTION 1130 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | B | | SR 17 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.78 | 0.78 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.99 | 0.99 | | MP MARKER | R | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.48 | 1.48 | | INTRSECTN | R | | AUBERT RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.99 | 1.99 | | MP MARKER | R | | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.04 | 2.04 | | INTRSECTN | B | | DILLING LN | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.99 | 2.99 | | MP MARKER | R | | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.05 | 3.05 | | INTRSECTN | B | | WAREHOUSE LN | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.07 | 3.07 | | BEG BRIDGE | B | | IRRIGATION CANAL | ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 260/003 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.08 | 3.08 | | END BRIDGE | B | | IRRIGATION CANAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.99 | 3.99 | | MP MARKER | R | | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.06 | 4.06 | | INTRSECTN | L | | BUEHLER LN | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | ROAD 18-20/BUEHLER RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.99 | 4.99 | | MP MARKER | R | | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.06 | 5.06 | | INTRSECTN | L | | MOON RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.39 | 5.39 | | ENT/EXIT | L | | ACCESS RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.56 | 5.56 | | INTRSECTN | L | | WELCH RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.69 | 5.69 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.82 | 5.82 | | INTRSECTN | L | | W CLARK ST | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.90 | 5.90 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6.01 | 6.01 | | MP MARKER | R | | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6.16 | 6.16 | | ENTER CITY | | | CONNELL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6.33 | 6.33 | | BEG BRIDGE | B | | ESQUATZEL COULEE | ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 260/006 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6.38 | 6.38 | | END BRIDGE | B | | ESQUATZEL COULEE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6.48 | 6.48 | | RR XING | B | | NUM 89690C STRUCTURE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE | B | | BN RR | ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 260/008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6.51 | 6.51 | | END BRIDGE | B | | BN RR | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6.55 | 6.55 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6.68 | 6.68 | | INTRSECTN | B | | FIR ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6.80 | 6.80 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|------|---|------|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B | ARM | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 5.82 | | 5.82 | | .03 | 12 | | | | | | |
| 6.68 | | 6.68 | | .03 | 12 | | .03 | 12 | | | |

SR 395 MAINLINE

U.S. ROUTE - USSH

COUNTY BENTON

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | |
|-------------------------|-------|-----|--------------|---|----|--------------------------|-----|-----|------------|---------|-----|-----|-----|-----|------|---------------------------|------|-----|-------|-----|-----|---|----|-----|----|----|------|----|---|----|---|---|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE- | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | T | P | S | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | | |
| 0.00 | 0.00 | | BEG ROUTE | | | MAIN ROUTE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | OREGON ST LINE TO CANADA | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG COINCI | | | SR 082 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13.05B | 13.05 | | BEG EQ | | | BEGIN BACK | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13.05 | 19.81 | | EQUATION | | | 019.81B=013.05 | | | | 2 | 1 | W | 34P | | | 16P | JE | | | 22P | W | | | 56 | 3 | 01 | | U1 | | 55 | R | | | |
| | | | BEG CTLSEC | | | CONTROL SECTION 0332 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE B | | | SR 82 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 395/005 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | END COINCI | | | SR 082 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13.10 | 19.86 | | END BRIDGE B | | | SR 82 | | | | 2 | 1 | 10A | 24A | | | 16A | JE | | | 14A | 10A | | | 38 | 3 | 01 | | U1 | | 55 | R | | | |
| 13.22 | 19.98 | | MISC FEATR | R | | GORE (SR 82 R111308) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13.31 | 20.07 | | MISC FEATR | L | | GORE (SR 82 S111227) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13.40 | 20.16 | | ON RAMP | R | | SR 82 | | | | ST | Y | 2 | 2 | 10A | 24A | | | | | 24A | 10A | | | 48 | 3 | 01 | | U1 | | 55 | R | | | |
| 13.42 | 20.18 | | OFF RAMP | L | | SR 82 | | | | ST | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 13.50 | 20.26 | | ENTER CITY | | | KENNEWICK | | | | | | 2 | 2 | 10A | 24A | | | | | 24A | 10A | | | 48 | 3 | 01 | 0610 | U1 | | 55 | R | P | | |
| 13.66 | 20.42 | | | | | | | | | | | 2 | 2 | 10A | 24A | | | | | 24A | 10A | | | 48 | 3 | 01 | 0610 | U1 | | 55 | R | P | | |
| 13.78 | 20.54 | | INTRSECTN | B | | RIDGELINE DR | | | | CT | Y | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | | | | ST | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 13.89 | 20.65 | | | | | | | | | | | 2 | 2 | 10A | 24A | | | | | 24A | 10A | | | 48 | 3 | 01 | 0610 | U1 | | 55 | R | P | | |
| 14.02 | 20.78 | | MP MARKER | B | | 14 | | | | | | 2 | 2 | 10A | 24A | | | | | 24A | 10A | | | 48 | 3 | 01 | 0610 | U1 | | 55 | R | P | | |
| 14.05 | 20.81 | | | | | | | | | | | 2 | 2 | 10A | 24A | | | | | 24A | 10A | | | 48 | 3 | 01 | 0610 | U1 | | 55 | R | P | | |
| 14.22 | 20.98 | | INTRSECTN | C | | MEDIAN XROAD | | | | ST | SG | Y | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | B | | HILDEBRAND BLVD | | | | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | | |
| 14.37 | 21.13 | | | | | | | | | | | 2 | 2 | 10A | 24A | | | | | 24A | 10A | | | 48 | 3 | 01 | 0610 | U1 | | 55 | R | P | | |
| 14.66 | 21.42 | | | | | | | | | | | 2 | 2 | 10A | 24A | | | | | 24A | 10A | | | 48 | 3 | 01 | 0610 | U1 | | 50 | R | P | | |
| 14.68 | 21.44 | | | | | | | | | | | 2 | 2 | 10A | 24P | | | | | 24A | 10A | | | 48 | 3 | 01 | 0610 | U1 | | 50 | R | P | | |
| 14.75 | 21.51 | | | | | | | | | | | 2 | 2 | 10A | 24P | | | | | 24P | 10A | | | 48 | 3 | 01 | 0610 | U1 | | 50 | R | P | | |
| 14.88 | 21.64 | | WYE CONN | L | | W 27TH AVE | | | | CT | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 14.90 | 21.66 | | INTRSECTN | B | | W 27TH AVE | | | | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | | | | ST | SG | Y | | | | | | | | | | | | | | | | | | | | | | |
| 14.92 | 21.68 | | WYE CONN | R | | W 27TH AVE | | | | CT | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 15.02 | 21.78 | | MP MARKER | B | | 15 | | | | | | 2 | 2 | 10A | 24A | | | | | 24A | 10A | | | 48 | 3 | 01 | 0610 | U1 | | 50 | R | P | | |
| 15.04 | 21.80 | | | | | | | | | | | 2 | 2 | 10A | 24A | | | | | 24A | 10A | | | 48 | 3 | 01 | 0610 | U1 | | 50 | R | P | | |
| 15.06 | 21.82 | | | | | | | | | | | 2 | 2 | 10A | 24P | | | | | 24A | 10A | | | 48 | 3 | 01 | 0610 | U1 | | 50 | R | P | | |
| 15.35 | 22.11 | | | | | | | | | | | 2 | 2 | 10A | 24P | | | | | 24A | 10A | | | 48 | 3 | 01 | 0610 | U1 | | 50 | R | P | | |

INTERSECTION DETAIL

| | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|-------|-------|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B ARM | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 13.78 | 20.54 | .04 | 16 | | | .05 | 16 | | |
| 14.22 | 20.98 | .12 | 16 | | | .06 | 16 | .03 | 12 |
| 14.90 | 21.66 | .15 | 28 | .12 | 12 | .12 | 28 | .12 | 12 |

SR 395 MAINLINE

U.S. ROUTE - USSH

COUNTY BENTON

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | |
|-------------------------|---|-------|------------|---|----|------------------|-----|-----|------------|---------|-----|-------|-------|-----|------|---------------------------|------|-----|-------|-----|-------|----|----|-----|------|----|----|----|---|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T |
| 15.40 | | 22.16 | | | | | | | | 2 | 2 | 10A | 24P | | 16A | JE | | | | 24A | 10A | 48 | 3 | 01 | 0610 | U1 | | 50 | R | P |
| 15.41 | | 22.17 | | | | | | | | 2 | 2 | 10A | 24P | | 16A | UP | | | | 24A | 10A | 48 | 3 | 01 | 0610 | U1 | | 50 | R | P |
| 15.42 | | 22.18 | | | | | | | | 2 | 2 | 10A | 24P | | 16A | UP | | | | 24P | 10A | 48 | 3 | 01 | 0610 | U1 | | 50 | R | P |
| 15.56 | | 22.32 | INTRSECTN | B | W | 19TH AVE | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | SG | Y | | | | | | | | | | | | | | | | | | | | | |
| 15.70 | | 22.46 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | JE | | | | 24A | 10A | 48 | 3 | 01 | 0610 | U1 | | 50 | R | P |
| 16.02 | | 22.78 | MP MARKER | B | | 16 | | | | | | | | | | | | | | | | | | | | | | | | |
| 16.04 | | 22.80 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | UP | | | | 24A | 10A | 48 | 3 | 01 | 0610 | U1 | | 50 | R | P |
| 16.05 | | 22.81 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | UP | | | | 24A | 10A | 48 | 3 | 01 | 0610 | U1 | | 35 | R | P |
| 16.08 | | 22.84 | | | | | | | | 2 | 2 | 10A | 24A | | 16A | UP | | | | 24P | 10A | 48 | 3 | 01 | 0610 | U1 | | 35 | R | P |
| 16.09 | | 22.85 | | | | | | | | 2 | 2 | 10A | 24P | | 16A | UP | | | | 24P | 10A | 48 | 3 | 01 | 0610 | U1 | | 35 | R | P |
| 16.17 | | 22.93 | INTRSECTN | B | W | 10TH AVE | CT | SG | Y | 2 | 2 | \$\$C | 26P | | 16A | UP | | | | 26P | \$\$C | 52 | 3 | 01 | 0610 | U1 | | 35 | R | P |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | SG | Y | | | | | | | | | | | | | | | | | | | | | |
| 16.18 | | 22.94 | | | | | | | | 2 | 2 | | C 26P | | 16A | CU | | | | 26P | C | 52 | 3 | 01 | 0610 | U1 | | 35 | R | P |
| 16.24 | | 23.00 | | | | | | | | 2 | 2 | | C 26P | | 16A | CU | | | | 26A | C | 52 | 3 | 01 | 0610 | U1 | | 35 | R | P |
| 16.33 | | 23.09 | | | | | | | | 2 | 2 | | C 26P | | 16A | CU | | | | 26P | C | 52 | 3 | 01 | 0610 | U1 | | 35 | R | P |
| 16.42 | | 23.18 | INTRSECTN | B | W | 7TH AVE | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | SG | Y | | | | | | | | | | | | | | | | | | | | | |
| 16.49 | | 23.25 | | | | | | | | 2 | 2 | | C 26P | | 16A | CU | | | | 26A | C | 52 | 3 | 01 | 0610 | U1 | | 35 | R | P |
| 16.50 | | 23.26 | | | | | | | | 2 | 2 | | C 26P | | 16A | JE | | | | 26A | C | 52 | 3 | 01 | 0610 | U1 | | 35 | R | P |
| 16.51 | | 23.27 | | | | | | | | 2 | 2 | | C 26A | | 16A | JE | | | | 26A | C | 52 | 3 | 01 | 0610 | U1 | | 35 | R | P |
| 16.68 | | 23.44 | BEG BRIDGE | B | | W 4TH AVE | ST | | | 2 | 2 | | C 26P | | 16P | JE | | | | 26P | C | 52 | 3 | 01 | 0610 | U1 | | 35 | R | P |
| | | | | | | BRDG NUM 395/011 | | | | | | | | | | | | | | | | | | | | | | | | |
| 16.70 | | 23.46 | END BRIDGE | B | | W 4TH AVE | | | | 2 | 2 | | C 26A | | 16A | JE | | | | 26A | C | 52 | 3 | 01 | 0610 | U1 | | 35 | R | P |
| 16.75 | | 23.51 | | | | | | | | 2 | 2 | | C 26A | | 16A | CU | | | | 26A | C | 52 | 3 | 01 | 0610 | U1 | | 35 | R | P |
| 16.80 | | 23.56 | INTRSECTN | L | W | 2ND AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 16.87 | | 23.63 | | | | | | | | 2 | 2 | | C 26P | | 16P | CU | | | | 26P | C | 52 | 3 | 01 | 0610 | U1 | | 35 | R | P |
| 16.92 | | 23.68 | INTRSECTN | B | W | KENNEWICK AVE | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | SG | Y | | | | | | | | | | | | | | | | | | | | | |
| 16.95 | | 23.71 | | | | | | | | 2 | 2 | | C 26A | | 16A | CU | | | | 26A | C | 52 | 3 | 01 | 0610 | U1 | | 35 | R | P |
| 17.00 | | 23.76 | MP MARKER | B | | 17 | | | | | | | | | | | | | | | | | | | | | | | | |
| 17.07 | | 23.83 | | | | | | | | 2 | 2 | | C 26P | | 16P | CU | | | | 26P | C | 52 | 3 | 01 | 0610 | U1 | | 35 | R | P |
| 17.09 | | 23.85 | WYE CONN | R | | VISTA WAY | CT | | Y | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|-------|---|-------|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B | ARM | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 15.56 | | 22.32 | | .06 | 16 | | | .06 | 16 | .11 | 12 |
| 16.17 | | 22.93 | | .06 | 16 | .02 | 14 | .10 | 13 | .02 | 14 |
| 16.42 | | 23.18 | | .04 | 13 | | | .05 | 13 | | |
| 16.80 | | 23.56 | | .02 | 13 | | | | | | |
| 16.92 | | 23.68 | | .06 | 16 | .03 | 12 | .05 | 16 | | |

SR 395 MAINLINE

U.S. ROUTE - USSH

COUNTY BENTON

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | |
|-------------------------|-------|-----|------------|---|----|-----------------------|-----------------|----|---|-----------------|---|-------|---------|-----|------|---------------------------|-----|-------|-------|-----|-----|------|------|------|-------|----|----|----|---|---|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | | LFT RHT | | | LFT RHT | | | USE | | TOT | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | | LNS SHD RDY SHD | | | LNS SHD RDY SHD | | | LNS RDY | | RDY | | | | | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | MTCE | CITY | ST | LEGAL | T | P | S | | | |
| | | | | | | | | | | | | | | | | | | | | | | A | SE | NBR | FC | D | IB | R | K | T | |
| 17.11 | 23.87 | | INTRSECTN | C | | MEDIAN XROAD | ST | SG | Y | 2 | 2 | C | 38P | | 16P | CU | 26P | C | | | 64 | 3 | 01 | 0610 | U1 | 35 | R | P | | | |
| | | | INTRSECTN | R | | VISTA WAY | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | W CLEARWATER AVE | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | | |
| 17.16 | 23.92 | | | | | | | | | 2 | 2 | C | 38A | | 16A | CU | 26A | C | | | 64 | 3 | 01 | 0610 | U1 | 35 | R | P | | | |
| 17.24 | 24.00 | | INTRSECTN | L | | N ELY ST | CT | | Y | 2 | 2 | C | 26A | | 16A | JE | 26A | C | | | 52 | 3 | 01 | 0610 | U1 | 35 | R | P | | | |
| | | | INTRSECTN | R | | DENNIS ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 17.29 | 24.05 | | | | | | | | | 2 | 2 | C | 26A | | 16A | JE | 26A | C | | | 52 | 3 | 01 | 0610 | U1 | 45 | R | P | | | |
| 17.55 | 24.31 | | | | | | | | | 2 | 2 | C | 26P | | 16P | UP | 26P | C | | | 52 | 3 | 01 | 0610 | U1 | 45 | R | P | | | |
| 17.59 | 24.35 | | INTRSECTN | B | | YELM ST | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | SG | Y | | | | | | | | | | | | | | | | | | | | | | |
| 17.60 | 24.36 | | WYE CONN | R | | YELM ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 17.64 | 24.40 | | | | | | | | | 2 | 2 | C | 26A | | 16A | UP | 26A | C | | | 52 | 3 | 01 | 0610 | U1 | 45 | R | P | | | |
| 17.72 | 24.48 | | | | | | | | | 2 | 2 | C | 26A | | 16A | JE | 32A | C | | | 58 | 3 | 01 | 0610 | U1 | 45 | R | P | | | |
| 17.89 | 24.65 | | BEG BRIDGE | I | | CANAL DR | ST | | | 2 | 2 | W | 49P | W | 60 | \$\$ | W | 32P | W | | 81 | 3 | 01 | 0610 | U1 | 45 | R | P | | | |
| | | | BEG BRIDGE | D | | BRDG NUM 395/012E | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE | D | | CANAL DR | ST | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE | D | | BRDG NUM 395/012W | | | | | | | | | | | | | | | | | | | | | | | | | |
| 17.91 | 24.67 | | END BRIDGE | I | | CANAL DR | | | | 3 | 2 | 9A | 38A | \$ | 16A | JE | \$ | 24A | 4A | | 62 | 3 | 01 | 0610 | U1 | 45 | R | P | | | |
| | | | END BRIDGE | D | | CANAL DR | | | | | | | | | | | | | | | | | | | | | | | | | |
| 17.94 | 24.70 | | BEG BRIDGE | I | | BN&UP RR | ST | | | 3 | 2 | \$\$W | 55P | W | 60 | \$\$ | W | 32P | \$\$W | | 87 | 3 | 01 | 0610 | U1 | 45 | R | P | | | |
| | | | BEG BRIDGE | I | | BRDG NUM 395/014E | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | RR XING | B | | NUM 104570C STRUCTURE | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | RR XING | B | | NUM 808967J STRUCTURE | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE | D | | BN&UP RR | ST | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE | D | | BRDG NUM 395/014W | | | | | | | | | | | | | | | | | | | | | | | | | |
| 18.00 | 24.76 | | MP MARKER | B | | 18 | | | | 2 | 2 | W | 55P | W | 60 | | W | 32P | W | | 87 | 3 | 01 | 0610 | U1 | 45 | R | P | | | |
| | | | ON RAMP | L | | SR 240 | ST | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 18.07 | 24.83 | | END BRIDGE | I | | BN&UP RR | | | | 2 | 2 | 10A | 24P | \$ | 10A | JE | \$ | 24P | 8A | | 48 | 3 | 01 | 0610 | U1 | 45 | R | \$ | | | |
| | | | END BRIDGE | D | | BN&UP RR | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | OFF RAMP | R | | COLUMBIA DR | ST | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 18.10 | 24.86 | | MISC FEATR | L | | GORE (S101800) | | | | | | | | | | | | | | | | | | | | | | | | | |
| 18.17 | 24.93 | | MISC FEATR | R | | GORE (P101807) | | | | | | | | | | | | | | | | | | | | | | | | | |
| 18.25 | 25.01 | | BEG BRIDGE | B | | SR 240 | ST | | | 2 | 2 | \$\$W | 36P | | 10P | JE | 32P | \$\$W | | | 68 | 3 | 01 | 0610 | U1 | 45 | R | | | | |
| | | | BEG BRIDGE | B | | BRDG NUM 395/016 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 18.27 | 25.03 | | END BRIDGE | B | | SR 240 | | | | 2 | 2 | 10A | 24P | | 10A | JE | 24P | 8A | | | 48 | 3 | 01 | 0610 | U1 | 45 | R | | | | |

INTERSECTION DETAIL

| | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|-------|-------|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B ARM | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 17.11 | 23.87 | .11 | 15 | .10 | 15 | .13 | 12 | | |
| 17.59 | 24.35 | .03 | 16 | .09 | 16 | .04 | 12 | | |
| 17.60 | 24.36 | | | | | .12 | 12 | | |

SR 395 MAINLINE

U.S. ROUTE - USSH

COUNTY FRANKLIN

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | |
|-------------------------|---|-------|--------------------------------------|---|----|---|-----|-----|------------|---------|-----|-------|-----|-----|--------|---------------------------|------|-------|--------|-------|--------|---|----|-----|----|----|------|----|---|----|---|----|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | | |
| 18.93 | | 25.69 | ENTER CO ENTER CITY BEG CTLSEC | | | FRANKLIN PASCO CONTROL SECTION 1104 | | | 2 | 2 | | W | 26P | | C | 4P | JE | | 26P | | W | | | 52 | 3 | 01 | 0960 | U1 | | 55 | L | P | | |
| 19.01 | | 25.77 | MP MARKER | B | | 19 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.07 | | 25.83 | END BRIDGE | B | | COLUMBIA RIVER | | | 2 | 2 | | 10A | 24A | | 4A | 4A | JE | | 4A | 24A | 10A | | | 48 | 3 | 01 | 0960 | U1 | | 55 | L | P | | |
| 19.08 | | 25.84 | ON RAMP | LC | | LEWIS ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.11 | | 25.87 | OFF RAMP | RC | | LEWIS ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.18 | | 25.94 | | | | | | | 2 | 2 | | 10A | 24A | | 4A | 38S | DE | | 4A | 24A | 10A | | | 48 | 3 | 01 | 0960 | U1 | | 55 | L | P | | |
| 19.19 | | 25.95 | MISC FEATR | RC | | GORE (P101911) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.20 | | 25.96 | | | | | | | 2 | 2 | | 10A | 24A | | 4A | 150S | GR | | 4A | 24A | 10A | | | 48 | 3 | 01 | 0960 | U1 | | 55 | L | P | | |
| 19.26 | | 26.02 | MISC FEATR | LC | | GORE (S101908) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.33 | | 26.09 | BEG BRIDGE | I | | LEWIS ST BRDG NUM 395/101N-E | | | 2 | 2 | | 10A | 24A | | 4A | 2500 | \$\$ | \$\$C | 26A | \$\$C | | | | 50 | 3 | 01 | 0960 | U1 | | 55 | L | P | | |
| 19.36 | | 26.12 | | | | | | | 2 | 2 | | 10A | 24A | | 4A | 250S | GR | | C | 26A | C | | | 50 | 3 | 01 | 0960 | U1 | | 55 | L | P | | |
| 19.37 | | 26.13 | END BRIDGE | I | | LEWIS ST | | | 2 | 2 | | 10A | 24A | | 4A | 250S | GR | | 4A | 24A | 10A | | | 48 | 3 | 01 | 0960 | U1 | | 55 | L | P | | |
| 19.44 | | 26.20 | OFF RAMP | R | | SYLVESTER ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.50 | | 26.26 | MISC FEATR | R | | GORE (P501944) | | | 2 | 2 | | 10A | 24A | | 4A | 37S | GR | | 4A | 24A | 10A | | | 48 | 3 | 01 | 0960 | U1 | | 55 | L | P | | |
| 19.51 | | 26.27 | UXING | B | | SYLVESTER ST BRDG NUM 395/102 | | | 2 | 2 | | 10A | 24A | | 4A | 23S | GR | | 4A | 24A | 10A | | | 48 | 3 | 01 | 0960 | U1 | | 55 | L | P | | |
| 19.56 | | 26.32 | | | | | | | 2 | 2 | | 10A | 24A | | \$\$\$ | 15A | JE | | \$\$\$ | 24A | 10A | | | 48 | 3 | 01 | 0960 | U1 | | 55 | L | P | | |
| 19.80 | | 26.56 | ON RAMP | L | | COURT ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.84 | | 26.60 | OFF RAMP | R | | COURT ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.91 | | 26.67 | MISC FEATR | L | | GORE (S101980) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | MISC FEATR | R | | GORE (P101984) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.92 | | 26.68 | ON RAMP | L | | COURT ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20.00 | | 26.76 | MP MARKER | B | | 20 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20.04 | | 26.80 | UXING | B | | COURT ST BRDG NUM 395/103 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20.07 | | 26.83 | MISC FEATR | L | | GORE (S501992) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20.14 | | 26.90 | MISC FEATR | R | | GORE (Q102019) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20.17 | | 26.93 | | | | | | | 2 | 2 | | 10A | 24A | | | 15A | JE | | 24A | 10A | | | | 48 | 3 | 01 | 0960 | U1 | | 55 | L | \$ | | |
| 20.19 | | 26.95 | BEG SU LN ON RAMP | R R | | WEAVING/SPEED CHANGE 14A COURT ST | | | 2 | 2 | | 10A | 24A | | | 15A | JE | | 24A | 10A | 14 | | | 62 | 3 | 01 | 0960 | U1 | | 55 | L | | | |
| 20.20 | | 26.96 | MISC FEATR | L | | GORE (R102031) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20.28 | | 27.04 | END SU LN OFF RAMP | R R | | WEAVING/SPEED CHANGE 14A SR 182 EB | | | 2 | 2 | | 10A | 24A | | | 15A | JE | | 24A | 10A | \$\$\$ | | | 48 | 3 | 01 | 0960 | U1 | | 55 | L | | | |
| 20.31 | | 27.07 | OFF RAMP | L | | COURT ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20.39 | | 27.15 | ON RAMP | L | | SR 182 EB | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20.40 | | 27.16 | MISC FEATR | R | | GORE (SR 182 Q101240) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20.43 | | 27.19 | | | | | | | 1 | 2 | | 10A | 12A | | | 15S | JE | | 24A | 10A | | | | 36 | 3 | 01 | 0960 | U1 | | 55 | L | | | |
| 20.44 | | 27.20 | MISC FEATR | L | | GORE (SR 182 P101204) | | | 1 | 2 | | 10A | 12A | | | 20S | JE | | 24A | 10A | | | | 36 | 3 | 01 | 0960 | U1 | | 55 | L | | | |
| 20.47 | | 27.23 | | | | | | | 1 | 2 | | 10A | 12A | | 4A | 36S | DE | | 4A | 24A | 10A | | | 36 | 3 | 01 | 0960 | U1 | | 55 | L | | | |
| 20.51 | | 27.27 | | | | | | | 1 | 2 | | 10A | 12A | | 4A | 36S | BE | | 4A | 24A | 10A | | | 36 | 3 | 01 | 0960 | U1 | | 55 | L | | | |
| 20.54 | | 27.30 | BEG BRIDGE | I | | SR 182 | | | 1 | 2 | | \$\$W | 26P | | \$\$W | 540 | \$\$ | \$\$W | 38P | \$\$W | | | | 64 | 3 | 01 | 0960 | U1 | | 55 | L | | | |

SR 395 MAINLINE

U.S. ROUTE - USSH

COUNTY FRANKLIN

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | |
|-------------------------|---|-------|------------|---|----|-------------------|-----|-----|------------|---------|-----|-----|-----|-----|------|---------------------------|------|-----|-------|-----|-----|----|------|----------|----|----|----|---|----|---|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | |
| 24.03 | | 30.79 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 75S | DE | 4A | 24P | 10A | | 48 | 3 | 01 | 0960 | U1 | | 60 | L | P | | |
| 24.05 | | 30.81 | MISC FEATR | L | | GORE (R102420) | | | | | | | | | | | | | | | | | | | | | | | | | |
| 24.20 | | 30.96 | OFF RAMP | L | | KARTCHNER ST | ST | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 24.29 | | 31.05 | ON RAMP | R | | KARTCHNER ST | ST | Y | 2 | 2 | 10A | 24A | 8A | 75S | DE | 4A | 24P | 10A | | 48 | 3 | 01 | 0960 | U1 | | 60 | L | P | | | |
| 24.59 | | 31.35 | | | | | | | | 2 | 2 | 10A | 24A | 8A | 75S | DE | 4A | 24P | 10A | | 48 | 3 | 01 | 0960 | U1 | | 60 | R | P | | |
| 25.00 | | 31.76 | MP MARKER | B | | 25 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 25.10 | | 31.86 | WYE CONN | L | | W FOSTER WELLS RD | CT | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 25.11 | | 31.87 | INTRSECTN | L | | W FOSTER WELLS RD | CT | | Y | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | E FOSTER WELLS RD | CT | | Y | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 25.12 | | 31.88 | WYE CONN | R | | E FOSTER WELLS RD | CT | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 25.40 | | 32.16 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 75S | DE | 4A | 24P | 10A | | 48 | 3 | 01 | 0960 | U1 | | 70 | R | P | | |
| 25.53 | | 32.29 | LEAVE CITY | | | PASCO | | | | 2 | 2 | 10A | 24A | 4A | 75S | DE | 4A | 24P | 10A | | 48 | 3 | 01 | \$\$\$\$ | U1 | | 70 | R | \$ | | |
| 25.59 | | 32.35 | MISC FEATR | L | | SGN ENT PASCO | | | | | | | | | | | | | | | | | | | | | | | | | |
| 25.63 | | 32.39 | | | | | | | | 2 | 2 | 10A | 24A | 4A | 75S | DE | 4A | 24P | 10A | | 48 | 3 | 01 | | R1 | | 70 | R | | | |
| 26.00 | | 32.76 | MP MARKER | B | | 26 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 26.65 | | 33.41 | INTRSECTN | C | | MEDIAN XROAD | ST | | N | | | | | | | | | | | | | | | | | | | | | | |
| 27.00 | | 33.76 | MP MARKER | B | | 27 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 27.20 | | 33.96 | TRAF RCDR | B | | B03 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 27.63 | | 34.39 | WYE CONN | L | | W VINEYARD DR | CO | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 27.64 | | 34.40 | INTRSECTN | L | | W VINEYARD DR | CO | | Y | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | E VINEYARD DR | CO | | Y | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 27.65 | | 34.41 | WYE CONN | R | | E VINEYARD DR | CO | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 28.00 | | 34.76 | MP MARKER | B | | 28 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 29.00 | | 35.76 | MP MARKER | B | | 29 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 29.15 | | 35.91 | INTRSECTN | R | | PHEND RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 29.16 | | 35.92 | WYE CONN | R | | PHEND RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | |

| INTERSECTION DETAIL | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | | |
|---------------------|---|-------|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|----|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- | |
| | | | | LGT | WD | LGT | WD | LGT | WD | LGT | WD | |
| SRMP | B | ARM | | | | | | | | | | |
| 25.10 | | 31.86 | | | | | | .32 | 13 | | | |
| 25.11 | | 31.87 | | .13 | 12 | .16 | 12 | .13 | 12 | .16 | 12 | |
| 25.12 | | 31.88 | | | | | | | | | .32 | 13 |
| 26.65 | | 33.41 | | .03 | 14 | | | .04 | 13 | | | |
| 27.63 | | 34.39 | | | | | | .32 | 13 | | | |
| 27.64 | | 34.40 | | .13 | 12 | .15 | 12 | .13 | 12 | .16 | 12 | |
| 27.65 | | 34.41 | | | | | | | | | .32 | 13 |
| 29.15 | | 35.91 | | | | .15 | 12 | .13 | 12 | | | |
| 29.16 | | 35.92 | | | | | | | | | .32 | 13 |

SR 395 MAINLINE

U.S. ROUTE - USSH

COUNTY FRANKLIN

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | |
|-------------------------|---|-------|------------|---|----|------------------|-----|-----|--------------|-----|-----|-----|-----|-----|-----|-----|------|---------------------------|-------|-----|-----|-----|-----|-----|-----|-----|------|------|----|-------|---|---|---|--|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | LEGAL | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | SPEED | | | | | | | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | RDY | SHD | W/S | W/S | WD/S | BR | W/S | RDY | SHD | W/S | W/S | W/S | WID | WID | MTCE | CITY | ST | SPEED | T | P | S | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 29.67 | | 36.43 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 30.00 | | 36.76 | MP MARKER | B | | 30 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 30.17 | | 36.93 | WYE CONN | L | | SELPH LANDING RD | CO | | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 30.18 | | 36.94 | INTRSECTN | R | | CREST LOCH RD | CO | | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | SELPH LANDING RD | CO | | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 30.20 | | 36.96 | WYE CONN | R | | CREST LOCH RD | CO | | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 31.00 | | 37.76 | MP MARKER | B | | 31 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 32.00 | | 38.76 | MP MARKER | B | | 32 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 32.30 | | 39.06 | WYE CONN | L | | W SAGEMORE RD | CO | | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 32.31 | | 39.07 | INTRSECTN | R | | E SAGEMOOR RD | CO | | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | W SAGEMOOR RD | CO | | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 32.33 | | 39.09 | WYE CONN | R | | E SAGEMORE RD | CO | | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 32.43 | | 39.19 | ON RAMP | L | | WEIGH STATION | ST | | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 32.53 | | 39.29 | OFF RAMP | R | | WEIGH STATION | ST | | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 32.69 | | 39.45 | MISC FEATR | R | | GORE (U103253) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 32.71 | | 39.47 | MISC FEATR | L | | GORE (W103305) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 32.78 | | 39.54 | WEIGH STA | R | | NUMBER 56 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 32.84 | | 39.60 | WEIGH STA | L | | NUMBER 55 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 32.94 | | 39.70 | MISC FEATR | L | | GORE (W103305) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 32.95 | | 39.71 | MISC FEATR | R | | GORE (U103253) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 33.00 | | 39.76 | MP MARKER | B | | 33 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 33.05 | | 39.81 | OFF RAMP | L | | WEIGH STATION | ST | | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 33.27 | | 40.03 | ON RAMP | R | | WEIGH STATION | ST | | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 34.00 | | 40.76 | MP MARKER | B | | 34 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 34.15 | | 40.91 | INTRSECTN | C | | MEDIAN XROAD | ST | | | N | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 35.00 | | 41.76 | MP MARKER | B | | 35 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 36.00 | | 42.76 | MP MARKER | B | | 36 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 36.14 | | 42.90 | INTRSECTN | R | | E ELM RD | CO | | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | ST | | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |

| INTERSECTION DETAIL | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | | | |
|---------------------|---|----------------------|--------|--------|-------|------------------------------|--------|--------|--------|--------|----|
| SRMP | B | ARM | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- | |
| | | | LGT | WD | LGT | WD | LGT | WD | LGT | WD | |
| 30.17 | | 36.93 | | | | | .33 | 13 | | | |
| 30.18 | | 36.94 | .13 | 12 | .15 | 12 | .12 | 12 | .15 | 12 | |
| 30.20 | | 36.96 | | | | | | | .34 | 13 | |
| 32.30 | | 39.06 | | | | | | | .34 | 13 | |
| 32.30 | | 39.06 | | | | | .32 | 13 | | .32 | 13 |
| 32.31 | | 39.07 | .13 | 12 | .15 | 12 | .13 | 12 | .12 | 12 | |
| 32.33 | | 39.09 | | | | | | | | .20 | 13 |
| 34.15 | | 40.91 | .04 | 12 | | | .04 | 13 | | | |
| 36.14 | | 42.90 | | | .15 | 12 | .13 | 12 | | .33 | 13 |

SR 395 MAINLINE

U.S. ROUTE - USSH

COUNTY FRANKLIN

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | |
|-------------------------|---|-------|------------|---|----|----------------------|-----|-----|--------------|---------|-----|---------|-----|---------|------|---------------------------|------|-----|-------|-----|-----|---|----|----------|----|---|----|----|---|----|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T |
| 55.44 | | 62.00 | MISC FEATR | R | | GORE (Q105573) | | | | 2 | 2 | 10A | 24A | 8A | 75S | DE | 4A | 24P | 10A | | 48 | 3 | 01 | 0265 | R1 | | | 70 | R | P |
| 55.48 | | 62.04 | OFF RAMP | L | | SR 260 | ST | | Y | | | | | | | | | | | | | | | | | | | | | |
| 55.73 | | 62.29 | ON RAMP | R | | SR 260 | ST | | Y | | | | | | | | | | | | | | | | | | | | | |
| 55.89 | | 62.45 | | | | | | | | 2 | 2 | 10A | 24A | 8A | 75S | BE | 4A | 24P | 10A | | 48 | 3 | 01 | 0265 | R1 | | | 70 | R | P |
| 55.92 | | 62.48 | BEG BRIDGE | D | | NORDHEIM RD | ST | | | 2 | 2 | \$\$\$C | 40P | \$\$\$C | 75O | \$\$ | 4A | 24P | 10A | | 64 | 3 | 01 | 0265 | R1 | | | 70 | R | P |
| | | | | | | BRDG NUM 395/120 | | | | | | | | | | | | | | | | | | | | | | | | |
| 55.94 | | 62.50 | END BRIDGE | D | | NORDHEIM RD | | | | 2 | 2 | 10A | 24A | 10A | 75S | BE | 4A | 24P | 10A | | 48 | 3 | 01 | 0265 | R1 | | | 70 | R | P |
| 55.99 | | 62.55 | | | | | | | | 2 | 2 | 10A | 24A | 10A | 75S | DE | 4A | 24P | 10A | | 48 | 3 | 01 | 0265 | R1 | | | 70 | R | P |
| 56.00 | | 62.56 | MP MARKER | B | | 56 | | | | | | | | | | | | | | | | | | | | | | | | |
| 56.32 | | 62.88 | LEAVE CITY | | | CONNELL | | | | 2 | 2 | 10A | 24A | 10A | 75S | DE | 4A | 24P | 10A | | 48 | 3 | 01 | \$\$\$\$ | R1 | | | 70 | R | \$ |
| 56.65 | | 63.21 | WYE CONN | L | | LIND RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | |
| 56.66 | | 63.22 | INTRSECTN | B | | LIND RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MED XROAD | ST | | Y | | | | | | | | | | | | | | | | | | | | | |
| 56.68 | | 63.24 | WYE CONN | R | | LIND RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | |
| 56.98 | | 63.54 | ENTER CITY | | | CONNELL | | | | 2 | 2 | 10A | 24A | 10A | 75S | DE | 4A | 24P | 10A | | 48 | 3 | 01 | 0265 | R1 | | | 70 | R | P |
| 57.00 | | 63.56 | MP MARKER | B | | 57 | | | | | | | | | | | | | | | | | | | | | | | | |
| 58.00 | | 64.56 | LEAVE CITY | | | CONNELL | | | | 2 | 2 | 10A | 24A | 10A | 75S | DE | 4A | 24P | 10A | | 48 | 3 | 01 | \$\$\$\$ | R1 | | | 70 | R | \$ |
| | | | MP MARKER | B | | 58 | | | | | | | | | | | | | | | | | | | | | | | | |
| 58.20 | | 64.76 | MED XING | C | | OFFICIAL | | | | | | | | | | | | | | | | | | | | | | | | |
| 59.00 | | 65.56 | MP MARKER | B | | 59 | | | | | | | | | | | | | | | | | | | | | | | | |
| 60.00 | | 66.56 | MP MARKER | B | | 60 | | | | | | | | | | | | | | | | | | | | | | | | |
| 61.00 | | 67.56 | MP MARKER | B | | 61 | | | | | | | | | | | | | | | | | | | | | | | | |
| 61.12 | | 67.68 | INTRSECTN | C | | MED XROAD | ST | | Y | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | B | | MUSE RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | |
| 61.21 | | 67.77 | | | | | | | | 2 | 2 | 8A | 24A | 8A | 75S | DE | 4A | 24P | 10A | | 48 | 3 | 01 | | R1 | | | 70 | R | |
| 61.24 | | 67.80 | END CTLSEC | | | CONTROL SECTION 1101 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | LEAVE CO | | | FRANKLIN | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|-------|-------|----------------------|--------|--------|--------|------------------------------|--------|--------|--------|
| | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B ARM | LGT WD | LGT WD | LGT WD | LGT WD | LGT WD | LGT WD | LGT WD | LGT WD |
| 56.65 | 63.21 | | | | | .30 | | | 12 |
| 56.66 | 63.22 | .14 | 13 | .04 | 13 | | | .03 | 12 |
| 61.12 | 67.68 | .03 | 13 | .03 | 13 | | | | |

SR 397 MAINLINE

STATE ROUTE - SRSH

COUNTY BENTON

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | |
|-------------------------|------|-----|------------|---|----|-------------------------|-----|-----|--------------|---------|-----|-----|-----|-----|------|---------------------------|-------|------|-------|-------|-----|----|----|-----|----|----|----|----|---|---|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | | LFT | RHT | | LFT | | RHT | USE | TOT | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | | T | P | S | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | |
| 0.00 | 0.00 | | BEG ROUTE | | | MAIN ROUTE | | | | 1 | 1 | | | | | | 8A | 24A | 8A | | | 24 | 3 | 01 | | U2 | | 40 | L | * | | |
| | | | BEG CTLSEC | | | SR 82 TO SR 182 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG ST | I | | CONTROL SECTION 0340 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | UXING | B | | LOCUST GROVE RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | SR 82 EB | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 082/268S | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.02 | 0.02 | | UXING | B | | SR 82 WB | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 082/268N | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.06 | 0.06 | | OFF RAMP | L | | SR 82 WB | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | ON RAMP | R | | SR 82 WB | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.09 | 0.09 | | END ST | I | | LOCUST GROVE RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG ST | I | | CR 397 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | BATEMAN RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | BOFER CANYON RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.26 | 0.26 | | | | | | | | | | | 1 | 1 | | | | 8A | 24A | 8A | | | 24 | 3 | 01 | | U2 | | 60 | L | * | | |
| 0.32 | 0.32 | | INTRSECTN | R | | CO RD | | | | | | N | 1 | 1 | | | 6A | 24A | 6A | | | 24 | 3 | 01 | | U2 | | 60 | L | * | | |
| 1.00 | 1.00 | | MP MARKER | R | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.99 | 1.99 | | MP MARKER | R | | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.43 | 2.43 | | INTRSECTN | R | | OWENS RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.99 | 2.99 | | MP MARKER | R | | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.09 | 3.09 | | INTRSECTN | L | | S OLYMPIA ST | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.00 | 5.00 | | MP MARKER | R | | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6.00 | 6.00 | | MP MARKER | R | | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7.00 | 7.00 | | MP MARKER | R | | 7 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7.22 | 7.22 | | INTRSECTN | B | | NINE CANYON RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7.23 | 7.23 | | WYE CONN | R | | NINE CANYON RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7.99 | 7.99 | | MP MARKER | R | | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8.37 | 8.37 | | END ST | I | | CR 397 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG ST | I | | FINLEY RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | FINLEY RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8.40 | 8.40 | | BEG BRIDGE | B | | K'WICK IRRIG DIST CANAL | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 397/002 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8.41 | 8.41 | | END BRIDGE | B | | K'WICK IRRIG DIST CANAL | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8.69 | 8.69 | | | | | | | | | | | 1 | 1 | | | | 6A | 24A | 6A | | | 24 | 3 | 01 | | U2 | | 45 | L | * | | |
| 8.70 | 8.70 | | | | | | | | | | | 1 | 1 | | | | \$\$C | 34A | \$\$C | | | 34 | 3 | 01 | | U2 | | 45 | L | * | | |

INTERSECTION DETAIL

| | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|------|-------|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B ARM | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 3.09 | 3.09 | .04 | 11 | | | | | | |
| 7.22 | 7.22 | .04 | 11 | | .04 | 11 | | | |
| 8.37 | 8.37 | | | | .04 | 11 | | | |

SR 397 MAINLINE

STATE ROUTE - SRSH

COUNTY BENTON

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | |
|-------------------------|-------|-----|-----------|---|----|---|-----|-----|--------------|---------|-----|-----|-----|-----|---------------|---------------------------|------|-----|-------|-----|-----|----|----|-----|----|----|----|---|---|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T |
| 12.33 | 12.33 | | INTRSECTN | B | | FINLEY RD | CO | Y | 1 | 1 | | | | | | | 8A | 24A | 8A | | 24 | 3 | 01 | | U3 | 50 | L | | * | |
| 12.35 | 12.35 | | WYE CONN | R | | FINLEY RD | CO | Y | 1 | 1 | | | | | | | 8A | 24B | 8A | | 24 | 3 | 01 | | U3 | 50 | L | | * | |
| 12.77 | 12.77 | | WYE CONN | R | | COCHRAN RD | CO | Y | | | | | | | | | | | | | | | | | | | | | | |
| 12.79 | 12.79 | | INTRSECTN | B | | COCHRAN RD | CO | Y | | | | | | | | | | | | | | | | | | | | | | |
| 12.81 | 12.81 | | WYE CONN | L | | COCHRAN RD | CO | Y | | | | | | | | | | | | | | | | | | | | | | |
| 13.00 | 13.00 | | MP MARKER | R | | 13 | | | | | | | | | | | | | | | | | | | | | | | | |
| 13.43 | 13.43 | | | | | | | | 1 | 1 | | | | | | | 8A | 24A | 8A | | 24 | 3 | 01 | | U3 | 50 | L | | * | |
| 13.44 | 13.44 | | WYE CONN | R | | BOWLES RD | CO | Y | | | | | | | | | | | | | | | | | | | | | | |
| 13.46 | 13.46 | | INTRSECTN | B | | BOWLES RD | CO | Y | | | | | | | | | | | | | | | | | | | | | | |
| 13.48 | 13.48 | | WYE CONN | L | | BOWLES RD | CO | Y | | | | | | | | | | | | | | | | | | | | | | |
| 13.50 | 13.50 | | | | | | | | 1 | 1 | | | | | | | 8A | 24B | 8A | | 24 | 3 | 01 | | U3 | 50 | L | | * | |
| 13.85 | 13.85 | | | | | | | | 1 | 1 | | | | | | | 8A | 24A | 8A | | 24 | 3 | 01 | | U3 | 50 | L | | * | |
| 13.89 | 13.89 | | INTRSECTN | B | | HANEY RD | CO | Y | | | | | | | | | | | | | | | | | | | | | | |
| 13.92 | 13.92 | | | | | | | | 1 | 1 | | | | | | | 8A | 24B | 8A | | 24 | 3 | 01 | | U3 | 50 | L | | * | |
| 13.99 | 13.99 | | MP MARKER | R | | 14 | | | | | | | | | | | | | | | | | | | | | | | | |
| 14.21 | 14.21 | | WYE CONN | R | | PERKINS RD | CO | Y | | | | | | | | | | | | | | | | | | | | | | |
| 14.23 | 14.23 | | INTRSECTN | B | | PERKINS RD | CO | Y | | | | | | | | | | | | | | | | | | | | | | |
| 14.25 | 14.25 | | WYE CONN | L | | PERKINS RD | CO | Y | | | | | | | | | | | | | | | | | | | | | | |
| 14.87 | 14.87 | | WYE CONN | R | | BRYSON BROWN RD | CO | Y | | | | | | | | | | | | | | | | | | | | | | |
| 14.89 | 14.89 | | INTRSECTN | R | | BRYSON BROWN RD | CO | Y | | | | | | | | | | | | | | | | | | | | | | |
| 14.98 | 14.98 | | INTRSECTN | R | | E 26TH AVE | CO | N | | | | | | | | | | | | | | | | | | | | | | |
| 14.99 | 14.99 | | MP MARKER | R | | 15 | | | | | | | | | | | | | | | | | | | | | | | | |
| 15.29 | 15.29 | | INTRSECTN | L | | E 25TH AVE | CO | Y | | | | | | | | | | | | | | | | | | | | | | |
| 15.52 | 15.52 | | INTRSECTN | L | | BERNATH RD | CO | N | | | | | | | | | | | | | | | | | | | | | | |
| 15.57 | 15.57 | | UXING | B | | UP RR | ST | | | | | | | | | | | | | | | | | | | | | | | |
| | | | RR XING | B | | BRDG NUM 397/005 NUM 090032B STRUCTURE | | | | | | | | | | | | | | | | | | | | | | | | |
| 15.70 | 15.70 | | | | | | | | 1 | 1 | | 8A | 12B | | 14S UP \$\$\$ | | 12B | 8A | | 24 | 3 | 01 | | U3 | 50 | L | | * | | |
| 15.75 | 15.75 | | | | | | | | 1 | 1 | | 8A | 12A | | 14S UP | | 12A | 8A | | 24 | 3 | 01 | | U3 | 50 | L | | * | | |
| 15.78 | 15.78 | | INTRSECTN | C | | MEDIAN XROAD | ST | N | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | FINLEY RD | CO | N | | | | | | | | | | | | | | | | | | | | | | |

| INTERSECTION DETAIL | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | | |
|---------------------|-------|----------------------|--------|--------|-------|------------------------------|--------|--------|--------|--------|
| SRMP | B | ARM | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| | | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 12.33 | 12.33 | | .05 | 12 | .05 | 12 | | | | |
| 12.79 | 12.79 | | .03 | 12 | .03 | 12 | | | | |
| 13.46 | 13.46 | | .03 | 12 | .03 | 12 | | | | |
| 13.89 | 13.89 | | .03 | 12 | .03 | 12 | .03 | 11 | | |
| 14.23 | 14.23 | | .03 | 12 | .05 | 12 | | | | |
| 14.89 | 14.89 | | | | .02 | 12 | | | | |
| 15.29 | 15.29 | | .03 | 12 | | | | | | |
| 15.78 | 15.78 | | | | .03 | 12 | | | | |

SR 397 MAINLINE

STATE ROUTE - SRSH

COUNTY BENTON

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | |
|-------------------------|---|-------|------------------|---|----|-----------------------|-----|-----|------------|---------|-----|--------|--------|-----|--------|---------------------------|-------|-----|-------|--------|-----|---|----|------|----|----|----|---|---|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE- | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T |
| 15.80 | | 15.80 | | | | | | | | 1 | 1 | 8A | 12A | | 38S | DE | | 12A | 8A | | 24 | 3 | 01 | | U3 | 50 | L | | * | |
| 15.82 | | 15.82 | | | | | | | | 1 | 1 | 8A | 12B | | 38S | DE | | 12B | 8A | | 24 | 3 | 01 | | U3 | 50 | L | | * | |
| 15.97 | | 15.97 | | | | | | | | 1 | 1 | \$\$\$ | \$\$\$ | | \$\$\$ | \$\$ | 4A | 24B | 4A | | 24 | 3 | 01 | | U3 | 50 | L | | * | |
| 15.99 | | 15.99 | MP MARKER | R | | 16 | | | | | | | | | | | | | | | | | | | | | | | | |
| 16.15 | | 16.15 | MISC FEATR | B | | CATTLE OXING | | | | 1 | 1 | | | | | | 4A | 24A | 4A | | 24 | 3 | 01 | | U3 | 50 | L | | * | |
| 16.16 | | 16.16 | | | | | | | | 1 | 1 | | | | | | 8A | 24A | 8A | | 24 | 3 | 01 | | U3 | 50 | L | | * | |
| 16.25 | | 16.25 | INTRSECTN | R | | S YEW ST | CO | | Y | 1 | 1 | | | | | | 8A | 24A | 8A | | 24 | 3 | 01 | | U3 | 40 | L | | * | |
| 16.54 | | 16.54 | RR XING | B | | NUM 090033H STRUCTURE | | | | 1 | 1 | | | | | | \$\$W | 32P | \$\$W | | 32 | 3 | 01 | | U3 | 40 | L | | * | |
| | | | BEG BRIDGE | B | | BNSF RR | ST | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BRDG NUM 397/010 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 16.59 | | 16.59 | END BRIDGE | B | | BNSF RR | | | | 1 | 1 | | | | | | 8A | 24A | 8A | | 24 | 3 | 01 | 0610 | U3 | 40 | L | B | * | |
| | | | ENTER CITY | | | KENNEWICK | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | MISC FEATR | R | | SGN ENT KENNEWICK | | | | | | | | | | | | | | | | | | | | | | | | |
| 16.66 | | 16.66 | INTRSECTN | L | | E 10TH AVE | CT | | Y | 1 | 1 | | | | | | 8A | 24A | 8A | | 24 | 3 | 01 | 0610 | U1 | 40 | L | B | * | |
| 16.67 | | 16.67 | WYE CONN | L | | E 10TH AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 16.68 | | 16.68 | | | | | | | | 1 | 1 | | | | | | \$\$C | 60A | \$\$C | | 60 | 3 | 01 | 0610 | U1 | 40 | L | B | * | |
| 16.71 | | 16.71 | BEG SU LN | C | | TWO WAY TURN | 12A | | | 2 | 2 | | | | | | C | 48A | C | 12 | 60 | 3 | 01 | 0610 | U1 | 40 | L | B | * | |
| 16.98 | | 16.98 | MP MARKER | R | | 17 | | | | | | | | | | | | | | | | | | | | | | | | |
| 17.23 | | 17.23 | END SU LN | C | | TWO WAY TURN | 12A | | | 2 | 2 | | | | | | C | 60A | C | \$\$\$ | 60 | 3 | 01 | 0610 | U1 | 35 | L | P | * | |
| | | | INTRSECTN | R | | E 3RD AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 17.32 | | 17.32 | BEG SU LN | C | | TWO WAY TURN | 12A | | | 2 | 2 | | | | | | C | 48A | C | 12 | 60 | 3 | 01 | 0610 | U1 | 35 | L | P | * | |
| 17.36 | | 17.36 | RR XING | B | | NUM 808955P GRADE | | | | | | | | | | | | | | | | | | | | | | | | |
| 17.40 | | 17.40 | END SU LN | C | | TWO WAY TURN | 12A | | | 2 | 2 | | | | | | C | 60A | C | \$\$\$ | 60 | 3 | 01 | 0610 | U1 | 35 | L | P | * | |
| 17.48 | | 17.48 | END ST | I | | CHEMICAL DR | | | | 2 | 2 | | | | | | C | 48A | C | 12 | 60 | 3 | 01 | 0610 | U1 | 35 | L | P | * | |
| | | | BEG SU LN | C | | TWO WAY TURN | 12A | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG ST | I | | GUM ST | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | E GUM ST-E 3RD AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | |
| 17.53 | | 17.53 | END SU LN | C | | TWO WAY TURN | 12A | | | 2 | 2 | | | | | | C | 60A | C | \$\$\$ | 60 | 3 | 01 | 0610 | U1 | 35 | L | P | * | |
| 17.59 | | 17.59 | BEG SU LN | L | | BICYCLE | 05A | | | 2 | 2 | | | | | | C | 56A | C | 10 | 66 | 3 | 01 | 0610 | U1 | 35 | L | P | * | |
| | | | BEG SU LN | R | | BICYCLE | 05A | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | C | | MEDIAN XROAD | | | | CT | SG | Y | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | B | | 1ST AVE | | | | CT | SG | Y | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|-------|-------|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B ARM | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 16.25 | 16.25 | | | .03 | 10 | | | | |
| 16.66 | 16.66 | .02 | 13 | | | | | .05 | 13 |
| 16.67 | 16.67 | | | | | | | .04 | 13 |
| 17.23 | 17.23 | | | .05 | 12 | | | | |
| 17.48 | 17.48 | .05 | 12 | .03 | 12 | | | | |
| 17.59 | 17.59 | .04 | 12 | .04 | 12 | | | | |

SR 397 MAINLINE

STATE ROUTE - SRSH

COUNTY FRANKLIN

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------|-----|--|---|----|--|-----|-----|------------|---------|-----|-----|-----|-----|---------------------------|------|------|-----|-------|-----|-----|---|-----|-----|----|---|----|---|----|------|----|--|----|---|---|---|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | T | P | S | | | | | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | | | | | | |
| 18.32 | 18.32 | | ENTER CO ENTER CITY BEG CTLSEC MISC FEATR | | | FRANKLIN PASCO CONTROL SECTION 1147 SGN ENT PASCO | | | | 2 | 2 | | | | C | 28A | | | 4A | WA | | | 28A | | C | | 56 | 3 | 01 | 0960 | U1 | | 40 | L | P | * | | |
| 18.56 | 18.56 | | END BRIDGE | B | | COLUMBIA RIVER | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 18.58 | 18.58 | | | | | | | | | 2 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 18.69 | 18.69 | | INTRSECTN | B | W | WASHINGTON ST | | | | CT | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 18.79 | 18.79 | | END ST | I | S | 10TH ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG ST | I | W | AINSWORTH ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | W | AINSWORTH ST | | | | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | S | 10TH AVE | | | | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 18.86 | 18.86 | | INTRSECTN | B | S | 9TH AVE | | | | CT | Y | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 18.87 | 18.87 | | WYE CONN | R | S | 9TH AVE | | | | CT | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 18.93 | 18.93 | | INTRSECTN | L | S | 8TH AVE | | | | CT | Y | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 18.99 | 18.99 | | INTRSECTN | L | S | 7TH LN | | | | CT | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.00 | 19.00 | | MP MARKER | R | | 19 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.01 | 19.01 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.03 | 19.03 | | END ST | I | W | AINSWORTH ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG ST | I | E | AINSWORTH ST | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | S | 7TH AVE | | | | CT | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.12 | 19.12 | | INTRSECTN | R | S | 4TH AVE | | | | CT | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.14 | 19.14 | | WYE CONN | R | S | 4TH AVE | | | | CT | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.23 | 19.23 | | BEG BRIDGE | B | S | 4TH AVE-BN RR | | | | ST | | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 397/030 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.26 | 19.26 | | RR XING | B | | NUM 089708K STRUCTURE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.27 | 19.27 | | END BRIDGE | B | S | 4TH AVE-BN RR | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.45 | 19.45 | | INTRSECTN | R | S | 2ND AVE | | | | CT | Y | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | ENT/EXIT | L | | BUSINESS | | | | PV | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.49 | 19.49 | | BEG SU LN | C | | TWO WAY TURN | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.51 | 19.51 | | INTRSECTN | R | S | GRAY AVE | | | | CT | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.53 | 19.53 | | INTRSECTN | L | S | GRAY AVE | | | | CT | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.55 | 19.55 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.69 | 19.69 | | INTRSECTN | L | | MAITLAND AVE | | | | CT | Y | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.79 | 19.79 | | END SU LN | C | | TWO WAY TURN | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | | |
|-------|-------|--|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|----|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- | |
| | | | | LGT | WD | LGT | WD | LGT | WD | LGT | WD | |
| 18.69 | 18.69 | | | .02 | 11 | | | | | | | |
| 18.79 | 18.79 | | | .02 | 11 | | | | | | .02 | 12 |
| 19.12 | 19.12 | | | | | .03 | 12 | | | | .03 | 12 |
| 19.45 | 19.45 | | | .02 | 12 | | | | | | .02 | 12 |

SR 397 MAINLINE

STATE ROUTE - SRSH

COUNTY FRANKLIN

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | |
|-------------------------|-------|-----------|---------|---|----|-------------|-----|-----|------------|---------|-----|-----|-----|-----|---------------------------|------|------|-----|-------|--------|-----|----|----|-----|------|----|----|----|---|---|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | |
| 19.86 | 19.86 | WYE CONN | L | SR 397 | ST | Y | 1 | 1 | | | | C | 48A | C | | | 48 | 3 | 01 | 0960 | U1 | | | 40 | L | B | * | | | | |
| 19.87 | 19.87 | END ST | I | E AINSWORTH ST | | | 2 | 2 | | | | C | 48A | C | | | 48 | 3 | 01 | 0960 | U1 | | | 40 | L | P | * | | | | |
| | | BEG ST | I | S OREGON AVE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | INTRSECTN | R | E AINSWORTH ST | CT | SS | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.88 | 19.88 | WYE CONN | R | E AINSWORTH ST | CT | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | WYE CONN | L | SR 397 | ST | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19.98 | 19.98 | MP MARKER | R | 20 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20.23 | 20.23 | RR XING | B | NUM 922984K GRADE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20.26 | 20.26 | RR XING | B | NUM 101356M GRADE | | | 2 | 2 | | | | | | | | | C | 52A | C | | | 52 | 3 | 01 | 0960 | U1 | | 40 | L | P | * |
| 20.44 | 20.44 | WYE CONN | R | E A ST | CT | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20.47 | 20.47 | INTRSECTN | B | E A ST | CT | SG | Y | 2 | 2 | | | | | | | | C | 62A | C | | | 62 | 3 | 01 | 0960 | U1 | | 40 | L | B | * |
| 20.55 | 20.55 | BEG SU LN | C | TWO WAY TURN | | | 14A | | 2 | 2 | | | | | | | C | 48A | C | 14 | | 62 | 3 | 01 | 0960 | U1 | | 40 | L | B | * |
| 20.61 | 20.61 | INTRSECTN | L | E HOLDEN ST | CT | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20.68 | 20.68 | INTRSECTN | B | E LYTLE ST | CT | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20.75 | 20.75 | INTRSECTN | B | E MARVIN ST | CT | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20.82 | 20.82 | INTRSECTN | B | E HAGERMAN ST | CT | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20.89 | 20.89 | INTRSECTN | B | E COLUMBIA ST | CT | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 20.91 | 20.91 | END SU LN | C | TWO WAY TURN | | | 14A | | 2 | 2 | | | | | | | C | 62A | C | \$\$\$ | | 62 | 3 | 01 | 0960 | U1 | | 40 | L | B | * |
| 20.97 | 20.97 | END ST | I | S OREGON AVE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | BEG ST | I | N OREGON AVE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | INTRSECTN | B | E LEWIS ST | CT | SG | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| 20.98 | 20.98 | MP MARKER | R | 21 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 21.03 | 21.03 | BEG SU LN | C | TWO WAY TURN | | | 14A | | 2 | 2 | | | | | | | C | 48A | C | 14 | | 62 | 3 | 01 | 0960 | U1 | | 40 | L | B | * |
| 21.04 | 21.04 | INTRSECTN | B | E CLARK ST | CT | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 21.11 | 21.11 | END SU LN | C | TWO WAY TURN | | | 14A | | 2 | 2 | | | | | | | C | 62A | C | \$\$\$ | | 62 | 3 | 01 | 0960 | U1 | | 40 | L | B | * |
| | | INTRSECTN | B | E BONNEVILLE ST | CT | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 21.14 | 21.14 | ENT/EXIT | L | FIRE STATION | CT | FS | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| 21.18 | 21.18 | BEG SU LN | C | TWO WAY TURN | | | 14A | | 2 | 2 | | | | | | | C | 48A | C | 14 | | 62 | 3 | 01 | 0960 | U1 | | 40 | L | B | * |
| 21.26 | 21.26 | END SU LN | C | TWO WAY TURN | | | 14A | | 2 | 2 | | | | | | | C | 62A | C | \$\$\$ | | 62 | 3 | 01 | 0960 | U1 | | 40 | L | B | * |
| 21.33 | 21.33 | INTRSECTN | R | E BROADWAY ST | CT | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | ENT/EXIT | L | BUSINESS | PV | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 21.40 | 21.40 | BEG SU LN | C | TWO WAY TURN | | | 14A | | 2 | 2 | | | | | | | C | 48A | C | 14 | | 62 | 3 | 01 | 0960 | U1 | | 40 | L | B | * |
| 21.47 | 21.47 | INTRSECTN | B | E SPOKANE ST | CT | Y | | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|-------|-------|-----|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B | ARM | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 19.87 | 19.87 | | | .02 | 12 | | | | | | |
| 20.47 | 20.47 | | | | | .04 | 14 | | | | |
| 20.97 | 20.97 | | | .03 | 14 | .04 | 14 | | | | |
| 21.11 | 21.11 | | | | | .04 | 14 | | | | |
| 21.33 | 21.33 | | | .03 | 14 | .03 | 14 | | | | |

SR 397 MAINLINE

STATE ROUTE - SRSH

COUNTY FRANKLIN

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------|-----|------------|---|----|-----------------------|-----|-----|------------|---------|-----|-----|-----|-----|------|---------------------------|------|-----|-------|-----|-----|-----|--------|-----|----|------|------|----|----|---|---|---|--|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | | | |
| 21.54 | 21.54 | | END SU LN | C | | TWO WAY TURN | 14A | | | 2 | 2 | | | | | | | | | C | 62A | C | \$\$\$ | 62 | 3 | 01 | 0960 | U1 | 40 | L | B | * | | | |
| 21.61 | 21.61 | | INTRSECTN | B | | E SALT LAKE ST | | | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| 21.68 | 21.68 | | BEG SU LN | C | | TWO WAY TURN | 14A | | | 2 | 2 | | | | | | | | | C | 48A | C | 14 | 62 | 3 | 01 | 0960 | U1 | 40 | L | B | * | | | |
| 21.76 | 21.76 | | END SU LN | C | | TWO WAY TURN | 14A | | | 2 | 2 | | | | | | | | | C | 62A | C | \$\$\$ | 62 | 3 | 01 | 0960 | U1 | 40 | L | B | * | | | |
| | | | INTRSECTN | R | | E SUPERIOR ST | | | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| 21.84 | 21.84 | | | | | | | | | 2 | 2 | | C | 24A | | 1A | CU | | | \$ | 24A | C | | 48 | 3 | 01 | 0960 | U1 | 40 | L | B | * | | | |
| 21.86 | 21.86 | | ENT/EXIT | L | | CITY VIEW CEMETERY | | | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| 21.92 | 21.92 | | INTRSECTN | L | | IDAHO ST | | | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| 21.99 | 21.99 | | MP MARKER | R | | 22 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 22.00 | 22.00 | | | | | | | | | 2 | 2 | | C | 24A | | 14S | CU | | | | 24A | C | | 48 | 3 | 01 | 0960 | U1 | 40 | L | B | * | | | |
| 22.03 | 22.03 | | | | | | | | | 2 | 2 | | C | 24A | | 14A | UP | | | | 24A | C | | 48 | 3 | 01 | 0960 | U1 | 40 | L | B | * | | | |
| 22.09 | 22.09 | | WYE CONN | R | | E JAMES ST | | | CT | Y | 2 | 2 | 10A | 24A | | 14S | CU | | | 24A | C | | 48 | 3 | 01 | 0960 | U1 | 40 | L | B | * | | | | |
| 22.10 | 22.10 | | INTRSECTN | B | | E JAMES ST | | | CT | Y | 2 | 2 | 10A | 24A | | 14S | CU | | | 24A | 10A | | 48 | 3 | 01 | 0960 | U1 | 40 | L | B | * | | | | |
| 22.11 | 22.11 | | | | | | | | | 2 | 2 | 10A | 24A | | | 4A | UP | | | | 24A | 10A | | 48 | 3 | 01 | 0960 | U1 | 40 | L | B | * | | | |
| 22.13 | 22.13 | | OFF RAMP | R | | SR 182 | | | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | ON RAMP | L | | SR 182 | | | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| 22.18 | 22.18 | | MISC FEATR | R | | GORE (SR 182 Q101462) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 22.19 | 22.19 | | MISC FEATR | L | | GORE (SR 182 P101411) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 22.27 | 22.27 | | MISC FEATR | R | | GORE (SR 182 P501443) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 22.28 | 22.28 | | MISC FEATR | L | | GORE (SR 182 Q501433) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 22.31 | 22.31 | | END ST | I | | N OREGON AVE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | ON RAMP | R | | SR 182 | | | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | OFF RAMP | L | | SR 182 | | | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | MISC FEATR | B | | SR 182 OXING SPS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | END CTLSEC | | | CONTROL SECTION 1147 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | END ROUTE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | | | |
|-------|-------|-----|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|-----|----|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- | | |
| SRMP | B | ARM | | LGT | WD | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 21.61 | 21.61 | | | .04 | 14 | | | .04 | 14 | | | | |
| 21.76 | 21.76 | | | | | .04 | 14 | | | | | | |
| 21.86 | 21.86 | | | .03 | 14 | | | | | | | | |
| 21.92 | 21.92 | | | .04 | 14 | | | .04 | 12 | | | .05 | 14 |
| 22.09 | 22.09 | | | | | .06 | 12 | | | | | | |

SR 410 MAINLINE

STATE ROUTE - SRSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | |
|-------------------------|---|-------|------------|---|----|--------------------------|-----|-----|------------|---------|-----|-----|-----|-----|---------------------------|------|---------|-----|---------|--------|-----|----|----|-----|----|----|----|----|---|---|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | T | P | S | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | |
| 69.21 | | 60.32 | BEG ROUTE | | | MAIN ROUTE | | | | 1 | 1 | | | | | | 2B | 22B | 2B | | | 22 | 2 | 03 | | R3 | | 35 | M | | |
| | | | BEG CTLSEC | | | SR 167/SUMNER TO SR 12 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | UXING | B | | CONTROL SECTION 3905 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | MISC FEATR | B | | BRDG NUM 410/073 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | SGN CHINOOK PASS EL 5430 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 69.27 | | 60.38 | | | | | | | | 1 | 1 | | | | | | 1B | 24B | 3B | | | 24 | 2 | 03 | | R3 | | 35 | M | | |
| 69.37 | | 60.48 | ENT/EXIT | R | | SCENIC VIEWPOINT | | | | ST | N | | | | | | | | | | | | | | | | | | | | |
| 69.44 | | 60.55 | ENT/EXIT | R | | SCENIC VIEWPOINT | | | | ST | N | | | | | | | | | | | | | | | | | | | | |
| 69.45 | | 60.56 | ENT/EXIT | L | | ROADSIDE PARK | | | | ST | N | 1 | 1 | | | | 1B | 22B | 4B | | | 22 | 2 | 03 | | R3 | | 35 | M | | |
| 69.59 | | 60.70 | | | | | | | | | | 1 | 1 | | | | 1B | 22B | 4B | | | 22 | 2 | 03 | | R3 | | 50 | M | | |
| 69.67 | | 60.78 | | | | | | | | | | 1 | 1 | | | | 3B | 22B | 3B | | | 22 | 2 | 03 | | R3 | | 50 | M | | |
| 70.04 | | 61.15 | MP MARKER | R | | 70 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 70.82 | | 61.93 | | | | | | | | | | 1 | 1 | | | | 3B | 22B | 20B | | | 22 | 2 | 03 | | R3 | | 50 | M | | |
| 71.01 | | 62.12 | MP MARKER | R | | 71 | | | | | | 1 | 1 | | | | 3B | 22B | 3B | | | 22 | 2 | 03 | | R3 | | 50 | M | | |
| 72.00 | | 63.11 | MP MARKER | R | | 72 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 72.98 | | 64.09 | MP MARKER | R | | 73 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 73.97 | | 65.08 | MP MARKER | R | | 74 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 74.53 | | 65.64 | MISC FEATR | B | | GATE (CLOSED IN WINTER) | | | | | | | | | | | | | | | | | | | | | | | | | |
| 74.56 | | 65.67 | BEG SU LN | R | | CHAIN UP | | | 13B | | | 1 | 1 | | | | 3B | 22B | \$\$\$ | 13 | | 35 | 2 | 03 | | R3 | | 50 | M | | |
| 74.57 | | 65.68 | BEG SU LN | L | | CHAIN UP | | | 20B | | | 1 | 1 | | | | \$\$\$ | 22B | | 33 | | 55 | 2 | 03 | | R3 | | 50 | M | | |
| 74.61 | | 65.72 | END SU LN | R | | CHAIN UP | | | 13B | | | 1 | 1 | | | | | 22B | 3B | 20 | | 42 | 2 | 03 | | R3 | | 50 | M | | |
| 74.69 | | 65.80 | END SU LN | L | | CHAIN UP | | | 20B | | | 1 | 1 | | | | 3B | 22B | 3B | \$\$\$ | | 22 | 2 | 03 | | R3 | | 50 | M | | |
| 74.73 | | 65.84 | BEG BRIDGE | B | | MORSE CREEK | | | | ST | | 1 | 1 | | | | \$\$\$W | 32P | \$\$\$W | | | 32 | 2 | 03 | | R3 | | 50 | M | | |
| | | | | | | BRDG NUM 410/202 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 74.76 | | 65.87 | END BRIDGE | B | | MORSE CREEK | | | | | | 1 | 1 | | | | 3B | 22B | 3B | | | 22 | 2 | 03 | | R3 | | 50 | M | | |
| 74.84 | | 65.95 | INTRSECTN | L | | FS RD | | | | FS | N | | | | | | | | | | | | | | | | | | | | |
| 74.98 | | 66.09 | MP MARKER | R | | 75 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 75.95 | | 67.06 | MP MARKER | R | | 76 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 75.96 | | 67.07 | INTRSECTN | R | | MESATCHEE CRK RD | | | | FS | N | | | | | | | | | | | | | | | | | | | | |
| 75.99 | | 67.10 | BEG SU LN | L | | CHAIN UP | | | 13B | | | 1 | 1 | | | | \$\$\$ | 24B | 3B | 13 | | 37 | 2 | 03 | | R3 | | 50 | M | | |
| 76.00 | | 67.11 | BEG SU LN | R | | SLOW VEHICLE | | | 13B | | | 1 | 1 | | | | | 24B | \$\$\$ | 26 | | 50 | 2 | 03 | | R3 | | 50 | M | | |
| 76.11 | | 67.22 | END SU LN | L | | CHAIN UP | | | 13B | | | 1 | 1 | | | | 2B | 24B | | 13 | | 37 | 2 | 03 | | R3 | | 50 | M | | |
| 76.15 | | 67.26 | END SU LN | R | | SLOW VEHICLE | | | 13B | | | 1 | 1 | | | | 2B | 24B | 2B | \$\$\$ | | 24 | 2 | 03 | | R3 | | 50 | M | | |
| 76.62 | | 67.73 | BEG BRIDGE | B | | AMERICAN RIVER | | | | ST | | 1 | 1 | | | | \$\$\$W | 32P | \$\$\$W | | | 32 | 2 | 03 | | R3 | | 50 | M | | |
| | | | | | | BRDG NUM 410/206 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 76.65 | | 67.76 | END BRIDGE | B | | AMERICAN RIVER | | | | | | 1 | 1 | | | | 2B | 24B | 2B | | | 24 | 2 | 03 | | R3 | | 50 | M | | |
| 76.70 | | 67.81 | ENT/EXIT | R | | LODGEPOLE CAMPSITE | | | | FS | N | 1 | 1 | | | | 15B | 24B | 2B | | | 24 | 2 | 03 | | R3 | | 50 | M | | |
| 76.71 | | 67.82 | ENT/EXIT | L | | LODGEPOLE CAMPSITE | | | | FS | N | | | | | | | | | | | | | | | | | | | | |
| 76.78 | | 67.89 | | | | | | | | | | 1 | 1 | | | | 2B | 24B | 2B | | | 24 | 2 | 03 | | R3 | | 50 | M | | |
| 76.92 | | 68.03 | BEG SU LN | L | | SLOW VEHICLE | | | 13B | | | 1 | 1 | | | | \$\$\$ | 24B | 2B | 13 | | 37 | 2 | 03 | | R3 | | 50 | M | | |
| 76.94 | | 68.05 | MP MARKER | R | | 77 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 77.07 | | 68.18 | END SU LN | L | | SLOW VEHICLE | | | 13B | | | 1 | 1 | | | | 2B | 24B | 2B | \$\$\$ | | 24 | 2 | 03 | | R3 | | 50 | M | | |

SR 410 MAINLINE

STATE ROUTE - SRSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | |
|-------------------------|---|-------|------------|---|----|--------------------------|-------------|----|----|-------------|---|-----|-----|-----|------|----|---------------------------|-----|--------|--------|-----|-------|----|-----|----|---|----|---|---|---|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE- | | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | | LFT RHT | | | LFT RHT | | | USE | | TOT | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | | SHD RDY SHD | | | SHD RDY SHD | | | LNS | | RDY | | MTCE | | CITY | | ST | LEGAL | | T | P | S | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | |
| 77.15 | | 68.26 | | | | | | | | 1 | 1 | | | | | | 2B | 24B | 2B | | 24 | 2 | 03 | | R3 | | 50 | M | | | | |
| 77.66 | | 68.77 | | | | | | | | 1 | 1 | | | | | | 2B | 24B | 19B | | 24 | 2 | 03 | | R3 | | 50 | M | | | | |
| 77.86 | | 68.97 | | | | | | | | 1 | 1 | | | | | | 2B | 24B | 2B | | 24 | 2 | 03 | | R3 | | 50 | M | | | | |
| 77.94 | | 69.05 | MP MARKER | | R | 78 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 77.96 | | 69.07 | BEG BRIDGE | | B | AMERICAN RIVER | | | ST | 1 | 1 | | | | | | \$\$W | 32P | \$\$W | | 32 | 2 | 03 | | R3 | | 50 | M | | | | |
| | | | | | | BRDG NUM 410/207 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 78.00 | | 69.11 | END BRIDGE | | B | AMERICAN RIVER | | | | 1 | 1 | | | | | | 2B | 24B | 2B | | 24 | 2 | 03 | | R3 | | 50 | M | | | | |
| 78.54 | | 69.65 | INTRSECTN | | L | UNION CREEK TRAIL #956 | | | FS | | N | | | | | | | | | | | | | | | | | | | | | |
| 78.57 | | 69.68 | BEG BRIDGE | | B | UNION CREEK | | | ST | 1 | 1 | | | | | | \$\$W | 32P | \$\$W | | 32 | 2 | 03 | | R3 | | 50 | M | | | | |
| | | | | | | BRDG NUM 410/208 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 78.59 | | 69.70 | END BRIDGE | | B | UNION CREEK | | | | 1 | 1 | | | | | | 2B | 24B | 2B | | 24 | 2 | 03 | | R3 | | 50 | M | | | | |
| 78.98 | | 70.09 | MP MARKER | | R | 79 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 79.98 | | 71.09 | MP MARKER | | R | 80 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 80.13 | | 71.24 | BEG SU LN | | L | SLOW VEHICLE | | | | 1 | 1 | | | | | | \$\$\$ | 24B | 2B | 13 | 37 | 2 | 03 | | R3 | | 50 | M | | | | |
| 80.25 | | 71.36 | ENT/EXIT | | R | PLEASANT VALLEY CAMPGRND | | | FS | | N | | | | | | | | | | | | | | | | | | | | | |
| 80.36 | | 71.47 | END SU LN | | L | SLOW VEHICLE | | | | 1 | 1 | | | | | | 2B | 24B | 2B | \$\$\$ | 24 | 2 | 03 | | R3 | | 50 | M | | | | |
| 80.98 | | 72.09 | MP MARKER | | R | 81 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 81.07 | | 72.18 | BEG SU LN | | R | SLOW VEHICLE | | | | 1 | 1 | | | | | | 2B | 24B | \$\$\$ | 14 | 38 | 2 | 03 | | R3 | | 50 | M | | | | |
| 81.31 | | 72.42 | END SU LN | | R | SLOW VEHICLE | | | | 1 | 1 | | | | | | 2B | 24B | 2B | \$\$\$ | 24 | 2 | 03 | | R3 | | 50 | M | | | | |
| 81.44 | | 72.55 | INTRSECTN | | L | CROW LAKE TRAIL #953 | | | FS | | N | | | | | | | | | | | | | | | | | | | | | |
| 81.98 | | 73.09 | MP MARKER | | R | 82 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 82.75 | | 73.86 | INTRSECTN | | L | FIFES RIDGE TRAIL | | | FS | | N | | | | | | | | | | | | | | | | | | | | | |
| 82.96 | | 74.07 | MP MARKER | | R | 83 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 83.39 | | 74.50 | | | | | | | | 1 | 1 | | | | | | 2B | 24B | 37B | | 24 | 2 | 03 | | R3 | | 50 | M | | | | |
| 83.43 | | 74.54 | INTRSECTN | | L | PLEASANT VALLEY LOOP TRL | | | FS | | N | 1 | 1 | | | | 2B | 24B | 2B | | 24 | 2 | 03 | | R3 | | 50 | M | | | | |
| 83.47 | | 74.58 | BEG BRIDGE | | B | AMERICAN RIVER | | | ST | 1 | 1 | | | | | | \$\$W | 36A | \$\$W | | 36 | 2 | 03 | | R3 | | 50 | M | | | | |
| | | | | | | BRDG NUM 410/214 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 83.49 | | 74.60 | END BRIDGE | | B | AMERICAN RIVER | | | | 1 | 1 | | | | | | 2B | 24B | 38B | | 24 | 2 | 03 | | R3 | | 50 | M | | | | |
| 83.52 | | 74.63 | | | | | | | | 1 | 1 | | | | | | 2B | 24B | 2B | | 24 | 2 | 03 | | R3 | | 50 | M | | | | |
| 83.56 | | 74.67 | ENT/EXIT | | L | HELLS CROSSING CAMPGRND | | | FS | | N | | | | | | | | | | | | | | | | | | | | | |
| 83.96 | | 75.07 | MP MARKER | | R | 84 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 84.09 | | 75.20 | BEG BRIDGE | | B | AMERICAN RIVER | | | ST | 1 | 1 | | | | | | \$\$W | 34P | \$\$W | | 34 | 2 | 03 | | R3 | | 50 | M | | | | |
| | | | | | | BRDG NUM 410/215 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 84.13 | | 75.24 | END BRIDGE | | B | AMERICAN RIVER | | | | 1 | 1 | | | | | | 2B | 24B | 2B | | 24 | 2 | 03 | | R3 | | 50 | M | | | | |
| 84.48 | | 75.59 | | | | | | | | 1 | 1 | | | | | | 2B | 24B | 4B | | 24 | 2 | 03 | | R3 | | 50 | M | | | | |
| 84.56 | | 75.67 | | | | | | | | 1 | 1 | | | | | | 2B | 24B | 2B | | 24 | 2 | 03 | | R3 | | 50 | M | | | | |
| 84.97 | | 76.08 | MP MARKER | | R | 85 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 85.97 | | 77.08 | MP MARKER | | R | 86 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 86.22 | | 77.33 | ENT/EXIT | | R | PINE NEEDLE CAMPGROUND | | | FS | | N | | | | | | | | | | | | | | | | | | | | | |
| 86.23 | | 77.34 | INTRSECTN | | L | FS RD | | | FS | | N | | | | | | | | | | | | | | | | | | | | | |
| 86.97 | | 78.08 | MP MARKER | | R | 87 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 87.97 | | 79.08 | MP MARKER | | R | 88 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 88.44 | | 79.51 | EQUATION | | | 088.40 =088.44 | | | | 1 | 1 | | | | | | 3B | 22B | 3B | | 22 | 2 | 03 | | R3 | | 55 | M | | | | |

SR 410 MAINLINE

STATE ROUTE - SRSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | |
|-------------------------|---|-------|------------|---|----|-------------------------|-----|-----|------------|---------|-----|-----|-----|-----|---------------------------|-----|-------|------|-------|--------|-----|----|----|-----|----|----|----|----|---|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | | LFT | RHT | | LFT | | RHT | USE | TOT | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | | T | P | S | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T |
| 88.46 | | 79.53 | INTRSECTN | R | | BUMPING RIVER RD | CO | | N | 1 | 1 | | | | | | 3B | 22B | 3B | | | 22 | 2 | 03 | | R3 | | 55 | M | |
| 88.98 | | 80.05 | MP MARKER | R | | 89 | | | | | | | | | | | | | | | | | | | | | | | | |
| 89.34 | | 80.41 | ENT/EXIT | R | | INDIAN FLAT CAMPGROUND | FS | | N | | | | | | | | | | | | | | | | | | | | | |
| 89.97 | | 81.04 | MP MARKER | R | | 90 | | | | | | | | | | | | | | | | | | | | | | | | |
| 90.21 | | 81.28 | INTRSECTN | L | | FS ROAD | FS | | N | | | | | | | | | | | | | | | | | | | | | |
| 91.00 | | 82.07 | MP MARKER | R | | 91 | | | | | | | | | | | | | | | | | | | | | | | | |
| 91.47 | | 82.54 | INTRSECTN | R | | OLD RIVER RD | CO | | N | | | | | | | | | | | | | | | | | | | | | |
| 91.83 | | 82.90 | | | | | | | | 1 | 1 | | | | | | 5B | 23B | 5B | | | 23 | 2 | 03 | | R3 | | 55 | M | |
| 91.94 | | 83.01 | MP MARKER | R | | 92 | | | | | | | | | | | | | | | | | | | | | | | | |
| 92.04 | | 83.11 | BEG BRIDGE | B | | LITTLE NACHES RIVER | ST | | | 1 | 1 | | | | | | \$\$C | 32P | \$\$C | | | 32 | 2 | 03 | | R3 | | 55 | M | |
| | | | | | | BRDG NUM 410/220 | | | | | | | | | | | | | | | | | | | | | | | | |
| 92.07 | | 83.14 | END BRIDGE | B | | LITTLE NACHES RIVER | | | | 1 | 1 | | | | | | 5A | 23A | 5A | | | 23 | 2 | 03 | | R3 | | 55 | R | |
| 92.13 | | 83.20 | INTRSECTN | L | | LITTLE NACHES RD | CO | | N | | | | | | | | | | | | | | | | | | | | | |
| 92.20 | | 83.27 | | | | | | | | 1 | 1 | | | | | | 3A | 22A | 3A | | | 22 | 2 | 03 | | R3 | | 55 | R | |
| 92.76 | | 83.83 | BEG BRIDGE | B | | MILK CREEK | ST | | | 1 | 1 | | | | | | \$\$C | 30A | \$\$C | | | 30 | 2 | 03 | | R3 | | 55 | R | |
| | | | | | | BRDG NUM 410/225 | | | | | | | | | | | | | | | | | | | | | | | | |
| 92.77 | | 83.84 | END BRIDGE | B | | MILK CREEK | | | | 1 | 1 | | | | | | 3A | 22A | 3A | | | 22 | 2 | 03 | | R3 | | 55 | R | |
| 92.80 | | 83.87 | INTRSECTN | L | | MILK CREEK RD | PV | | N | | | | | | | | | | | | | | | | | | | | | |
| 93.00 | | 84.07 | MP MARKER | R | | 93 | | | | | | | | | | | | | | | | | | | | | | | | |
| 93.03 | | 84.10 | BEG SU LN | L | | SLOW VEHICLE | | | | 1 | 1 | | | | | | 3A | 22A | 3A | 11 | | 33 | 2 | 03 | | R3 | | 55 | R | |
| 93.32 | | 84.39 | ENT/EXIT | L | | SAWMILL FLAT PARKING | FS | | N | | | | | | | | | | | | | | | | | | | | | |
| 93.36 | | 84.43 | ENT/EXIT | R | | SAWMILL FLAT CAMPGROUND | FS | | N | | | | | | | | | | | | | | | | | | | | | |
| 93.54 | | 84.61 | END SU LN | L | | SLOW VEHICLE | | | | 1 | 1 | | | | | | 3A | 22A | 3A | \$\$\$ | | 22 | 2 | 03 | | R3 | | 55 | R | |
| 93.63 | | 84.70 | | | | | | | | 1 | 1 | | | | | | 8B | 22B | 8B | | | 22 | 2 | 03 | | R3 | | 55 | R | |
| 93.99 | | 85.06 | MP MARKER | R | | 94 | | | | | | | | | | | | | | | | | | | | | | | | |
| 94.89 | | 85.96 | INTRSECTN | L | | PINE CREEK RD | FS | | N | | | | | | | | | | | | | | | | | | | | | |
| 95.00 | | 86.07 | MP MARKER | R | | 95 | | | | | | | | | | | | | | | | | | | | | | | | |
| 95.43 | | 86.50 | INTRSECTN | R | | OLD RIVER RD | CO | | N | | | | | | | | | | | | | | | | | | | | | |
| 95.62 | | 86.69 | MISC FEATR | R | | SGN ENT CLIFFDELL | | | | | | | | | | | | | | | | | | | | | | | | |
| 95.64 | | 86.71 | | | | | | | | 1 | 1 | | | | | | 8B | 22B | 8B | | | 22 | 2 | 03 | | R3 | | 35 | R | |
| 95.67 | | 86.74 | INTRSECTN | L | | FS RD | FS | | N | | | | | | | | | | | | | | | | | | | | | |
| 95.98 | | 87.05 | MP MARKER | R | | 96 | | | | | | | | | | | | | | | | | | | | | | | | |
| 96.22 | | 87.29 | ENT/EXIT | R | | BUSINESS | PV | | N | | | | | | | | | | | | | | | | | | | | | |
| 96.39 | | 87.46 | INTRSECTN | L | | SPRING CREEK RD | FS | | N | | | | | | | | | | | | | | | | | | | | | |
| 96.41 | | 87.48 | | | | | | | | 1 | 1 | | | | | | 8B | 22B | 8B | | | 22 | 2 | 03 | | R3 | | 55 | R | |
| 96.44 | | 87.51 | MISC FEATR | L | | SGN ENT CLIFFDELL | | | | | | | | | | | | | | | | | | | | | | | | |
| 96.98 | | 88.05 | MP MARKER | R | | 97 | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|-------|---|-------|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B | ARM | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 96.22 | | 87.29 | | | | .03 | 9 | | | | |

SR 410 MAINLINE

STATE ROUTE - SRSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | |
|-------------------------|---|-------|------------|---|----|--------------------------|-----|-----|------------|---------|-----|-----|-----|-----|------|---------------------------|------|-----|-------|--------|-----|----|----|-----|----|----|----|----|---|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T |
| 97.05 | | 88.12 | | | | | | | | 1 | 1 | | | | | | 8B | 22B | 8B | | | 22 | 2 | 03 | | R3 | | 55 | R | |
| 97.97 | | 89.04 | MP MARKER | R | | 98 | | | | | | | | | | | | | | | | | | | | | | | | |
| 98.19 | | 89.26 | INTRSECTN | R | | OLD RIVER RD | CO | | N | | | | | | | | | | | | | | | | | | | | | |
| 98.53 | | 89.60 | INTRSECTN | R | | JEFFERSON RD | CO | | N | | | | | | | | | | | | | | | | | | | | | |
| 98.97 | | 90.04 | INTRSECTN | L | | GOLD CREEK RD | FS | | N | | | | | | | | | | | | | | | | | | | | | |
| 98.98 | | 90.05 | MP MARKER | R | | 99 | | | | | | | | | | | | | | | | | | | | | | | | |
| 99.30 | | 90.37 | ENT/EXIT | R | | DOT MAINT-FS CAMPGROUND | ST | | N | | | | | | | | | | | | | | | | | | | | | |
| 99.87 | | 90.94 | INTRSECTN | B | | FS RD | FS | | N | | | | | | | | | | | | | | | | | | | | | |
| 99.94 | | 91.01 | ENT/EXIT | L | | HISTORICAL MARKER | FS | | N | | | | | | | | | | | | | | | | | | | | | |
| 99.95 | | 91.02 | INTRSECTN | R | | FS RD | FS | | N | | | | | | | | | | | | | | | | | | | | | |
| 99.96 | | 91.03 | ENT/EXIT | L | | HISTORICAL MARKER | FS | | N | | | | | | | | | | | | | | | | | | | | | |
| 100.00 | | 91.07 | MP MARKER | R | | 100 | | | | | | | | | | | | | | | | | | | | | | | | |
| 100.03 | | 91.10 | MISC FEATR | L | | SGN WEN NAT FOREST BNDRY | | | | | | | | | | | | | | | | | | | | | | | | |
| 100.47 | | 91.54 | | | | | | | | 1 | 1 | | | | | | 3B | 22B | 3B | | | 22 | 2 | 03 | | R3 | | 55 | R | |
| 100.99 | | 92.06 | MP MARKER | R | | 101 | | | | | | | | | | | | | | | | | | | | | | | | |
| 101.98 | | 93.05 | MP MARKER | R | | 102 | | | | | | | | | | | | | | | | | | | | | | | | |
| 102.30 | | 93.37 | INTRSECTN | L | | ROCK CREEK RD | FS | | N | | | | | | | | | | | | | | | | | | | | | |
| 102.98 | | 94.05 | MP MARKER | R | | 103 | | | | | | | | | | | | | | | | | | | | | | | | |
| 103.21 | | 94.28 | INTRSECTN | L | | BALD MOUNTAIN RD | FS | | N | | | | | | | | | | | | | | | | | | | | | |
| 103.73 | | 94.80 | BEG SU LN | R | | WEAVING/SPEED CHANGE | 11B | | | 1 | 1 | | | | | | 3B | 22B | 3B | 11 | 33 | 2 | 03 | | R3 | | 55 | R | | |
| 103.78 | | 94.85 | BEG SU LN | L | | SLOW VEHICLE | 12B | | | 1 | 1 | | | | | | 1B | 22B | 3B | 23 | 45 | 2 | 03 | | R3 | | 55 | R | | |
| 103.95 | | 95.02 | MP MARKER | R | | 104 | | | | | | | | | | | | | | | | | | | | | | | | |
| 103.99 | | 95.06 | END SU LN | L | | SLOW VEHICLE | 12B | | | 1 | 1 | | | | | | 3B | 22B | 3B | 11 | 33 | 2 | 03 | | R3 | | 55 | R | | |
| 104.21 | | 95.28 | END SU LN | R | | WEAVING/SPEED CHANGE | 11B | | | 1 | 1 | | | | | | 3B | 22B | 3B | \$\$\$ | 22 | 2 | 03 | | R3 | | 55 | R | | |
| 104.22 | | 95.29 | INTRSECTN | R | | BED ROCK LN | PV | | N | | | | | | | | | | | | | | | | | | | | | |
| 104.50 | | 95.57 | | | | | | | | 1 | 1 | | | | | | 2B | 24B | 2B | | | 24 | 2 | 03 | | R3 | | 55 | R | |
| 104.57 | | 95.64 | INTRSECTN | R | | NILE RD | CO | | N | | | | | | | | | | | | | | | | | | | | | |
| 104.96 | | 96.03 | MP MARKER | R | | 105 | | | | | | | | | | | | | | | | | | | | | | | | |
| 105.46 | | 96.53 | ENT/EXIT | R | | DOT STOCKPILE | ST | | N | | | | | | | | | | | | | | | | | | | | | |
| 106.00 | | 97.07 | MP MARKER | R | | 106 | | | | | | | | | | | | | | | | | | | | | | | | |
| 106.99 | | 98.06 | MP MARKER | R | | 107 | | | | | | | | | | | | | | | | | | | | | | | | |
| 107.40 | | 98.47 | | | | | | | | 1 | 1 | | | | | | 3A | 22A | 5A | | | 22 | 2 | 03 | | R3 | | 55 | R | |
| 107.41 | | 98.48 | ENT/EXIT | L | | PUBLIC HUNTING | ST | | N | | | | | | | | | | | | | | | | | | | | | |
| 107.94 | | 99.01 | | | | | | | | 1 | 1 | | | | | | 16A | 22A | 5A | | | 22 | 2 | 03 | | R3 | | 55 | R | |
| 107.98 | | 99.05 | MP MARKER | R | | 108 | | | | | | | | | | | | | | | | | | | | | | | | |
| 108.02 | | 99.09 | | | | | | | | 1 | 1 | | | | | | 3A | 22A | 5A | | | 22 | 2 | 03 | | R3 | | 55 | R | |
| 108.45 | | 99.52 | INTRSECTN | R | | NILE RD | CO | | N | | | | | | | | | | | | | | | | | | | | | |

| INTERSECTION DETAIL | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|---------------------|---|-------|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B | ARM | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 108.45 | | 99.52 | | | | .03 | 11 | | | | |

SR 410 MAINLINE

STATE ROUTE - SRSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | |
|-------------------------|---|--------|------------|---|----|--------------------------|-----|-----|------------|---------|-----|-----|-----|-----|------|---------------------------|-------|------|-------|--------|-----|---|----|-----|----|---|----|---|---|---|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE- | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | | LFT | RHT | | LFT | | RHT | USE | TOT | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | | T | P | S | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | |
| 108.47 | | 99.54 | | | | | | | | 1 | 1 | | | | | | 3A | 22A | 5A | | 22 | 2 | 03 | | R3 | | 55 | R | | | | |
| 108.61 | | 99.68 | | | | | | | | 1 | 1 | | | | | | 3B | 22B | 3B | | 22 | 2 | 03 | | R3 | | 55 | R | | | | |
| 109.00 | | 100.07 | MP MARKER | R | | 109 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 109.99 | | 101.06 | MP MARKER | R | | 110 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 111.02 | | 102.09 | MP MARKER | R | | 111 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 111.99 | | 103.06 | MP MARKER | R | | 112 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 112.99 | | 104.06 | MP MARKER | R | | 113 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 113.98 | | 105.05 | MP MARKER | R | | 114 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 114.40 | | 105.47 | INTRSECTN | L | | MUD LAKE RD | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 115.03 | | 106.10 | MP MARKER | R | | 115 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 115.07 | | 106.14 | | | | | | | | 1 | 1 | | | | | | 2B | 22B | 4B | | 22 | 2 | 03 | | R3 | | 55 | R | | | | |
| 115.14 | | 106.21 | BEG SU LN | R | | WEAVING/SPEED CHANGE 11B | | | | 1 | 1 | | | | | | 2B | 22B | 4B | 11 | 33 | 2 | 03 | | R3 | | 55 | R | | | | |
| 115.69 | | 106.76 | END SU LN | R | | WEAVING/SPEED CHANGE 11B | | | | 1 | 1 | | | | | | 2B | 22B | 4B | \$\$\$ | 22 | 2 | 03 | | R3 | | 55 | R | | | | |
| 115.87 | | 106.94 | | | | | | | | 1 | 1 | | | | | | 3B | 22B | 3B | | 22 | 2 | 03 | | R3 | | 55 | R | | | | |
| 115.92 | | 106.99 | BEG BRIDGE | B | | NACHES SELAH CANAL | | | | 1 | 1 | | | | | | \$\$C | 24B | \$\$C | | 24 | 2 | 03 | | R3 | | 55 | R | | | | |
| | | | | | | BRDG NUM 410/255 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 115.93 | | 107.00 | END BRIDGE | B | | NACHES SELAH CANAL | | | | 1 | 1 | | | | | | 3B | 22B | 3B | | 22 | 2 | 03 | | R3 | | 55 | R | | | | |
| 116.00 | | 107.07 | MP MARKER | R | | 116 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 116.12 | | 107.19 | ENT/EXIT | L | | DOT MAINTENANCE SHOP | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 116.26 | | 107.33 | TRAF RCDR | B | | S818 7 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 116.36 | | 107.43 | WYE CONN | R | | SR 12 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 116.37 | | 107.44 | INTRSECTN | L | | OLD NACHES HWY | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | SR 12 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | END CTLSEC | | | CONTROL SECTION 3905 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | END ROUTE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|--------|---|--------|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B | ARM | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 116.36 | | 107.43 | | | | .02 | 12 | | | | |
| 116.37 | | 107.44 | | .03 | 12 | | | | | | |

SR 821 MAINLINE

STATE ROUTE - SRSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | | | |
|-------------------------|------|-----|--------------|---|----|-----------------------|-----|-----|-------------|---------|-----|-----|-----|-----|------|---------------------------|-------|------|-------|-------|-----|---|----|-----|----|---|----|---|---|---|--|--|--|--|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE- | | DECREAS/DIV | | | INCRAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | | LFT | RHT | | LFT | | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | | T | P | S | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | | | | |
| 0.00 | 0.00 | | BEG ROUTE | | | MAIN ROUTE | | | | 1 | 1 | | | | | | C | 46A | C | | 46 | 2 | 01 | | U2 | | 45 | R | | | | | | | | |
| | | | BEG CTLSEC | | | SR 82/YAKIMA TO SR 82 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE B | | | CONTROL SECTION 3913 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | SR 82 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 821/001 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.06 | 0.06 | | END BRIDGE B | | | SR 82 | | | | 1 | 1 | | | | | | 7A | 26A | 7A | | 26 | 2 | 01 | | U2 | | 45 | R | | | | | | | | |
| 0.09 | 0.09 | | ON RAMP | R | | SR 82 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | OFF RAMP | L | | SR 82 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.13 | 0.13 | | | | | | | | | 1 | 1 | | | | | | 9A | 24A | 9A | | 24 | 2 | 01 | | U2 | | 45 | R | | | | | | | | |
| 0.21 | 0.21 | | | | | | | | | 1 | 1 | | | | | | 9B | 24B | 9B | | 24 | 2 | 01 | | U2 | | 45 | R | | | | | | | | |
| 0.29 | 0.29 | | INTRSECTN | L | | SR 823-HARRISON RD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.43 | 0.43 | | BEG BRIDGE B | | | ROZA CANAL | | | | 1 | 1 | | | | | | \$\$C | 38A | \$\$C | | 38 | 2 | 01 | | U2 | | 45 | R | | | | | | | | |
| | | | | | | BRDG NUM 821/010 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.45 | 0.45 | | END BRIDGE B | | | ROZA CANAL | | | | 1 | 1 | | | | | | 7B | 24B | 7B | | 24 | 2 | 01 | | U3 | | 45 | R | | | | | | | | |
| 0.61 | 0.61 | | | | | | | | | 1 | 1 | | | | | | 6B | 24B | 6B | | 24 | 2 | 01 | | U3 | | 45 | R | | | | | | | | |
| 0.77 | 0.77 | | | | | | | | | 1 | 1 | | | | | | 5B | 24B | 5B | | 24 | 2 | 01 | | U3 | | 45 | R | | | | | | | | |
| 0.99 | 0.99 | | MP MARKER | L | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.01 | 1.01 | | INTRSECTN | B | | E POMONA RD | | | | CO | N | 1 | 1 | | | | 5B | 24B | 5B | | 24 | 2 | 01 | | R3 | | 45 | R | | | | | | | | |
| 1.77 | 1.77 | | INTRSECTN | R | | CORRIEDALE RD | | | | CO | N | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| 1.89 | 1.89 | | | | | | | | | 1 | 1 | | | | | | 4B | 24B | 4B | | 24 | 2 | 01 | | R3 | | 45 | R | | | | | | | | |
| 2.01 | 2.01 | | MP MARKER | L | | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.08 | 2.08 | | | | | | | | | 1 | 1 | | | | | | 3B | 24B | 2B | | 24 | 2 | 01 | | R3 | | 45 | R | | | | | | | | |
| 2.15 | 2.15 | | | | | | | | | 1 | 1 | | | | | | 4B | 24B | 4B | | 24 | 2 | 01 | | R3 | | 45 | R | | | | | | | | |
| 2.35 | 2.35 | | BEG BRIDGE B | | | SELAH CREEK | | | | 1 | 1 | | | | | | \$\$C | 24A | \$\$C | | 24 | 2 | 01 | | R3 | | 45 | R | | | | | | | | |
| | | | | | | BRDG NUM 821/015 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.36 | 2.36 | | END BRIDGE B | | | SELAH CREEK | | | | 1 | 1 | | | | | | 5B | 23B | 5B | | 23 | 2 | 01 | | R3 | | 45 | R | | | | | | | | |
| 2.39 | 2.39 | | | | | | | | | 1 | 1 | | | | | | 5B | 23A | 5B | | 23 | 2 | 01 | | R3 | | 45 | R | | | | | | | | |
| 2.43 | 2.43 | | MISC FEATR | R | | SGN ENT YAKIMA CANYON | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.61 | 2.61 | | INTRSECTN | R | | FRONTAGE RD | | | | ST | N | 1 | 1 | | | | 6B | 23A | 4B | | 23 | 2 | 01 | | R3 | | 45 | R | | | | | | | | |
| 3.01 | 3.01 | | MP MARKER | L | | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.77 | 3.77 | | | | | | | | | 1 | 1 | | | | | | 4B | 23A | 4B | | 23 | 2 | 01 | | R3 | | 45 | R | | | | | | | | |
| 3.99 | 3.99 | | MP MARKER | L | | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.08 | 4.08 | | | | | | | | | 1 | 1 | | | | | | 2B | 23A | 2B | | 23 | 2 | 01 | | R3 | | 45 | R | | | | | | | | |
| 4.65 | 4.65 | | MISC FEATR | L | | SGN ENT KITTITAS CO | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.82 | 4.82 | | END CTLSEC | | | CONTROL SECTION 3913 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | LEAVE CO | | | YAKIMA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|------|------|-----|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B | ARM | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 0.09 | 0.09 | | | .03 | 12 | | | | | | |
| 0.29 | 0.29 | | | .02 | 12 | | | | | | |

SR 823 MAINLINE

STATE ROUTE - SRSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | |
|-------------------------|------|-----|------------|---|----|-------------------------|-----|-----|------------|---------|-----|--------|--------|-----|---------------------------|--------|------|-----|-------|-----|-------|--------|----|-----|----|------|----|----|---|---|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | |
| 0.18 | 1.06 | | MISC FEATR | R | | GORE (P100016) | | | | 2 | 2 | 8A | 22A | | | 14A | JE | | | 22A | 8A | 44 | 2 | 01 | | U1 | 45 | R | | | |
| 0.19 | 1.07 | | ON RAMP | L | | GOLF COURSE LOOP RD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 0.20 | 1.08 | | MISC FEATR | L | | GORE (R500022) | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.21 | 1.09 | | MISC FEATR | R | | GORE (Q100022) | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.22 | 1.10 | | ON RAMP | R | | GOLF COURSE LOOP RD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | |
| | | | OFF RAMP | L | | GOLF COURSE LOOP RD | ST | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 0.24 | 1.12 | | BEG BRIDGE | I | | SLOUGH | ST | | | 2 | 2 | \$\$W | 34P | W | 14O | \$\$ | | | | C | 28A | \$\$C | 62 | 2 | 01 | | U1 | 45 | R | | |
| | | | BEG BRIDGE | D | | SLOUGH | ST | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 823/005E | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 823/005W | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.27 | 1.15 | | END BRIDGE | I | | SLOUGH | | | | 2 | 2 | 8A | 22A | \$ | 14A | JE | | | \$ | 22A | 8A | 44 | 2 | 01 | | U1 | 45 | R | | | |
| | | | END BRIDGE | D | | SLOUGH | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.36 | 1.24 | | BEG BRIDGE | D | | BN RR | ST | | | 2 | 2 | \$\$W | 34P | W | 14A | JE | | | | 22A | 8A | 56 | 2 | 01 | | U1 | 45 | R | | | |
| | | | | | | BRDG NUM 823/007W | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.38 | 1.26 | | BEG BRIDGE | I | | BN RR | ST | | | 2 | 2 | W | 34P | W | 14P | JE | | | C | 28A | \$\$C | 62 | 2 | 01 | | U1 | 45 | R | | | |
| | | | | | | BRDG NUM 823/007E | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | RR XING | B | | NUM 0000000 STRUCTURE | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.44 | 1.32 | | END BRIDGE | I | | BN RR | | | | 2 | 2 | 8A | 22A | \$ | 14A | JE | | | \$ | 22A | 8A | 44 | 2 | 01 | | U1 | 45 | R | | | |
| | | | END BRIDGE | D | | BN RR | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.58 | 1.46 | | BEG SU LN | C | | TWO WAY TURN | | 14A | | 2 | 2 | \$\$\$ | \$\$\$ | | \$\$\$ | \$\$\$ | | | 8A | 44A | 6A | 14 | 58 | 2 | 01 | | U1 | 45 | R | | |
| 0.59 | 1.47 | | | | | | | | | 2 | 2 | | | | | | | | 8A | 44A | 6A | 14 | 58 | 2 | 01 | | U1 | 35 | L | | |
| 0.63 | 1.51 | | ENTER CITY | | | SELAH | | | | 2 | 2 | | | | | | | | 8A | 58A | 6A | \$\$\$ | 58 | 2 | 01 | 1155 | U1 | 35 | L | P | |
| | | | END SU LN | C | | TWO WAY TURN | | 14A | | | | | | | | | | | | | | | | | | | | | | | |
| 0.64 | 1.52 | | | | | | | | | 2 | 2 | | | | | | | | 8A | 64A | \$\$C | | 64 | 2 | 01 | 1155 | U1 | 35 | L | P | |
| 0.66 | 1.54 | | | | | | | | | 2 | 2 | | | | | | | | \$\$C | 64A | C | | 64 | 2 | 01 | 1155 | U1 | 35 | L | P | |
| 0.68 | 1.56 | | BEG ST | I | | SO FIRST ST-SELAH LP RD | | | | 2 | 2 | | | | | | | | C | 60A | C | | 60 | 2 | 01 | 1155 | U1 | 35 | L | P | * |
| | | | INTRSECTN | R | | ELEVENTH AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | SOUTHERN AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 0.69 | 1.57 | | BEG SU LN | C | | TWO WAY TURN | | 12A | | 2 | 2 | | | | | | | | C | 48A | C | 12 | 60 | 2 | 01 | 1155 | U1 | 35 | L | P | * |
| 0.75 | 1.63 | | INTRSECTN | R | | TENTH AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 0.82 | 1.70 | | INTRSECTN | L | | PLEASANT AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 0.95 | 1.83 | | INTRSECTN | L | | RIVER VIEW AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 1.02 | 1.90 | | END SU LN | C | | TWO WAY TURN | | 12A | | 2 | 2 | | | | | | | | C | 60A | C | \$\$\$ | 60 | 2 | 01 | 1155 | U1 | 35 | L | P | * |
| 1.05 | 1.93 | | WYE CONN | R | | SR 823 | ST | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 1.06 | 1.94 | | END ST | I | | SO FIRST ST-SELAH LP RD | | | | 1 | 2 | | | | | | | | C | 58A | C | | 58 | 2 | 01 | 1155 | U1 | 35 | L | P | * |
| | | | BEG ST | I | | JIM CLEMENTS WAY | | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|------|-------|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B ARM | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 0.68 | 1.56 | .03 | 12 | | | | | | |
| 1.05 | 1.93 | | | .12 | 12 | | | | |

SR 823 MAINLINE

STATE ROUTE - SRSH

COUNTY YAKIMA

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | |
|-------------------------|------|-----|------------|---|----|-----------------------|-----|-----|------------|---------|-----|-----|-----|-----|------|---------------------------|-------|-----|-------|-----|-----|---|----|-----|----|----|----|---|---|---|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | T | P | S | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | |
| 2.74 | 3.56 | | WYE CONN | R | | SR 823 | ST | Y | 2 | 1 | | | | | | | C | 38A | 8A | | 38 | 2 | 01 | | U2 | 40 | L | | * | | |
| 2.82 | 3.64 | | END ST | I | | N WENAS RD | | | | 1 | 1 | | | | | | 8A | 24A | 8A | | 24 | 2 | 01 | | U2 | 40 | L | | * | | |
| | | | BEG ST | I | | HARRISON RD | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | N WENAS RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 2.84 | 3.66 | | WYE CONN | R | | SR 823 | ST | YS | Y | | | | | | | | | | | | | | | | | | | | | | |
| 2.86 | 3.68 | | WYE CONN | L | | N WENAS RD | CO | | Y | 1 | 1 | | | | | | 10B | 24B | 10B | | 24 | 2 | 01 | | U2 | 40 | L | | * | | |
| 3.00 | 3.82 | | MP MARKER | R | | 3 | | | | 1 | 1 | | | | | | 10B | 24B | 10B | | 24 | 2 | 01 | | U2 | 55 | L | | * | | |
| 3.17 | 3.99 | | ENT/EXIT | R | | INDUSTRIAL PARK | PV | | N | | | | | | | | | | | | | | | | | | | | | | |
| 3.40 | 4.22 | | INTRSECTN | L | | HARRISON HEIGHTS RD | PV | | N | | | | | | | | | | | | | | | | | | | | | | |
| 3.96 | 4.78 | | MP MARKER | R | | 4 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.98 | 4.80 | | RR XING | B | | NUM 085199C STRUCTURE | | | | 1 | 1 | | | | | | \$\$C | 32A | \$\$C | | 32 | 2 | 01 | | U2 | 55 | L | | * | | |
| | | | BEG BRIDGE | B | | HARRISON RR | ST | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 823/010 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.01 | 4.83 | | END BRIDGE | B | | HARRISON RR | | | | 1 | 1 | | | | | | 10B | 24B | 10B | | 24 | 2 | 01 | | U2 | 55 | L | | * | | |
| 4.24 | 5.06 | | BEG BRIDGE | B | | YAKIMA RIVER | ST | | | 1 | 1 | | | | | | \$\$C | 32A | \$\$C | | 32 | 2 | 01 | | U2 | 55 | L | | * | | |
| | | | | | | BRDG NUM 823/015 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.33 | 5.15 | | END BRIDGE | B | | YAKIMA RIVER | | | | 1 | 1 | | | | | | 10B | 24B | 10B | | 24 | 2 | 01 | | U2 | 55 | L | | * | | |
| 4.49 | 5.31 | | INTRSECTN | L | | RIVERS EDGE LN | PV | | N | | | | | | | | | | | | | | | | | | | | | | |
| 4.50 | 5.32 | | INTRSECTN | L | | POMONA RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | S POMONA RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | |
| 4.70 | 5.52 | | | | | | | | | 1 | 1 | | | | | | 10B | 24A | 10B | | 24 | 2 | 01 | | U2 | 55 | L | | * | | |
| 4.74 | 5.56 | | END ST | I | | HARRISON RD | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | B | | SR 821 | ST | SS | Y | | | | | | | | | | | | | | | | | | | | | | |
| | | | END CTLSEC | | | CONTROL SECTION 3941 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | END ROUTE | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|------|-------|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B ARM | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 3.17 | 3.99 | | | .02 | 12 | | | .04 | 12 |
| 4.49 | 5.31 | .01 | 11 | | | | | | |
| 4.50 | 5.32 | .01 | 11 | | | | | .02 | 11 |

SR 903 MAINLINE

STATE ROUTE - SRSH

COUNTY KITTITAS

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|------|-----|------------|---|----|------------------------|-----|-----|------------|---------|-----|-----|-----|-----|---------------------------|------|-------|-----|-------|--------|-----|---|----|------|----|---|----|---|---|---|--|--|--|--|--|--|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | T | P | S | | | | | | | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | | | | | | | |
| 0.00 | 0.00 | | BEG ROUTE | | | MAIN ROUTE | | | | 1 | 1 | | | | | | 7A | 24A | 7A | | 24 | 1 | 03 | | R3 | | 45 | L | | | | | | | | | | |
| | | | BEG CTLSEC | | | SR 970 TO FOREST BDRY | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | B | | SR 970 | | | | ST | SS | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.18 | 0.18 | | WYE CONN | L | | SR 903 | | | | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.19 | 0.19 | | INTRSECTN | R | | SR 903 SPCLEELM (SPUR) | | | | ST | SS | Y | 1 | 1 | | | 3A | 23A | 3A | | 23 | 1 | 03 | | R3 | | 45 | L | | | | | | | | | | |
| 0.21 | 0.21 | | WYE CONN | L | | SR 903 | | | | ST | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.30 | 0.30 | | | | | | | | | | | | 1 | 1 | | | 8A | 24A | 8A | | 24 | 1 | 03 | | R3 | | 45 | L | | | | | | | | | | |
| 0.50 | 0.50 | | INTRSECTN | R | | CLE ELUM AIRPORT RD | | | | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.66 | 0.66 | | MISC FEATR | R | | SGN ENT CLE ELUM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.81 | 0.81 | | ENTER CITY | | | CLE ELUM | | | | | | | 1 | 1 | | | 8A | 24A | 8A | | 24 | 1 | 03 | 0220 | R3 | | 30 | L | B | | | | | | | | | |
| 0.84 | 0.84 | | INTRSECTN | R | | SHORT AVE | | | | CT | | Y | 1 | 1 | | | 12A | 24A | 12A | | 24 | 1 | 03 | 0220 | R3 | | 30 | L | B | | | | | | | | | |
| 0.88 | 0.88 | | BEG ST | I | | FIRST ST E | | | | | | | 1 | 1 | | | 12A | 24A | 12A | | 24 | 1 | 03 | 0220 | R3 | | 30 | L | B | * | | | | | | | | |
| 0.96 | 0.96 | | INTRSECTN | R | | FLORAL AVE | | | | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.08 | 1.08 | | INTRSECTN | B | | COLUMBIA AVE | | | | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.19 | 1.19 | | INTRSECTN | B | | YAKIMA AVE | | | | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.31 | 1.31 | | INTRSECTN | R | | TEANAWAY AVE | | | | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.44 | 1.44 | | INTRSECTN | R | | MONTGOMERY AVE | | | | CT | | Y | 1 | 1 | | | \$\$C | 68A | \$\$C | | 68 | 1 | 03 | 0220 | R3 | | 25 | L | B | * | | | | | | | | |
| 1.46 | 1.46 | | BEG SU LN | C | | TWO WAY TURN | 16A | | | | | | 1 | 1 | | | C | 52A | C | 16 | 68 | 1 | 03 | 0220 | R3 | | 25 | L | B | * | | | | | | | | |
| 1.53 | 1.53 | | END SU LN | C | | TWO WAY TURN | 16A | | | | | | 1 | 1 | | | C | 68A | C | \$\$\$ | 68 | 1 | 03 | 0220 | R3 | | 25 | L | B | * | | | | | | | | |
| 1.56 | 1.56 | | INTRSECTN | B | | PEOH AVE | | | | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.59 | 1.59 | | BEG SU LN | C | | TWO WAY TURN | 16A | | | | | | 1 | 1 | | | C | 52A | C | 16 | 68 | 1 | 03 | 0220 | R3 | | 25 | L | B | * | | | | | | | | |
| 1.66 | 1.66 | | INTRSECTN | B | | BULLITT AVE | | | | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.73 | 1.73 | | INTRSECTN | B | | WRIGHT AVE | | | | CT | | Y | 1 | 1 | | | C | 60A | C | 16 | 76 | 1 | 03 | 0220 | R3 | | 25 | L | B | * | | | | | | | | |
| 1.80 | 1.80 | | INTRSECTN | B | | HARRIS AVE | | | | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.85 | 1.85 | | END SU LN | C | | TWO WAY TURN | 16A | | | | | | 1 | 1 | | | C | 76A | C | \$\$\$ | 76 | 1 | 03 | 0220 | R3 | | 25 | L | B | * | | | | | | | | |
| 1.90 | 1.90 | | END ST | I | | FIRST ST E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG ST | I | | FIRST ST W | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | B | | PENNSYLVANIA AVE | | | | CT | | SG | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.94 | 1.94 | | BEG SU LN | C | | TWO WAY TURN | 16A | | | | | | 1 | 1 | | | C | 60A | C | 16 | 76 | 1 | 03 | 0220 | R3 | | 25 | L | B | * | | | | | | | | |
| 1.96 | 1.96 | | END SU LN | C | | TWO WAY TURN | 16A | | | | | | 1 | 1 | | | C | 76A | C | \$\$\$ | 76 | 1 | 03 | 0220 | R3 | | 25 | L | B | * | | | | | | | | |
| 2.00 | 2.00 | | END ST | I | | FIRST ST W | | | | | | | 1 | 1 | | | \$ | 60A | \$ | | 60 | 1 | 03 | 0220 | R3 | | 25 | L | B | * | | | | | | | | |
| | | | BEG ST | I | | OAKES AVE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | OAKES AVE | | | | CT | | SG | Y | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | FIRST ST W | | | | CT | | SG | Y | | | | | | | | | | | | | | | | | | | | | | | | | |

| INTERSECTION DETAIL | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | | |
|---------------------|------|----------------------|--------|--------|--------|------------------------------|--------|--------|--------|--------|
| SRMP | B | ARM | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| | | | LGT WD | LGT WD | LGT WD | LGT WD | LGT WD | LGT WD | LGT WD | LGT WD |
| 0.50 | 0.50 | | | | .02 | .11 | | | | |
| 1.56 | 1.56 | | .02 | .12 | .02 | .12 | | | | |
| 1.90 | 1.90 | | .03 | .16 | .03 | .16 | | | | |
| 2.00 | 2.00 | | .03 | .16 | .02 | .14 | | | | |

SR 903 MAINLINE

STATE ROUTE - SRSH

COUNTY KITTITAS

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | |
|-------------------------|---|------|-------------|---|----|--------------------|-----|-----|--------------|---------|-----|-----|-----|-----|---------------------------|------|---------|-----|---------|--------|-----|---|----|------|----|---|----|---|---|---|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | |
| 4.17 | | 4.17 | END SU LN | C | | TWO WAY TURN | | | | 11A | | 1 | | | | | 8A | 24A | 4A | \$\$\$ | 24 | 1 | 03 | | R3 | | 45 | R | | | |
| 4.20 | | 4.20 | | | | | | | | | | 1 | | | | | 8A | 24A | 8A | | 24 | 1 | 03 | | R3 | | 35 | R | | | |
| 4.22 | | 4.22 | ROUNDAABOUT | L | | BULLFROG RD | CO | YS | Y | | | | | | | | | | | | | | | | | | | | | | |
| 4.25 | | 4.25 | BEG SU LN | C | | TWO WAY TURN | | | | 11A | | 1 | | | | | 8A | 24A | 8A | 11 | 35 | 1 | 03 | | R3 | | 35 | R | | | |
| 4.27 | | 4.27 | END SU LN | C | | TWO WAY TURN | | | | 11A | | 1 | | | | | 8A | 24A | 8A | \$\$\$ | 24 | 1 | 03 | | R3 | | 35 | R | | | |
| 4.28 | | 4.28 | | | | | | | | | | 1 | | | | | 8B | 24A | 8B | | 24 | 1 | 03 | | R3 | | 35 | R | | | |
| 4.29 | | 4.29 | INTRSECTN | R | | NO 245 RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | |
| 4.42 | | 4.42 | INTRSECTN | R | | MARTIN RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | |
| 4.50 | | 4.50 | INTRSECTN | L | | MINE RD-CO RD #9 | CO | | N | 1 | 1 | | | | | | 6B | 24A | 4B | | 24 | 1 | 03 | | R3 | | 35 | R | | | |
| 4.63 | | 4.63 | MISC FEATR | R | | SGN ENT ROSLYN | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.65 | | 4.65 | BEG ST | I | | S FIRST ST | | | | | | 1 | | | | | 6B | 24A | 6B | | 24 | 1 | 03 | | R3 | | 35 | R | | * | |
| | | | INTRSECTN | R | | SOUTH AVE | CO | | N | | | | | | | | | | | | | | | | | | | | | | |
| 4.67 | | 4.67 | ENTER CITY | | | ROSLYN | | | | | | 1 | | | | | 6B | 24A | 6B | | 24 | 1 | 03 | 1120 | R3 | | 35 | R | B | * | |
| 4.68 | | 4.68 | INTRSECTN | L | | SOUTH AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 4.75 | | 4.75 | | | | | | | | | | 1 | | | | | 6A | 24A | 6A | | 24 | 1 | 03 | 1120 | R3 | | 35 | R | B | * | |
| 4.78 | | 4.78 | INTRSECTN | R | | HOFFMANVILLE AVE | CT | | Y | 1 | 1 | | | | | | 2A | 24A | 4A | | 24 | 1 | 03 | 1120 | R3 | | 35 | R | B | * | |
| 4.79 | | 4.79 | INTRSECTN | L | | HOFFMANVILLE AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 4.89 | | 4.89 | INTRSECTN | L | | WYOMING AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 5.00 | | 5.00 | MP MARKER | R | | 5 | | | | | | 1 | | | | | 2A | 24A | 4A | | 24 | 1 | 03 | 1120 | R3 | | 25 | R | B | * | |
| 5.03 | | 5.03 | INTRSECTN | R | | E CALIFORNIA AVE | CT | | Y | 1 | 1 | | | | | | 2A | 24A | 2A | | 24 | 1 | 03 | 1120 | R3 | | 25 | R | P | * | |
| 5.23 | | 5.23 | INTRSECTN | L | | W MONTANA AVE | CT | | Y | 1 | 1 | | | | | | 12A | 24A | 12A | | 24 | 1 | 03 | 1120 | R3 | | 25 | R | B | * | |
| 5.26 | | 5.26 | | | | | | | | | | 1 | | | | | \$\$\$C | 48A | \$\$\$C | | 48 | 1 | 03 | 1120 | R3 | | 25 | R | B | * | |
| 5.29 | | 5.29 | INTRSECTN | R | | E DAKOTA AVE | CT | FS | Y | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | W DAKOTA AVE | CT | FS | Y | | | | | | | | | | | | | | | | | | | | | | |
| 5.36 | | 5.36 | END ST | I | | S FIRST ST | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG ST | I | | N FIRST ST | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | W PENNSYLVANIA AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | E PENNSYLVANIA AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 5.44 | | 5.44 | INTRSECTN | L | | W WASHINGTON AVE | CT | | Y | 1 | 1 | | | | | | C | 36A | 4A | | 36 | 1 | 03 | 1120 | R3 | | 25 | R | B | * | |
| | | | INTRSECTN | R | | E WASHINGTON AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 5.50 | | 5.50 | INTRSECTN | L | | W IDAHO AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | E IDAHO AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 5.57 | | 5.57 | INTRSECTN | L | | W ARIZONA AVE | CT | | Y | 1 | 1 | | | | | | C | 36A | 2A | | 36 | 1 | 03 | 1120 | R3 | | 25 | R | B | * | |
| | | | INTRSECTN | R | | E ARIZONA AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 5.63 | | 5.63 | INTRSECTN | R | | E UTAH AVE | CT | | Y | 1 | 1 | | | | | | 2A | 24A | 2A | | 24 | 1 | 03 | 1120 | R3 | | 25 | R | P | * | |
| | | | INTRSECTN | L | | W UTAH AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 5.71 | | 5.71 | END ST | I | | N FIRST ST | | | | | | 1 | | | | | 2A | 24A | 2A | | 24 | 1 | 03 | 1120 | R3 | | 25 | R | B | * | |
| | | | BEG ST | I | | W NEVADA AVE | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | N FIRST ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | E NEVADA AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 5.78 | | 5.78 | INTRSECTN | B | | N SECOND ST | CT | | Y | 1 | 1 | | | | | | 2A | 24A | 2A | | 24 | 1 | 03 | 1120 | R3 | | 25 | R | R | * | |
| 5.85 | | 5.85 | INTRSECTN | B | | N THIRD ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | | |
| 5.91 | | 5.91 | INTRSECTN | B | | N SIXTH ST | CT | | Y | 1 | 1 | | | | | | 2A | 24A | 2A | | 24 | 1 | 03 | 1120 | R3 | | 25 | R | P | * | |

SR 903 MAINLINE

STATE ROUTE - SRSH

COUNTY KITTITAS

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | | | |
|-------------------------|---|-------|------------|---|----|--------------------------|-----|-----|------------|---------|-----|-----|-----|-----|---------------------------|------|------|-----|-------|-----|-----|---|----|----------|----|---|----|---|----|----|--|--|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T | | |
| 5.92 | | 5.92 | END ST | I | | W NEVADA AVE | | | | | | | | | | | 2A | 24A | 2A | | 24 | 1 | 03 | 1120 | R3 | | 25 | R | P | * | | |
| 5.99 | | 5.99 | BEG ST | I | | N SEVENTH ST | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | N SEVENTH ST | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | W NEVADA AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 6.06 | | 6.06 | END ST | I | | N SEVENTH ST | | | | 1 | 1 | | | | | | 1A | 24A | 1A | | 24 | 1 | 03 | 1120 | R3 | | 25 | R | P | \$ | | |
| | | | INTRSECTN | R | | E ALASKA AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | L | | W ALASKA AVE | CT | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 6.09 | | 6.09 | MP MARKER | R | | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6.18 | | 6.18 | MISC FEATR | L | | SGN ENT ROSLYN | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6.24 | | 6.24 | LEAVE CITY | | | ROSLYN | | | | 1 | 1 | | | | | | 1A | 24A | 1A | | 24 | 1 | 03 | \$\$\$\$ | R3 | | 45 | R | \$ | | | |
| 6.57 | | 6.57 | INTRSECTN | L | | HORVATT RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | |
| 6.99 | | 6.99 | MP MARKER | R | | 7 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7.00 | | 7.00 | | | | | | | | 1 | 1 | | | | | | 1A | 24A | 1A | | 24 | 1 | 03 | | R3 | | 25 | R | | | | |
| 7.13 | | 7.13 | INTRSECTN | L | | FANHOUSE RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | |
| 7.23 | | 7.23 | INTRSECTN | B | | ATLANTIC AVE | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 7.30 | | 7.30 | INTRSECTN | B | | PACIFIC AVE | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 7.41 | | 7.41 | INTRSECTN | B | | ARCTIC AVE | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 7.45 | | 7.45 | INTRSECTN | R | | 1ST ST CONNECTION | CO | | N | | | | | | | | | | | | | | | | | | | | | | | |
| 7.50 | | 7.50 | INTRSECTN | L | | BLUE AGATE LN | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 7.54 | | 7.54 | INTRSECTN | R | | PATRICK MINE RD | CO | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 7.75 | | 7.75 | INTRSECTN | L | | CASCADE VIEW DR | CO | | N | | | | | | | | | | | | | | | | | | | | | | | |
| 7.90 | | 7.90 | | | | | | | | 1 | 1 | | | | | | 1A | 24A | 1A | | 24 | 1 | 03 | | R3 | | 45 | R | | | | |
| 8.06 | | 8.06 | MP MARKER | R | | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8.11 | | 8.11 | INTRSECTN | L | | MOREL RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | |
| | | | INTRSECTN | R | | RIDGECREST DR | PV | | N | | | | | | | | | | | | | | | | | | | | | | | |
| 8.59 | | 8.59 | INTRSECTN | L | | WINSTON RD | PV | | N | | | | | | | | | | | | | | | | | | | | | | | |
| 9.05 | | 9.05 | MP MARKER | R | | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9.07 | | 9.07 | INTRSECTN | R | | TOM WRITE RD | PV | | N | | | | | | | | | | | | | | | | | | | | | | | |
| 9.15 | | 9.15 | INTRSECTN | L | | LAKE CABINS RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | |
| 9.50 | | 9.50 | INTRSECTN | L | | LAKE CABINS RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | |
| 9.66 | | 9.66 | INTRSECTN | R | | PINE LOCH SUN DR | PV | | Y | | | | | | | | | | | | | | | | | | | | | | | |
| 9.77 | | 9.77 | INTRSECTN | L | | MILL CREEK RD | CO | | N | | | | | | | | | | | | | | | | | | | | | | | |
| 10.05 | | 10.05 | MP MARKER | R | | 10 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10.06 | | 10.06 | MISC FEATR | B | | NATIONAL FOREST BOUNDARY | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | MISC FEATR | R | | SGN END SR 903 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | END CTLSEC | | | CONTROL SECTION 1932 | | | | | | | | | | | | | | | | | | | | | | | | | | |

| INTERSECTION DETAIL | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|---------------------|-------|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B ARM | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 8.11 | 8.11 | | | .02 | 12 | | | | |

SR 903 MAINLINE

STATE ROUTE - SRSH

COUNTY KITTITAS

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | |
|-------------------------|---|-----|---------|---|----|-------------|-----|-----|------------|---------|-----|-----|-----|-----|---------------------------|------|------|-----|-------|-----|-----|---|----|-----|----|---|----|---|---|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCRS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | | | | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | SPEED | T | P | S | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T |

10.06 10.06 END ROUTE

SR 970 MAINLINE

STATE ROUTE - SRSH

COUNTY KITTITAS

DOT DISTRICT 5

| | | | | -----WIDTH AND SURFACE INFORMATION----- | | | | | | | | | | | -----CLASSIFICATIONS----- | | | | | | | | | | | | | | | |
|-------------------------|------|-----|--------------|---|----|------------------------|-----|-----|--------------|---------|-----|-----|-----|-----|---------------------------|------|------|-----|-------|-----|-----|----|----|-----|----|----|----|----|---|---|
| :DIRECTION TO INVENTORY | | | | -BRIDGE | | DECREAS/DIV | | | INCREAS/UNDI | | | SPC | | | | | | | | | | | | | | | | | | |
| : :LEFT/RIGHT INDICATOR | | | | -UXING- | | NBR | LFT | RHT | LFT | RHT | USE | TOT | | | | | | | | | | | | | | | | | | |
| : : | | | | -XROAD- | | LNS | SHD | RDY | SHD | MEDIAN- | SHD | RDY | SHD | LNS | RDY | MTCE | CITY | ST | LEGAL | T | P | S | | | | | | | | |
| SRMP | B | ARM | FEATURE | D | LR | DESCRIPTION | OW | TC | L | D | I | W/S | W/S | W/S | WD/S | BR | W/S | W/S | W/S | WID | WID | A | SE | NBR | FC | D | IB | R | K | T |
| 0.00 | 0.00 | | BEG ROUTE | | | MAIN ROUTE | | | | 1 | 1 | | | | | | C | 28A | | C | | 28 | 1 | 03 | | R1 | | 55 | L | |
| | | | BEG CTLSEC | | | SR 90 TO SR 97/VIRDEN | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | BEG BRIDGE B | | | CONTROL SECTION 1909 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | SR 90 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 970/001 | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.04 | 0.04 | | END BRIDGE B | | | SR 90 | | | | 1 | 1 | | | | | | 8A | 22A | | 8A | | 22 | 1 | 03 | | R1 | | 55 | L | |
| 0.14 | 0.14 | | MISC FEATR | R | | GORE (SR 90 R108606) | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | MISC FEATR | L | | GORE (SR 90 S108548) | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.22 | 0.22 | | OFF RAMP | L | | SR 90 | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.24 | 0.24 | | ON RAMP | R | | SR 90 | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.29 | 0.29 | | RR XING | B | | NUM 85228K STRUCTURE | | | | 1 | 1 | | | | | | \$C | 36P | | \$C | | 36 | 1 | 03 | | R1 | | 55 | L | |
| | | | BEG BRIDGE B | | | NP RR | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | BRDG NUM 970/005 | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.32 | 0.32 | | END BRIDGE B | | | NP RR | | | | 1 | 1 | | | | | | 7A | 24A | | 7A | | 24 | 1 | 03 | | R1 | | 55 | L | |
| 0.36 | 0.36 | | INTRSECTN | L | | SR 903 | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.48 | 0.48 | | OFF RAMP | R | | SR 970 EB | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.51 | 0.51 | | INTRSECTN | L | | SR 903 SPCLEELM (SPUR) | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.58 | 0.58 | | MISC FEATR | R | | GORE (P100048) | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.60 | 0.60 | | | | | | | | | 1 | 1 | | | | | | 4A | 24A | | 8A | | 24 | 1 | 03 | | R1 | | 55 | L | |
| 0.75 | 0.75 | | | | | | | | | 1 | 1 | | | | | | 5B | 24B | | 5B | | 24 | 1 | 03 | | R1 | | 55 | L | |
| 0.76 | 0.76 | | ON RAMP | R | | SR 970 EB | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.01 | 1.01 | | MP MARKER | R | | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.01 | 2.01 | | MP MARKER | R | | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.57 | 2.57 | | INTRSECTN | L | | AIRPORT RD | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.67 | 2.67 | | | | | | | | | 1 | 1 | | | | | | 5A | 24A | | 5A | | 24 | 1 | 03 | | R1 | | 55 | L | |
| 2.69 | 2.69 | | INTRSECTN | R | | SR 10 | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.71 | 2.71 | | | | | | | | | 1 | 1 | | | | | | 5B | 24B | | 5B | | 24 | 1 | 03 | | R1 | | 55 | L | |
| 2.89 | 2.89 | | INTRSECTN | R | | LAMBERT RD | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.99 | 2.99 | | MP MARKER | R | | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.07 | 3.07 | | | | | | | | | 1 | 1 | | | | | | 5B | 24B | | 5B | | 24 | 1 | 03 | | R1 | | 60 | L | |
| 3.73 | 3.73 | | INTRSECTN | L | | RED BRIDGE RD | | | | | | | | | | | 6B | 24B | | 6B | | 24 | 1 | 03 | | R1 | | 60 | L | |
| | | | INTRSECTN | R | | SEATON RD | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.01 | 4.01 | | MP MARKER | R | | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.01 | 5.01 | | MP MARKER | R | | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.85 | 5.85 | | | | | | | | | 1 | 1 | | | | | | 7B | 24B | | 7B | | 24 | 1 | 03 | | R1 | | 60 | L | |
| 6.01 | 6.01 | | MP MARKER | R | | 6 | | | | | | | | | | | | | | | | | | | | | | | | |

INTERSECTION DETAIL

| | | | | -----TURN LANES----- | | | | -----ACCELERATION LANES----- | | | |
|------|------|-----|--|----------------------|--------|-------|-------|------------------------------|--------|--------|--------|
| | | | | L NEAR | R NEAR | L FAR | R FAR | LEFT-- | L-CNTR | R-CNTR | RIGHT- |
| SRMP | B | ARM | | LGT | WD | LGT | WD | LGT | WD | LGT | WD |
| 0.51 | 0.51 | | | | | .05 | 11 | | | | |
| 2.69 | 2.69 | | | | | .04 | 14 | | | | |

