

# Contents

---

<b>Chapter 1</b>	<b>Survey Team</b>	1-1
1-01	General	1-1
1-02	Responsibilities	1-2
	1-02.1 Responsibilities to the Public	1-2
	1-02.2 Responsibilities to the Contractor	1-2
	1-02.3 Relations with Other Departments and Agencies	1-3
	1-02.4 Right of Entry	1-3
<hr/>		
<b>Chapter 2</b>	<b>Safety</b>	2-1
2-01	Introduction	2-1
	2-01.1 Education and Training	2-1
	2-01.2 Planning	2-1
	2-01.3 Accidents	2-2
2-02	Working in Traffic	2-2
	2-02.1 Wearing Of Personal Protective Equipment	2-2
	2-02.2 Use Of Traffic Control Devices	2-3
	2-02.3 Safety While Working in Traffic	2-6
2-03	Using Tools	2-7
	2-03.1 Machetes	2-7
	2-03.2 Axes and Brush Hooks	2-7
	2-03.3 Digging Tools, Hand	2-7
	2-03.4 Driving Tools, Hand	2-8
	2-03.5 Chain Saws	2-8
	2-03.6 Pressurized Spray Cans	2-9
	2-03.7 Miscellaneous Power Tools	2-9
2-04	Working Near Railroads	2-9
2-05	Fence Crossings	2-10
2-06	Animal Hazards	2-10
2-07	Snakebites	2-10
2-08	Poisonous Plants	2-11
2-09	Power Lines	2-12
2-10	Electrical Storms	2-12
2-11	Confined Space Entry	2-12
	2-11.1 Definitions	2-12
	2-11.2 General Requirements	2-12
	2-11.3 Scope	2-13
2-12	Working in Water	2-13
	2-12.1 Boating Operations	2-13
	2-12.2 General Responsibilities (For boats less than 26 feet in length)	2-13
	2-12.3 Operator's Responsibilities	2-14
	2-12.4 Overloading	2-14
	2-12.5 Anchoring	2-14
	2-12.6 Fueling Precautions	2-14
	2-12.7 Float Plan	2-15
	2-12.8 Weather	2-15

**Contents**

2-13	Lifting	2-15
2-14	Conclusion	2-16
2-15	Training	2-16
<hr/>		
<b>Chapter 3</b>	<b>Equipment</b>	3-1
3-01	General	3-1
3-02	Care of Equipment	3-1
3-02.1	Total Station and Level	3-1
3-02.2	Hand Level, Clinometer, Compass and Other Small Instruments	3-1
3-02.3	Level Rod and Prism Pole	3-1
3-02.4	Steel Chain	3-2
3-03	Adjustment of Equipment	3-2
3-03.1	Preadjustment steps	3-2
3-03.2	Testing and Adjusting the Optical Plummet	3-2
3-03.3	Testing and Adjusting the Self-Leveling Level	3-3
3-03.4	Testing and Adjusting the Hand Level and Clinometer	3-4
3-03.5	Verification of Calibration of the EDM	3-5
<hr/>		
<b>Chapter 4</b>	<b>Electronic Data Controllers</b>	4-1
4-01	General	4-1
4-02	Accuracy	4-1
4-03	Data Controller Setup	4-2
4-04	Gathering Digital Terrain Model Data	4-3
<hr/>		
<b>Chapter 5</b>	<b>Public Lands Survey System</b>	5-1
5-01	History and Background	5-1
5-02	Township Subdivision	5-2
5-03	Section Subdivision	5-4
5-04	Restoring Lost or Obliterated Corners	5-7
<hr/>		
<b>Chapter 6</b>	<b>Survey Datums</b>	6-1
6-01	General	6-1
6-02	Horizontal Datum	6-1
6-02.1	Policy	6-1
6-02.2	Description of NAD83 (1991)	6-2
6-02.3	Datum Conversions	6-2
6-03	Vertical Datum	6-2
6-03.1	Policy	6-2
6-03.2	Description of NAVD88	6-3
6-03.3	GPS Determined Heights	6-3
6-03.4	Datum Conversions	6-4
6-04	The Washington Coordinate System of 1983 (WCS83)	6-4
6-04.1	Policy	6-4
6-04.2	Description of WCS83	6-5
6-04.3	Coordinate Conversions	6-9
6-04.4	Computing Project Datum Coordinates From State Plane	6-10
APPENDIX A		6-14

<b>Chapter 7 Accuracy Classifications and Standards</b>	7-1
7-01 Classifications of Accuracy	7-1
7-02 Precision and Accuracy	7-1
7-02.1 Significant Figures	7-4
7-03 Errors	7-5
7-03.1 Types of Errors	7-5
7-04 Least Squares Adjustment	7-5
7-04.1 Data Preparation	7-6
7-04.2 Unconstrained Adjustment	7-7
7-04.3 Constrained Adjustment Procedure	7-9
<hr/>	
<b>Chapter 8 Global Positioning System (GPS) Survey Specifications</b>	8-1
8-01 General	8-1
8-02 Post Processed GPS Survey Specifications	8-1
8-02.2 Equipment	8-2
8-02.3 General Post Processed GPS Survey Specifications	8-3
8-02.4 Order A and B GPS Surveys	8-10
8-02.5 Primary (Horizontal) GPS Surveys	8-11
8-02.6 Secondary (Horizontal) GPS Surveys	8-13
8-02.7 Tertiary (Horizontal) GPS Surveys	8-15
8-02.8 WSDOT General-Order (Horizontal and Vertical) Post Processed GPS Survey Specifications	8-18
8-02.9 Vertical GPS Surveys	8-19
8-03 Real Time Kinematic (RTK) GPS Survey Specifications	8-24
8-03.1 Method	8-24
8-03.2 Equipment	8-24
8-03.3 General RTK Survey Specifications	8-25
8-03.4 Tertiary RTK Surveys	8-32
8-03.5 General-Order RTK Surveys	8-33
<hr/>	
<b>Chapter 9 Total Station System (TSS) Survey Specification</b>	9-1
9-01 General	9-1
9-02 The TSS Method	9-1
9-03 General TSS Survey Specifications	9-1
9-03.1 Redundancy	9-1
9-03.2 Equipment Checks	9-2
9-03.3 Set Up	9-2
9-03.4 Field Notes	9-2
9-03.5 Survey Adjustments	9-2
9-04 Second Order Surveys	9-3
9-04.1 Applications	9-3
9-04.2 Horizontal Specifications	9-3
9-04.3 Vertical Specifications	9-3
9-05 Third Order Surveys (Tertiary)	9-5
9-05.1 Applications	9-5
9-05.2 Specifications	9-5
9-06 General Order Surveys	9-6
9-06.1 Applications	9-6
9-06.2 Specifications	9-6

## Contents

<b>Chapter 10 Differential Leveling Survey Specifications</b>	10-1
10-01 General	10-1
10-02 Differential Leveling Method	10-1
10-03 General Differential Leveling Survey Specifications	10-1
10-03.1 Sight Distances	10-1
10-03.2 Turning Points	10-2
10-03.3 Benchmarks	10-2
10-03.4 Differential Leveling Survey Notes	10-2
10-03.5 Adjustment of Differential Leveling Surveys	10-2
10-04 Second-Order Differential Leveling Surveys	10-3
10-04.1 Application	10-3
10-04.2 Equipment	10-3
10-04.3 Second-Order Three-Wire Differential Leveling Surveys	10-3
10-04.5 Second Order, Electronic Digital/Bar Code Rod Leveling System	10-3
10-05 Third-Order Differential Leveling Surveys	10-5
10-05.1 Applications	10-5
10-05.2 Specifications	10-5
10-06 Order G (General) Differential Leveling Surveys	10-5
10-6.1 Applications	10-5
10-6.2 Specifications	10-6

---

<b>Chapter 11 Geometrics</b>	11-1
Circular Curves	11-1
Nomenclature For Circular Curves	11-1
Circular Curve Equations	11-2
Example Calculations for Curve Stationing	11-3
Deflections	11-4
Example Calculations for Curve Data	11-4
Curve Data	11-6
Running the Curve	11-6
Radial Layout Method	11-7
Instrument Set At POC	11-7
Offset Curves	11-8
Degree of Curvature	11-8
Field Record	11-9
Spiral Curves	11-9
Spiral Curve Elements	11-10
Spiral Deflections	11-16
Field Procedures	11-17
Offset Curves	11-17
Vertical Alignment and Superelevation	11-18
Profile Grade	11-18
Vertical Curves	11-19
Equations for Crest Vertical Curve	11-20
Equations for Sag Vertical Curve	11-20
Equations for Nonsymmetrical Vertical Curve	11-21
Superelevation	11-21

<b>Chapter 12 Photogrammetry</b>	12-1
12-01 General	12-1
12-02 Glossary	12-1
12-03 Mapping	12-1
12-03.1 Reconnaissance	12-2
12-03.2 Location Design	12-2
12-03.3 PS&E	12-2
12-04 Photography	12-3
12-04.1 Aerial Photograph Section	12-3
12-04.2 Aerial Photography	12-3
12-04.3 Print Mosaicking, Mounting, and Framing	12-3
12-04.4 Placing An Order	12-4
12-05 Field Surveys	12-4
12-05.1 Premarking	12-4
12-05.2 Establishing Control Photogrammetrically	12-4
12-06 Programming	12-5
12-06.1 Mapping	12-5
12-06.2 Photographic Products	12-5
12-06.3 Field Surveys	12-5
12-07 Procedures for Ordering	12-5
<hr/>	
<b>Chapter 13 Control Survey Procedures</b>	13-1
13-01 General	13-1
13-02 Policy	13-1
13-03 Planning and Research	13-2
13-03.1 Responsibility	13-2
13-03.2 Planning	13-2
13-03.3 Research	13-3
13-04 Office Preparation	13-3
13-05 Field Work	13-4
13-05.1 Reconnaissance	13-4
13-05.2 Horizontal Corridor Control (HPGN-D) Surveys	13-4
13-05.3 Horizontal Project Control Surveys	13-5
13-05.4 Vertical Project Control Surveys	13-6
13-05.5 Supplemental Control	13-7
13-06 Office Data Processing and Documentation	13-7
13-06.1 Project Control Diagram	13-7
13-06.2 Project Control Report	13-8
13-06.3 Special Consideration for Corridor Control (HPGN-D) Surveys	13-9
<hr/>	
<b>Chapter 14 Location Survey Procedures</b>	14-1
14-01 Responsibilities	14-1
14-02 Preliminary Survey Meeting	14-1
14-03 Location Survey Request	14-2
14-04 Planning	14-4
14-04.1 Safety Planning	14-4
14-05 Research	14-4
14-06 Office Preparation	14-5

## Contents

14-07	Field Work	14-5
	14-07.1 General	14-5
	14-07.2 Topographic Survey	14-6
	14-07.3 Pavement Elevation Surveys	14-8
	14-07.4 Pavement Elevation Survey Methods	14-9
	14-07.5 Utility Surveys	14-11
	14-07.6 Archaeological Site/Environmentally Sensitive Area Survey	14-12
	14-07.7 Spot Location or Monitoring Surveys	14-13
	14-07.8 Vertical Clearance Surveys	14-13
14-08	Office Data Processing	14-14
	14-08.1 DTM Processing	14-14
<hr/>		
<b>Chapter 15</b>	<b>Construction Survey Procedures</b>	<b>15-1</b>
15-01	General	15-1
15-02	Earthwork and Surfacing	15-1
	15-02.1 Clearing and Grubbing	15-2
	15-02.2 Slope Staking	15-3
	15-02.3 Manual Method	15-5
	15-02.4 Conventional Method	15-6
	15-02.5 Modified Conventional Method	15-6
	15-02.6 Global positioning System (GPS) /Real Time Kinematics (RTK) Method	15-7
	15-02.7 Stake Markings	15-7
	15-02.8 Additional Notes	15-7
	15-02.9 Grade Control	15-8
	15-02.10 Procedure	15-9
15-03	Drainage	15-10
	15-03.1 Culverts	15-10
	15-03.2 Sewers	15-11
15-04	Structure Layout	15-12
	15-04.1 Horizontal Control	15-12
	15-04.2 Staking	15-13
	15-04.3 Vertical Control	15-13
	15-04.4 Layout and References	15-13
	15-04.5 Checking Layout	15-14
	15-04.6 Superstructure	15-14
	15-04.7 Documentation	15-15
15-05	Miscellaneous Construction Surveying	15-15
	15-05.1 Pit Site/Quarry Site, Stockpiles, Sundry Site, and Reclamation	15-15
	15-05.2 Erosion control	15-17
	15-05.3 Guide Post	15-17
	15-05.4 Guardrail	15-18
	15-05.5 Fencing	15-18
	15-05.6 Illumination and Traffic Signals	15-18
	15-05.7 Signing	15-19
	15-05.8 Pavement Marking	15-19
	15-05.9 Concrete Curb	15-20
15-06	WSDOT Standard Color Codes	15-20
15-7	Post Construction Survey	15-21
15-8	Equipment Table	15-21
	15-08.1 Equipment	15-21

<b>Chapter 16 Monumentation and Survey Records</b>	16-1
16-01 Monumentation and Survey Records	16-1
16-02 Monumentation and Survey Records	16-1
16-03 Geodetic Control Monuments	16-2
16-04 Horizontal Control Monuments	16-2
16-05 Vertical Control Monuments	16-3
16-06 Public Land Survey System Monuments	16-3
16-07 Alignment, R/W, and Property Corner Monuments	16-4
16-08 Documentation	16-5
16-09 Post Construction Monumentation	16-6
16-10 Guidelines For When A Survey Document is Prepared	16-7
16-10.1 What is a survey document?	16-7
16-10.2 What is a preliminary land survey?	16-7
16-10.3 What does a monumentation inventory consist of?	16-8
16-10.4 What determines a need for a Record of Survey or Type 1 Monumentation Map?	16-8
16-10.5 What determines the need for a Type 2 Monumentation Map?	16-9
16-10.6 What determines a need for a Record of Survey on Sundry Site Plans?	16-9
16-10.7 Who is qualified to prepare the Application For Permit to Remove or Destroy a Survey Monument?	16-9
16-10.8 What are WSDOT's Responsibilities of Maintaining a Monument?	16-10
16-10.9 What does a Preliminary Land Survey consist of?	16-11
16-11 Survey Monumentation	16-12
16-12 Record of Survey/Monumentation Map Policy	16-12
16-13 Record of Survey or a Type 1 Monumentation Map	16-12
16-14 Type 2 Monumentation Map	16-13
16-15 Monument Markers	16-13
16-16 Definitions of WSDOT Horizontal Control Hierarchy	16-14
Exhibit A	16-16
Exhibit B	16-17
Exhibit C	16-18
Exhibit D	16-20
16-17 State Responsibility of Survey Markers – RCW 47.36.010	16-20

