

1 **Spill Prevention, Control and Countermeasures Plan**

2 Section 1-07.15(1) is supplemented with the following:

3
4 (August 3, 2009)

5 The Contractor shall address the following items in the SPCC Plan in addition to
6 the requirements of Section 1-07.15(1):

7
8 **Mixing, Transfers, & Storage**

- 9 1. All oil, fuel or chemical storage tanks or containers shall be diked and
10 located on impervious surfaces so as to prevent spill from escaping.
- 11
- 12 2. All liquid products shall be stored and mixed on impervious surfaces in a
13 secure water tight environment and provide containment to handle the
14 maximum volume of liquid products on site at any given time.
- 15
- 16 3. Proper security shall be maintained to prevent vandalism.
- 17
- 18 4. Drip pans or other protective devices shall be required for all transfer
19 operations.
- 20

21 **Spills**

22 Paint and solvent spills shall be treated as oil spills and shall be prevented
23 from reaching storm drains or other discharges. No cleaning solvents or
24 chemicals used for tool or equipment cleaning may be discharged to the
25 ground or water.

26
27 **Maintenance of Equipment**

28 Fuel hoses, oil drums, oil or fuel transfer valves and fittings, etc, shall be
29 checked regularly for drips or leaks and shall be maintained and stored
30 properly to prevent spills into State waters.

31
32 **Disposal**

33 Spilled waste, chemicals or petroleum products shall be transported off site for
34 disposal at a facility approved by the Department of Ecology. The materials
35 shall not be discharged to any sanitary sewer without approval of the local
36 sewer authority.

37
38 **Reporting and Cleanup**

39 The Contractor's designated person for managing and implementing the SPCC
40 Plan shall report hazardous material spills as follows:

41
42 Spills into State water (including ponds, ditches, seasonally dry streams,
43 and wetlands) – Immediately call all of the following:

44	National Response Center	1-800-424-8802
45	WA State Div. of Emergency Management (24 hr)	1-800-258-5990
46	Ecology *** \$\$1\$\$ *** Regional Office	*** \$\$2\$\$ ***

47
48
49 Spill to Soil (Including encounters of pre-existing contamination):

50	Ecology *** \$\$3\$\$ *** Regional Office	*** \$\$4\$\$ ***
----	---	-------------------

51

1
2
3
4
5
6
7
8

Report immediately if threatening to health or environment (i.e., explosive, flammable, toxic vapors, shallow groundwater, nearby creek), otherwise within 90 days

Underground Storage Tank (confirmed release of material)

Ecology *** \$\$\$ Regional Office
Report within 24 hours

*** \$\$\$