

Documentation of Coverage for 2012 Nationwide Permits #3, #13, #14, #15, #18, #27, and #33

- For Use During Environmental Commitments Meetings -

Nationwide Permit User's Guide Reference			U.S. Army Corps Language	Modified Language Used in WSDOT's Commitment Tracking System	Responsible Party	Existing WSDOT Requirement
Tier	Number	Page				
RGC-6+	6	12	Permittees must immediately stop work and notify the district engineer within 24 hours if, during the course of conducting authorized work, human burials, cultural resources, or historic properties, as identified by the National Historic Preservation Act, are discovered.	The Contractor must immediately stop work if human burials, cultural resources, or historic properties (as identified by the National Historic Preservation Act) are discovered and notify WSDOT per 1-07.16(4).	Contractor	1-07.16(4), Archaeological and Historical Objects
RGC-6	6	12	Permittees must immediately stop work and notify the district engineer within 24 hours if, during the course of conducting authorized work, human burials, cultural resources, or historic properties, as identified by the National Historic Preservation Act, are discovered.	WSDOT shall notify the U.S. Army Corps district engineer within 24 hours if human burials, cultural resources, or historic properties (as identified by the National Historic Preservation Act) are discovered.	WSDOT Construction	Construction Manual 1-1.9, Archaeological and Historical Objects Construction Manual 1-2.2N, Responsibilities Following Unanticipated Discovery of Cultural Resources
RGC-8	8	12	Permittees must clearly mark all construction area boundaries before beginning work.	WSDOT shall ensure the clearing limits are staked before allowing the Contractor to perform work.	WSDOT Construction	Construction Manual 2-1.1B, Staking and Measurement
RGC-8	8	12	Permittees must clearly mark all construction area boundaries before beginning work.	The Contractor shall save and protect existing vegetation though the life of the Contract where shown in the plans or designated by the Engineer. The Engineer will designate the vegetation to be saved and protected by a site preservation line, high visibility fencing, or individual flagging. When shown in the Plans, the first order of work shall be the installation of high visibility fencing in accordance with WSDOT Standard Specification 1-08.4.	Contractor	1-07.16(2), Vegetation Protection & Restoration 1-07.16(2)A, Wetland & Sensitive Area Protection 1-08.4, Prosecution of Work 8-01.3(1), General
RGC-8	8	12	The removal of native vegetation in riparian areas and wetlands, and the removal of submerged aquatic vegetation in estuarine and tidal areas must be avoided and minimized to the maximum extent practicable.	WSDOT shall design projects to avoid and minimize the removal of native vegetation in riparian areas and wetlands, and the removal of submerged aquatic vegetation in estuarine and tidal areas to the maximum extent practicable.	WSDOT Design	Construction Manual 8-2, Roadside Planting
RGC-8	8	12	Areas subject to temporary vegetation removal shall be replanted with appropriate native species by the end of the first planting season following the disturbance except as waived by the district engineer.	WSDOT projects shall incorporate replanting in the design where temporary vegetation removal occurred to areas subject to the U.S. Army Corps of Engineers jurisdiction. Replanting must include appropriate native species and shall occur by the end of the first planting season following the conclusion of the permitted disturbance, except as waived by the U.S. Army Corps district engineer.	WSDOT Design	N/A
RGC-8	8	12	Areas subject to temporary vegetation removal shall be replanted with appropriate native species by the end of the first planting season following the disturbance except as waived by the district engineer.	The Contractor shall replant areas, subject to the U.S. Army Corps of Engineers jurisdiction, where temporary vegetation removal occurred. Replanting must include appropriate native species and shall occur by the end of the first planting season following the conclusion of the permitted disturbance, except as waived by the U.S. Army Corps district engineer.	Contractor	8-02.3(8).OPT1.FR8, Planting
RGC-9	9	12	You must allow representatives of this office to inspect the authorized activity at any time deemed necessary to ensure the work is being, or has been, accomplished in accordance with the terms and conditions of your permit.	WSDOT must allow regulatory agency representatives to inspect the project at any time so they can ensure the work is being done, or has been accomplished in accordance with the permit requirements.	WSDOT Construction	N/A
RGC-9	9	12	You must allow representatives of this office to inspect the authorized activity at any time deemed necessary to ensure the work is being, or has been, accomplished in accordance with the terms and conditions of your permit.	The Contractor must allow regulatory agency representatives to inspect the project at any time so they can ensure the work is being done, or has been accomplished in accordance with the permit requirements.	Contractor	1-05.6, Inspection of Work & Materials
RGC-10	10	12	The permittee must provide a copy of the nationwide permit verification letter, conditions, and permit drawings to all contractors involved with the authorized work, prior to the commencement of any work in waters of the U.S.	WSDOT shall provide the Contractor with a copy of the most recent nationwide permit verification letter, conditions, and permit drawings before they are allowed to work in waters of the U.S.	WSDOT Construction	N/A

Documentation of Coverage for 2012 Nationwide Permits #3, #13, #14, #15, #18, #27, and #33

- For Use During Environmental Commitments Meetings -

Nationwide Permit User's Guide Reference			U.S. Army Corps Language	Modified Language Used in WSDOT's Commitment Tracking System	Responsible Party	Existing WSDOT Requirement
Tier	Number	Page				
RGC-10	10	12	The permittee must provide a copy of the nationwide permit verification letter, conditions, and permit drawings to all contractors involved with the authorized work, prior to the commencement of any work in waters of the U.S.	The Contractor shall retain a copy of the most recent U.S. Army Corps nationwide permit verification letter, conditions, and permit drawings on the worksite for the life of the Contract. The Contractor shall provide copies of the Army Corps nationwide permit verification letter, conditions, and permit drawings to all sub-contractors involved with the authorized work prior to their commencement of any work in waters of the U.S.	Contractor	1-07.5.OPT1(J).GR1, Environmental Commitments
NWP-3	3.b	14	The removal of sediment is limited to the minimum necessary to restore the waterway in the vicinity of the structure to the approximate dimensions that existed when the structure was built, but cannot extend farther than 200 feet in any direction from the structure.	WSDOT shall design the project to ensure the removal of sediment does not extend beyond 200 feet in any direction of the structure.	WSDOT Design	N/A
NWP-3	3.b	14	The removal of sediment is limited to the minimum necessary to restore the waterway in the vicinity of the structure to the approximate dimensions that existed when the structure was built, but cannot extend farther than 200 feet in any direction from the structure.	The removal of sediment is limited to the minimum necessary to restore the waterway in the vicinity of the structure to the approximate dimensions that existed when the structure was built, but cannot extend farther than 200 feet in any direction from the structure.	WSDOT Design	N/A
NWP-3	3.b	14	All dredged or excavated materials must be deposited and retained in an area that has no waters of the United States unless otherwise specifically approved by the district engineer under separate authorization.	All dredged or excavated materials must be deposited and retained in an area that has no waters of the United States unless otherwise specifically approved by the district engineer under separate authorization.	Design	N/A
NWP-3	3.c	15	Appropriate measures must be taken to maintain normal downstream flows and minimize flooding to the maximum extent practicable, when temporary structures, work, and discharges, including cofferdams, are necessary for construction activities, access fills, or dewatering of construction sites. Temporary fills must consist of materials, and be placed in a manner, that will not be eroded by expected high flows. Temporary fills must be removed in their entirety and the affected areas returned to pre-construction elevations. The areas affected by temporary fills must be revegetated, as appropriate.	The Contractor shall maintain downstream flows and minimize flooding when installing temporary structures or fill to conduct the work. The Contractor shall ensure the temporary fill material is placed in a manner that it will not be eroded by expected high flows. The Contractor must remove temporary fills in their entirety and the affected areas returned to pre-construction elevations. The Contractor must revegetate areas affected by temporary fills such as native riparian vegetation or submerged aquatic vegetation.	Contractor	1-07.5.OPT1(N).GR1, Environmental Commitments 1-07.5.OPT1(T).GR1, Environmental Commitments

Documentation of Coverage for 2012 Nationwide Permits #3, #13, #14, #15, #18, #27, and #33

- For Use During Environmental Commitments Meetings -

Nationwide Permit User's Guide Reference			U.S. Army Corps Language	Modified Language Used in WSDOT's Commitment Tracking System	Responsible Party	Existing WSDOT Requirement
Tier	Number	Page				
NWP-13	13.b	27	Bank stabilization activities necessary for erosion prevention are allowed, provided the activity: (1) is no more than 500 feet in length along the bank, unless the district engineer waives this criterion by making a written determination concluding that the discharge will result in minimal adverse effects; (2) will not exceed an average of one cubic yard per running foot placed along the bank below the plane of the ordinary high water mark or the high tide line, unless the district engineer waives this criterion by making a written determination concluding that the discharge will result in minimal adverse effects; (3) does not involve discharges of dredged or fill material into special aquatic sites, unless the district engineer waives this criterion by making a written determination concluding that the discharge will result in minimal adverse effects; (4) no material is of a type, or is placed in any location, or in any manner, that will impair surface water flow into or out of any waters of the United States; and (5) no material is placed in a manner that will be eroded by normal or expected high flows (properly anchored trees and treetops may be used in low energy areas).	WSDOT Permit Coordinators must request a waiver from the district engineer to extend the bank stabilization work beyond 500 linear feet.	WSDOT Design	N/A
NWP-13	2nd Paragraph	27	<p>Appropriate measures must be taken to maintain normal downstream flows and minimize flooding to the maximum extent practicable, when temporary structures, work, and discharges, including cofferdams, are necessary for construction activities, access fills, or dewatering of construction sites.</p> <p>Temporary fills must consist of materials, and be placed in a manner, that will not be eroded by expected high flows.</p> <p>Temporary fills must be removed in their entirety and the affected areas returned to pre-construction elevations. The areas affected by temporary fills must be revegetated, as appropriate.</p>	<p>The Contractor shall maintain downstream flows and minimize flooding when installing temporary structures or fill to conduct the work.</p> <p>The Contractor shall ensure the temporary fill material is placed in a manner that it will not be eroded by expected high flows.</p> <p>The Contractor must remove temporary fills in their entirety and the affected areas returned to pre-construction elevations. The Contractor must revegetate areas affected by temporary fills such as native riparian vegetation or submerged aquatic vegetation.</p>	Contractor	<p>1-07.5.OPT1(N).GR1, Environmental Commitments</p> <p>1-07.5.OPT1(T).GR1, Environmental Commitments</p>
NWP-13	3rd Paragraph	27	Invasive plant species shall not be used for bioengineering or vegetative bank stabilization.	WSDOT shall not use invasive plant species for bioengineering or vegetative bank stabilization purposes.	WSDOT Design	Roadside Manual - Section 210.02(9)
NWP-13	3rd Paragraph	27	Invasive plant species shall not be used for bioengineering or vegetative bank stabilization.	The Contractor shall not use invasive plant species for bioengineering or vegetative bank stabilization purposes.	Contractor	<p>8-02, Roadside Restoration</p> <p>8-02.3(8).OPT1.FR8, Planting</p>
NWP-14	2nd Paragraph	29	<p>Appropriate measures must be taken to maintain normal downstream flows and minimize flooding to the maximum extent practicable, when temporary structures, work, and discharges, including cofferdams, are necessary for construction activities, access fills, or dewatering of construction sites.</p> <p>Temporary fills must consist of materials, and be placed in a manner, that will not be eroded by expected high flows.</p> <p>Temporary fills must be removed in their entirety and the affected areas returned to pre-construction elevations. The areas affected by temporary fills must be revegetated, as appropriate.</p>	<p>The Contractor shall maintain downstream flows and minimize flooding when installing temporary structures or fill to conduct the work.</p> <p>The Contractor shall ensure the temporary fill material is placed in a manner that it will not be eroded by expected high flows.</p> <p>The Contractor must remove temporary fills in their entirety and the affected areas returned to pre-construction elevations. The Contractor must revegetate areas affected by temporary fills such as native riparian vegetation or submerged aquatic vegetation.</p>	Contractor	<p>1-07.5.OPT1(N).GR1, Environmental Commitments</p> <p>1-07.5.OPT1(T).GR1, Environmental Commitments</p>

Documentation of Coverage for 2012 Nationwide Permits #3, #13, #14, #15, #18, #27, and #33

- For Use During Environmental Commitments Meetings -

Nationwide Permit User's Guide Reference			U.S. Army Corps Language	Modified Language Used in WSDOT's Commitment Tracking System	Responsible Party	Existing WSDOT Requirement
Tier	Number	Page				
NWP-15	N/A	31	There are no additional commitments other than the National General Conditions, Seattle District Regional Conditions, and the State 401 Certification Conditions.	Use the applicable National General Conditions, Seattle District Regional Conditions, and the State 401 Certification Conditions identified in this table.	Refer to the RGC, NGC, and 401-ECO conditions in this table.	Refer to the RGC, NGC, and 401-ECO conditions in this table.
NWP-18	18.a	33	Minor discharges of dredged or fill material into all waters of the United States are allowed, provided: (1) the quantity of discharged material and the volume of area excavated do not exceed 25 cubic yards below the plane of the ordinary high water mark or the high tide line; (2) the discharge will not cause the loss of more than 1/10-acre of waters of the United States; and (3) the discharge is not placed for the purpose of a stream diversion.	Minor discharges of dredged or fill material into all waters of the United States are allowed, provided: (1) the quantity of discharged material and the volume of area excavated do not exceed 25 cubic yards below the plane of the ordinary high water mark or the high tide line; (2) the discharge will not cause the loss of more than 1/10-acre of waters of the United States; and (3) the discharge is not placed for the purpose of a stream diversion.	WSDOT Design	N/A
NWP-23	N/A	39	There are no additional commitments other than the National General Conditions, Seattle District Regional Conditions, and the State 401 Certification Conditions.	Use the applicable National General Conditions, Seattle District Regional Conditions, and the State 401 Certification Conditions identified in this table.	Refer to the RGC, NGC, and 401-ECO conditions in this table.	Refer to the RGC, NGC, and 401-ECO conditions in this table.
NWP-27	2nd Paragraph	42	Only native plant species should be planted at the site.	WSDOT shall only use native plant species as part of the restoration and enhancement activities.	WSDOT Design	Roadside Manual 210.02(9), Prevention of Invasive Species
NWP-27	7th Paragraph	43	For those activities that do not require pre-construction notification, the permittee must submit to the district engineer a copy of: (1) The binding stream enhancement or restoration agreement or wetland enhancement, restoration, or establishment agreement, or a project description, including project plans and location map; (2) the NRCS or USDA Technical Service Provider documentation for the voluntary stream enhancement or restoration action or wetland restoration, enhancement, or establishment action; or (3) the SMCRA permit issued by OSMRE or the applicable state agency. The report must also include information on baseline ecological conditions on the project site, such as a delineation of wetlands, streams, and/or other aquatic habitats. These documents must be submitted to the district engineer at least 30 days prior to commencing activities in waters of the United States authorized by this NWP.	WSDOT must submit to the district engineer a copy of the following for those activities that do not require pre-construction notification: (1) The binding stream enhancement or restoration agreement or wetland enhancement, restoration, or establishment agreement, or a project description, including project plans and location map; (2) the NRCS or USDA Technical Service Provider documentation for the voluntary stream enhancement or restoration action or wetland restoration, enhancement, or establishment action; or (3) the SMCRA permit issued by OSMRE or the applicable state agency. The report must also include information on baseline ecological conditions on the project site, such as a delineation of wetlands, streams, and/or other aquatic habitats. WSDOT must submit these documents to the district engineer at least 30 days prior to commencing activities in waters of the United States authorized by this NWP.	WSDOT Design/ WSDOT Environmental	N/A

Documentation of Coverage for 2012 Nationwide Permits #3, #13, #14, #15, #18, #27, and #33

- For Use During Environmental Commitments Meetings -

Nationwide Permit User's Guide Reference			U.S. Army Corps Language	Modified Language Used in WSDOT's Commitment Tracking System	Responsible Party	Existing WSDOT Requirement
Tier	Number	Page				
NWP-33	1st Paragraph	50	<p>Appropriate measures must be taken to maintain normal downstream flows and minimize flooding to the maximum extent practicable, when temporary structures, work, and discharges, including cofferdams, are necessary for construction activities, access fills, or dewatering of construction sites.</p> <p>Temporary fills must consist of materials, and be placed in a manner, that will not be eroded by expected high flows.</p> <p>Temporary fills must be removed in their entirety and the affected areas returned to pre-construction elevations. The areas affected by temporary fills must be revegetated, as appropriate.</p>	<p>The Contractor shall maintain downstream flows and minimize flooding when installing temporary structures or fill to conduct the work.</p> <p>The Contractor shall ensure the temporary fill material is placed in a manner that it will not be eroded by expected high flows.</p> <p>The Contractor must remove temporary fills in their entirety and the affected areas returned to pre-construction elevations. The Contractor must revegetate areas affected by temporary fills such as native riparian vegetation or submerged aquatic vegetation.</p>	Contractor	<p>1-07.5.OPT1(N).GR1, Environmental Commitments</p> <p>1-07.5.OPT1(T).GR1, Environmental Commitments</p>
NWP-33	Regional Condition #1	51	<p>Temporary fills may be left in place no longer than six months unless the permittee requests and receives a waiver from the district engineer</p>	<p>The Contractor shall remove all temporary fills within six months of the first temporary fill being placed unless otherwise approved by the Project Engineer. The Contractor shall notify the Project Engineer with a written request if more than six months is necessary to complete the work. The request must be provided to the Project Engineer within *** 30 days *** of the six months expiring.</p>	Contractor	<p>1-07.5.OPT1(M).GR1, Environmental Commitments</p>
NWP-33	Regional Condition #1	51	<p>Temporary fills may be left in place no longer than six months unless the permittee requests and receives a waiver from the district engineer</p>	<p>WSDOT Region Permit Coordinators must request a waiver from the district engineer to extend the placement of temporary fills longer than six months.</p>	WSDOT Environmental	<p>NA</p>
NGC++	6	77	<p>No activity may use unsuitable material (e.g., trash, debris, car bodies, asphalt, etc.). Material used for construction or discharged must be free from toxic pollutants in toxic amounts (see Section 307 of the Clean Water Act).</p>	<p>The Contractor shall not use unsuitable material (e.g., trash, debris, car bodies, asphalt, etc.). Material used for construction or discharged must be free from toxic pollutants in toxic amounts (see Section 307 of the Clean Water Act).</p>	Contractor	<p>1-07.5(3) #4, State Department of Ecology</p>
NGC	7	77	<p>No activity may occur in the proximity of a public water supply intake, except where the activity is for the repair or improvement of public water supply intake structures or adjacent bank stabilization.</p>	<p>WSDOT shall not schedule work in the proximity of a public water supply intake, except where the activity is for the repair or improvement of public water supply intake structures or adjacent bank stabilization.</p>	WSDOT Design	<p>N/A</p>
NGC	7	77	<p>No activity may occur in the proximity of a public water supply intake, except where the activity is for the repair or improvement of public water supply intake structures or adjacent bank stabilization.</p>	<p>The Contractor shall not perform work in the proximity of a public water supply intake, except where the activity is for the repair or improvement of public water supply intake structures or adjacent bank stabilization.</p>	Contractor	<p>1-07.5(1), General</p>
NGC	11	78	<p>Heavy equipment working in wetlands or mudflats must be placed on mats, or other measures must be taken to minimize soil disturbance.</p>	<p>The Contractor shall place all heavy equipment working in wetlands or mudflats on mats, or other measures must be taken to minimize soil disturbance.</p>	Contractor	<p>1-07.5.OPT1.(R).GR1, Environmental Commitments</p>
NGC	12	78	<p>Appropriate soil erosion and sediment controls must be used and maintained in effective operating condition during construction.</p>	<p>The Contractor shall implement and maintain appropriate soil erosion and sediment controls in effective operating condition during construction.</p>	Contractor	<p>8-01.3(1), General</p>
NGC	12	78	<p>All exposed soil and other fills, as well as any work below the ordinary high water mark or high tide line, must be permanently stabilized at the earliest practicable date.</p>	<p>The Contractor shall permanently stabilize all exposed soil and other fills, as well as any work below the ordinary high water mark or high tide line, at the earliest practicable date.</p>	Contractor	<p>8-01.3(1), General</p>
NGC	13	78	<p>Temporary fills must be removed in their entirety and the affected areas returned to pre-construction elevations.</p>	<p>The Contractor must remove temporary fills in their entirety and the affected areas returned to pre-construction elevations.</p>	Contractor	<p>1-07.5.OPT1(T).GR1, Environmental Commitments</p>
NGC	13	78	<p>The affected areas must be revegetated as appropriate.</p>	<p>The Contractor must revegetate the affected areas as appropriate.</p>	Contractor	<p>8-02, Roadside Restoration</p>
NGC	17	78	<p>No activity or its operation may impair reserved tribal rights, including, but not limited to, reserved water rights and treaty fishing and hunting rights.</p>	<p>WSDOT's activities or operations shall not impair reserved tribal rights, including, but not limited to, reserved water rights and treaty fishing and hunting rights.</p>	WSDOT Construction	<p>N/A</p>

Documentation of Coverage for 2012 Nationwide Permits #3, #13, #14, #15, #18, #27, and #33

- For Use During Environmental Commitments Meetings -

Nationwide Permit User's Guide Reference			U.S. Army Corps Language	Modified Language Used in WSDOT's Commitment Tracking System	Responsible Party	Existing WSDOT Requirement
Tier	Number	Page				
NGC	17	78	No activity or its operation may impair reserved tribal rights, including, but not limited to, reserved water rights and treaty fishing and hunting rights.	The Contractor's activities or operations shall not impair reserved tribal rights, including, but not limited to, reserved water rights and treaty fishing and hunting rights.	Contractor	1-07.1, Laws to be Observed
NGC	21	80	If you discover any previously unknown historic, cultural or archeological remains and artifacts while accomplishing the activity authorized by this permit, you must immediately notify the district engineer of what you have found, and to the maximum extent practicable, avoid construction activities that may affect the remains and artifacts until the required coordination has been completed.	WSDOT must immediately notify the U.S. Army Corps district engineer if previously unknown historic, cultural or archeological remains and artifacts are discovered while performing work authorized by this permit.	WSDOT Construction	Construction Manual 1-2.2N, Responsibilities Following Unanticipated Discovery of Cultural Resources Construction Manual 1-1.9, Archaeological and Historical Objects
NGC	21	80	If you discover any previously unknown historic, cultural or archeological remains and artifacts while accomplishing the activity authorized by this permit, you must immediately notify the district engineer of what you have found, and to the maximum extent practicable, avoid construction activities that may affect the remains and artifacts until the required coordination has been completed.	The Contractor must immediately notify the WSDOT Project Engineer if previously unknown historic, cultural or archeological remains and artifacts are discovered while performing the work. The Contractor must stop all construction activities that may affect the remains and artifacts until the WSDOT Project Engineer provides notice to continue work where the remains or artifacts were discovered.	Contractor	1-07.16(4), Archaeological and Historical Objects
NGC	23.a	81	The activity must be designed to avoid and minimize adverse effects, both temporary and permanent, to waters of the United States to the maximum extent practicable at the project site (i.e., on site).	WSDOT shall design the activity to avoid and minimize temporary and permanent adverse effects to waters of the United States.	WSDOT Design	Highway Runoff Manual Chapter 2, Stormwater Planning and Design Integration; Highway Runoff Manual Chapter 3, Minimum Requirements; Highway Runoff Manual Chapter 4, Hydrologic Analysis; Highway Runoff Manual Chapter 5, Stormwater Best Management Practices
NGC	23.a	81	The activity must be constructed to avoid and minimize adverse effects, both temporary and permanent, to waters of the United States to the maximum extent practicable at the project site (i.e., on site).	The Contractor shall construct the activity to avoid and minimize temporary and permanent adverse effects to waters of the United States.	Contractor	1-07.5(1), General 8-01.3(1), General
NGC	30	83	Each permittee who receives an NWP verification letter from the Corps must provide a signed certification documenting completion of the authorized activity and any required compensatory mitigation. The success of any required permittee-responsible mitigation, including the achievement of ecological performance standards, will be addressed separately by the district engineer. The Corps will provide the permittee the certification document with the NWP verification letter. The certification document will include:(a) A statement that the authorized work was done in accordance with the NWP authorization, including any general, regional, or activity-specific conditions; (b) A statement that the implementation of any required compensatory mitigation was completed in accordance with the permit conditions. If credits from a mitigation bank or in-lieu fee program are used to satisfy the compensatory mitigation requirements, the certification must include the documentation required by 33 CFR 332.3(l)(3) to confirm that the permittee secured the appropriate number and resource type of credits; and (c) The signature of the permittee certifying the completion of the work and mitigation.	WSDOT must sign and return a signed certification document to the U.S. Army Corps whenever they provide a verification letter with a NWP. The certification letter must document completion of the authorized activity and any required compensatory mitigation. The success of any required permittee-responsible mitigation, including the achievement of ecological performance standards, will be addressed separately by the district engineer. The certification document must include:(a) A statement that the authorized work was done in accordance with the NWP authorization, including any general, regional, or activity-specific conditions; (b) A statement that the implementation of any required compensatory mitigation was completed in accordance with the permit conditions. If credits from a mitigation bank or in-lieu fee program are used to satisfy the compensatory mitigation requirements, the certification must include the documentation required by 33 CFR 332.3(l)(3) to confirm that the permittee secured the appropriate number and resource type of credits; and (c) The signature of the WSDOT representative certifying the completion of the work and mitigation.	WSDOT Construction/ WSDOT Environmental	N/A

Documentation of Coverage for 2012 Nationwide Permits #3, #13, #14, #15, #18, #27, and #33

- For Use During Environmental Commitments Meetings -

Nationwide Permit User's Guide Reference			U.S. Army Corps Language	Modified Language Used in WSDOT's Commitment Tracking System	Responsible Party	Existing WSDOT Requirement
Tier	Number	Page				
401-ECO+++	4	97	Certain aquatic resources are unique, difficult-to-replace components of the aquatic environment in Washington State. Activities that would affect these resources must be avoided to the greatest extent possible. Compensating for adverse impacts to high value aquatic resources is typically difficult, prohibitively expensive, and may not be possible in some landscape settings.	WSDOT designers must take measures to avoid affecting difficult-to-replace aquatic resources, including but not limited to, estuarine wetlands, natural heritage wetlands, bogs, old-growth and mature forested wetlands, wetlands in coastal lagoons, interdunal wetlands, vernal pools, and alkali wetlands.	WSDOT Design	Policy Statement P2038.00, Wetlands Protection and Preservation
401-ECO	7	98	All projects that involve land disturbance or impervious surfaces must implement prevention or control measures to avoid discharge of pollutants in stormwater runoff to waters of the state.	WSDOT shall ensure the Contractor prepares a Spill Prevention Control and Countermeasures Plan per 1-07.15(1) to prevent pollutants from entering stormwater from impervious surfaces and disturbed land.	WSDOT Construction	Highway Runoff Manual Chapter 6, Temporary Erosion and Sediment Control Design Guidelines and Process Construction Manual Chapter 8, Miscellaneous Construction
401-ECO	7	98	All projects that involve land disturbance or impervious surfaces must implement prevention or control measures to avoid discharge of pollutants in stormwater runoff to waters of the state.	All projects that involve land disturbance or impervious surfaces must implement prevention or control measures to avoid discharge of pollutants in stormwater runoff to waters of the state.	Contractor	1-07.5(1), General
401-ECO	7	98	For land disturbances during construction, the permittee must obtain and implement permits where required and follow Ecology's current stormwater manual.	WSDOT shall obtain permits from applicable agencies when construction activities disturb land.	WSDOT Environmental	Environmental Procedures Manual 500, Environmental Permitting and PS&E
401-ECO	7	98	For land disturbances during construction, the permittee must obtain and implement permits where required and follow Ecology's current stormwater manual.	WSDOT shall use the Highway Runoff Manual to implement permits associated with land disturbance.	WSDOT Construction	Construction Manual Chapter 8, Miscellaneous Construction Highway Runoff Manual Chapter 6, Temporary Erosion and Sediment Control Design Guidelines and Process

† Seattle District Region General Condition

++ National General Conditions

+++ Ecology's State 401 Certification General Conditions