

RAMP & ROADWAY 2006

TRAFFIC VOLUMES


Traffic Management Center Summary Report

SR-526



**Washington State
Department of Transportation**

LEGEND






ramp volume



high-occupancy vehicle (HOV) lane volume



mainline volume
(does not include HOV lane volume)



S speed data available at this location

T data obtained from tube counters

A.M. am peak hour volume

P.M. pm peak hour volume


CONSTR data not available due to construction

A.W.D. average weekday volume

N.A. data not available

AIRPORT RD

SEAWAY BLVD
20TH AVE W




Washington State
Department of Transportation



1
OF
2

EVERGREEN WY

I-5



Washington State
Department of Transportation



2
OF
2

APPENDIX

For this 2006 traffic volume summary report, the standard AM and PM peak periods are defined as 6:00 to 9:45 AM and 2:30 to 6:45 PM, respectively. Listed below are the ramp, collector distributor (CD), and mainline stations in which the AM and/or PM peak hourly volumes began outside the above peak periods. They are arranged by mileposts and directions.

Route	Sheet No.	Location	AM	PM
SR-526	1 of 2	WB exit to Airport Rd	5:00 AM	-
		WB ramp from Seaway Blvd	11:00 AM	-
		WB exit to 20th Ave W	-	1:00 PM
		EB ramp from 20th Ave W	11:00 AM	-
	2 of 2	WB ramp from Evergreen Way	-	12:00 PM
		WB ramp from I-5 SB	4:46 AM	1:13 PM
		EB exit to Evergreen Way	11:00 AM	-
		EB ramp from Evergreen Way	-	2:00 PM