ALMAK01	FMEA	STAT	11:17:33 AM			ALARM SILENCE EOS
G2SAT02_A	G2S	VITAL	11:17:38 AM	Alarm	N	#2-STBY MTR GF2K TRIP FAULT
G2SFB14_A	G2S	VITAL	11:17:39 AM	Alarm	N	#2-STBY MTR GF2K LPPA FAULT
G2BAT02_A	G2B	VITAL	11:17:40 AM	Alarm	N	#2B MTR GF2K TRIP FAULT
G2AAT02_A	G2A	VITAL	11:17:42 AM	Alarm	N	#2A MTR GF2K TRIP FAULT
G2BFB14_A	G2B	VITAL	11:17:42 AM	Alarm	N	#2B MTR GF2K LPPA FAULT
G2AFB14_A	G2A	VITAL	11:17:44 AM	Alarm	N	#2A MTR GF2K LPPA FAULT
P06D207_A	PCS	VITAL	11:18:08 AM	Alarm	N	PCS BUS 2 BLOCK P06D207 NOT PRESENT
P06M208_A	PCS	VITAL	11:18:08 AM	Alarm	N	PCS BUS 2 #2 END STBY GF2K NOT PRESENT
P06D119_A	PCS	VITAL	11:18:11 AM	Alarm	N	PCS BUS 1 BLOCK P06D119 NOT PRESENT
P06M120_A	PCS	VITAL	11:18:11 AM	Alarm	N	PCS BUS 1 #2B GF2K NOT PRESENT
P06D019_A	PCS	VITAL	11:18:15 AM	Alarm	N	PCS BUS 0 BLOCK P03D019 NOT PRESENT
P06M020_A	PCS	VITAL	11:18:15 AM	Alarm	N	PCS BUS 0 #2A GF2K NOT PRESENT
PMSET05	MOT2B	STAT	11:44:26 AM			#2B PROP MTR VENT BLWR ON
PMSET07	MOT2A	STAT	11:45:58 AM			#2A PROP MTR VENT BLWR ON
PMSET06	MOT2B	STAT	11:46:27 AM			#2B PROP MTR VENT BLWR OFF
PMSET05	MOT2B	STAT	11:47:45 AM			#2B PROP MTR VENT BLWR ON
G2AAT02_A	G2A	VITAL	11:48:19 AM	Alarm	N	#2A MTR GF2K TRIP FAULT
PROPRST	PRP	STAT	11:48:20 AM			PROPULSION CONTROL POWER RESET
PCMRS00	PRP	STAT	11:48:22 AM			PROP CONTROL PWR RESET 0
PCMRS01	PRP	STAT	11:48:22 AM			PROP CONTROL PWR RESET_1
PCMRS02	PRP	STAT	11:48:22 AM			PROP CONTROL PWR RESET_2

11/04/12 CIMPLICITY ALARM LOG

Alarmid	Resource	Class	Time	State	Ack	Alarm Message
ALMAK01	FMEA	STAT	11:48:22 AM			ALARM SILENCE EOS

PL_BSS02_A	A06D121	VITAL	11:48:35 AM	Alarm	N	#2 END LOOP B OUT OF SERVICE
PM2ER02_A	P06D121	VITAL	11:48:35 AM	Alarm	N	#2B PROP MTR OUT OF SERVICE
AL_MAK01	FMEA	STAT	11:48:37 AM			ALARM SILENCE EOS
PA3SW03	ALT3	STAT	11:49:03 AM			#3 PROP ALT ON_0
DA3SW06	ALT3	STAT	11:49:03 AM			#3 PROP ALT ON_1
RA3SW09	ALT3	STAT	11:49:03 AM			#3 PROP ALT ON_2
PM1TR01_A	A03R012	VITAL	11:57:08 AM	Alarm	N	1A PROP MOTOR EXH. AIR TEMP HIGH
PM1TR01_A	A03R012	VITAL	11:57:16 AM	Alarm	N	1A PROP MOTOR EXH. AIR TEMP HIGH
PM1TR01_A	A03R012	VITAL	11:57:51 AM	Alarm	N	1A PROP MOTOR EXH. AIR TEMP HIGH
PMSET06	MOT2B	STAT	11:58:22 AM			#2B PROP MTR VENT BLWR OFF
PMSET08	MOT2A	STAT	11:58:39 AM			#2A PROP MTR VENT BLWR OFF
DA3SW02	ALT3	STAT	11:59:00 AM			#3 PROP ALT STANDBY_0
RA3SW05	ALT3	STAT	11:59:00 AM			#3 PROP ALT STANDBY_1
SA3SW08	ALT3	STAT	11:59:00 AM			#3 PROP ALT STANDBY_2
PA3SE01_A	A07D201	VITAL	11:59:25 AM	Alarm	N	#3 ENGINE EMERGENCY STOP
ALMAK01	FMEA	STAT	11:59:28 AM			ALARM SILENCE EOS
PL_AAT01_A	P15D001	VITAL	11:59:53 AM	Alarm	N	LOOP A LOCKOUT RELAY TRIPPED
PL_BAT01_A	P15D101	VITAL	11:59:53 AM	Alarm	N	LOOP B LOCKOUT RELAY TRIPPED
EX1AT02_A	EX1	VITAL	11:59:53 AM	Alarm	N	#1 ALT. EX2K TRIP FAULT
EX3AT02_A	EX3	VITAL	11:59:53 AM	Alarm	N	#3 ALT. EX2K TRIP FAULT
EX2AT02_A	EX2	VITAL	11:59:53 AM	Alarm	N	#2 ALT. EX2K TRIP FAULT
EX4AT02_A	EX4	VITAL	11:59:53 AM	Alarm	N	#4 ALT. EX2K TRIP FAULT
AL_MAK01	FMEA	STAT	12:00:03 PM			ALARM SILENCE EOS
AL_MAK01	FMEA	STAT	12:00:20 PM			ALARM SILENCE EOS
RE4LS01_A	P14D113	VITAL	12:26:26 PM	Alarm	N	#4 RECT 89 BRKR COVER INTLK
RE3LS01_A	P13D013	VITAL	12:30:04 PM	Alarm	N	#3 RECT 89 BRKR COVER INTLK
G2AAT02_A	G2A	VITAL	01:05:54 PM	Alarm	N	#2A MTR GF2K TRIP FAULT
G2AFB14_A	G2A	VITAL	01:05:55 PM	Alarm	N	#2A MTR GF2K LPPA FAULT
G2BAT02_A	G2B	VITAL	01:05:55 PM	Alarm	N	#2B MTR GF2K TRIP FAULT
G2BFB14_A	G2B	VITAL	01:05:57 PM	Alarm	N	#2B MTR GF2K LPPA FAULT
G2SAT02_A	G2S	VITAL	01:05:58 PM	Alarm	N	#2-STBY MTR GF2K TRIP FAULT
G2SFB14_A	G2S	VITAL	01:05:59 PM	Alarm	N	#2-STBY MTR GF2K LPPA FAULT
PROPRST	PRP	STAT	01:06:09 PM			PROPULSION CONTROL POWER RESET
G2AAT02_A	G2A	VITAL	01:06:10 PM	Alarm	N	#2A MTR GF2K TRIP FAULT
G2BAT02_A	G2B	VITAL	01:06:10 PM	Alarm	N	#2B MTR GF2K TRIP FAULT
G2SAT02_A	G2S	VITAL	01:06:10 PM	Alarm	N	#2-STBY MTR GF2K TRIP FAULT
ALMAK01	FMEA	STAT	01:06:11 PM			ALARM SILENCE EOS
PCMRS00	PRP	STAT	01:06:15 PM			PROP CONTROL PWR RESET 0
PCMRS01	PRP	STAT	01:06:15 PM			PROP CONTROL PWR RESET 1

AIT ON — 11:49

8 MIN

11:57

2 MIN

11:59

PLBSS02_A	A06D121	VITAL	11:48:35 AM	Alarm	N	#2 END LOOP B OUT OF SERVICE
PM2ER02_A	P06D121	VITAL	11:48:35 AM	Alarm	N	#2B PROP MTR OUT OF SERVICE
ALMAK01	FMEA	STAT	11:48:37 AM			ALARM SILENCE EOS
PA3SW03	ALT3	STAT	11:49:03 AM			#3 PROP ALT ON_0
PA3SW06	ALT3	STAT	11:49:03 AM			#3 PROP ALT ON_1
PA3SW09	ALT3	STAT	11:49:03 AM			#3 PROP ALT ON_2
PM1TR01_A	A03R012	VITAL	11:57:08 AM	Alarm	N	1A PROP MOTOR EXH. AIR TEMP HIGH
PM1TR01_A	A03R012	VITAL	11:57:16 AM	Alarm	N	1A PROP MOTOR EXH. AIR TEMP HIGH
RM1TR01_A	A03R012	VITAL	11:57:51 AM	Alarm	N	1A PROP MOTOR EXH. AIR TEMP HIGH
PMSET06	MOT2B	STAT	11:58:22 AM			#2B PROP MTR VENT BLWR OFF
PMSET08	MOT2A	STAT	11:58:39 AM			#2A PROP MTR VENT BLWR OFF
PA3SW02	ALT3	STAT	11:59:00 AM			#3 PROP ALT STANDBY_0
PA3SW05	ALT3	STAT	11:59:00 AM			#3 PROP ALT STANDBY_1
PA3SW08	ALT3	STAT	11:59:00 AM			#3 PROP ALT STANDBY_2
PA3SE01_A	A07D201	VITAL	11:59:25 AM	Alarm	N	#3 ENGINE EMERGENCY STOP
ALMAK01	FMEA	STAT	11:59:28 AM			ALARM SILENCE EOS
PLAAT01_A	P15D001	VITAL	11:59:53 AM	Alarm	N	LOOP A LOCKOUT RELAY TRIPPED
PLBAT01_A	P15D101	VITAL	11:59:53 AM	Alarm	N	LOOP B LOCKOUT RELAY TRIPPED
EX1AT02_A	EX1	VITAL	11:59:53 AM	Alarm	N	#1 ALT. EX2K TRIP FAULT
EX3AT02_A	EX3	VITAL	11:59:53 AM	Alarm	N	#3 ALT. EX2K TRIP FAULT
EX2AT02_A	EX2	VITAL	11:59:53 AM	Alarm	N	#2 ALT. EX2K TRIP FAULT
EX4AT02_A	EX4	VITAL	11:59:53 AM	Alarm	N	#4 ALT. EX2K TRIP FAULT
ALMAK01	FMEA	STAT	12:00:03 PM			ALARM SILENCE EOS
ALMAK01	FMEA	STAT	12:00:20 PM			ALARM SILENCE EOS
RE4LS01_A	P14D113	VITAL	12:26:26 PM	Alarm	N	#4 RECT 89 BRKR COVER INTLK
RE3LS01_A	P13D013	VITAL	12:30:04 PM	Alarm	N	#3 RECT 89 BRKR COVER INTLK
G2AAT02_A	G2A	VITAL	01:05:54 PM	Alarm	N	#2A MTR GF2K TRIP FAULT
G2AFB14_A	G2A	VITAL	01:05:55 PM	Alarm	N	#2A MTR GF2K LPPA FAULT
G2BAT02_A	G2B	VITAL	01:05:55 PM	Alarm	N	#2B MTR GF2K TRIP FAULT
G2BFB14_A	G2B	VITAL	01:05:57 PM	Alarm	N	#2B MTR GF2K LPPA FAULT
G2SAT02_A	G2S	VITAL	01:05:58 PM	Alarm	N	#2-STBY MTR GF2K TRIP FAULT
G2SFB14_A	G2S	VITAL	01:05:59 PM	Alarm	N	#2-STBY MTR GF2K LPPA FAULT
PROPRST	PRP	STAT	01:06:09 PM			PROPULSION CONTROL POWER RESET
G2AAT02_A	G2A	VITAL	01:06:10 PM	Alarm	N	#2A MTR GF2K TRIP FAULT
G2BAT02_A	G2B	VITAL	01:06:10 PM	Alarm	N	#2B MTR GF2K TRIP FAULT
G2SAT02_A	G2S	VITAL	01:06:10 PM	Alarm	N	#2-STBY MTR GF2K TRIP FAULT
ALMAK01	FMEA	STAT	01:06:11 PM			ALARM SILENCE EOS
PCMRS00	PRP	STAT	01:06:15 PM			PROP CONTROL PWR RESET 0
PCMRS01	PRP	STAT	01:06:15 PM			PROP CONTROL PWR RESET_1
PCMRS02	PRP	STAT	01:06:15 PM			PROP CONTROL PWR RESET_2
PH1ALM1	FMEA	STAT	01:06:15 PM			PH1 ALARM SILENCE
PCMRS00	PRP	STAT	01:06:17 PM			PROP CONTROL PWR RESET 0
PCMRS01	PRP	STAT	01:06:17 PM			PROP CONTROL PWR RESET_1
PCMRS02	PRP	STAT	01:06:17 PM			PROP CONTROL PWR RESET_2
G2SAT02_A	G2S	VITAL	01:06:17 PM	Alarm	N	#2-STBY MTR GF2K TRIP FAULT
G2BAT02_A	G2B	VITAL	01:06:18 PM	Alarm	N	#2B MTR GF2K TRIP FAULT
PLAAT01_A	P15D001	VITAL	01:06:29 PM	Alarm	N	LOOP A LOCKOUT RELAY TRIPPED
PLBAT01_A	P15D101	VITAL	01:06:29 PM	Alarm	N	LOOP B LOCKOUT RELAY TRIPPED
EX1AT02_A	EX1	VITAL	01:06:29 PM	Alarm	N	#1 ALT. EX2K TRIP FAULT
EX3AT02_A	EX3	VITAL	01:06:29 PM	Alarm	N	#3 ALT. EX2K TRIP FAULT
EX2AT02_A	EX2	VITAL	01:06:29 PM	Alarm	N	#2 ALT. EX2K TRIP FAULT
EX4AT02_A	EX4	VITAL	01:06:29 PM	Alarm	N	#4 ALT. EX2K TRIP FAULT
TB2PS01_A	A06D121	VITAL	01:20:37 PM	Alarm	N	#2 THRUST BEARING LOW L.O. PSI
TB1PS01_A	A03D011	VITAL	01:20:38 PM	Alarm	N	#1 THRUST BEARING LOW L.O. PSI

AIT ON — 11:49

11:57

11:59

Blow

Blow

PH1ALM1	FMEA	STAT	01:06:15 PM			PH1 ALARM SILENCE
PCMRS00	PRP	STAT	01:06:17 PM			PROP CONTROL PWR RESET 0
PCMRS01	PRP	STAT	01:06:17 PM			PROP CONTROL PWR RESET_1
PCMRS02	PRP	STAT	01:06:17 PM			PROP CONTROL PWR RESET_2
G2SAT02_A	G2S	VITAL	01:06:17 PM	Alarm	N	#2-STBY MTR GF2K TRIP FAULT
G2BAT02_A	G2B	VITAL	01:06:18 PM	Alarm	N	#2B MTR GF2K TRIP FAULT
LAAT01_A	P15D001	VITAL	01:06:29 PM	Alarm	N	LOOP A LOCKOUT RELAY TRIPPED
LBAT01_A	P15D101	VITAL	01:06:29 PM	Alarm	N	LOOP B LOCKOUT RELAY TRIPPED
EX1AT02_A	EX1	VITAL	01:06:29 PM	Alarm	N	#1 ALT. EX2K TRIP FAULT
EX3AT02_A	EX3	VITAL	01:06:29 PM	Alarm	N	#3 ALT. EX2K TRIP FAULT
EX2AT02_A	EX2	VITAL	01:06:29 PM	Alarm	N	#2 ALT. EX2K TRIP FAULT
EX4AT02_A	EX4	VITAL	01:06:29 PM	Alarm	N	#4 ALT. EX2K TRIP FAULT
TB2PS01_A	A06D121	VITAL	01:20:37 PM	Alarm	N	#2 THRUST BEARING LOW L.O. PSI
JB1PS01_A	A03D011	VITAL	01:20:38 PM	Alarm	N	#1 THRUST BEARING LOW L.O. PSI