

**NOTICE TO CONTRACTORS  
HIGHWAY CONSTRUCTION****February 20, 2018**

Bidding proposals may not be issued to bidders unless they are prequalified, except where otherwise provided in Plans and Specifications. For those contractors who are not prequalified, application for prequalification will be submitted on DOT Form 420-010 (Standard Questionnaire and Financial Statement) and must be received by the Prequalification Engineer no less than fifteen days prior to the scheduled bid opening to receive consideration for issuance of a bidding proposal for that bid opening. Informational copies of plans and specifications are on file in the office of the County Engineer of the County in which the work is situated, the chapter offices of the Associated General Contractors of America, the offices of the Regional Administrators or the Headquarters of the Department of Transportation, and at [www.wsdot.wa.gov/biz/contaa/](http://www.wsdot.wa.gov/biz/contaa/) where they may be inspected. The use of informational proposals shall be allowed only upon written request and will be accepted only when written authority for their use has been granted. **ESTIMATE RANGES PUBLISHED IN THIS NOTICE MUST NOT BE USED AS A BASIS FOR BID PREPARATION.**

All bid proposals shall be accompanied by a bid proposal deposit in cash, certified check, cashier's check or surety bond in an amount equal to five percent (5%) of the amount of such bid proposal. Should the successful bidder fail to enter into a contract and furnish a satisfactory performance bond, the bid proposal deposit shall be forfeited. **Bonds submitted on other than the bond form provided by the department may be subject to rejection. The right is reserved to reject any and all bids and to waive informalities in the bidding.** Sealed bids will be received in the Bid Room 2D20, located on the second floor of the Department of Transportation, 310 Maple Park Avenue SE, Olympia, Washington, 98501 until 11:00:59 am Pacific Time, or at P.O. Box 47360, Olympia, Washington, 98504-7360, until 11:00:59 am Pacific Time or electronically via BidX.com until 11:00:59 am Pacific Time, on the dates shown below except where otherwise provided in the Plans and Specifications.

**FEE: Project Documents will be furnished for the non-refundable fee Plus Sales Tax of:**

**Electronic – plans only \$10**

**Electronic – with proposal \$15**

**Paper – one volume \$35**

**Paper – two volumes \$50**

**Paper – three volumes \$100**

*(Remittance may be made to the Department of Transportation Cash Receipts, Transportation Building, and P.O. Box 47305, Olympia, WA 98504-7305) TO ORDER PLANS AND SPECIFICATIONS PLEASE CALL (360) 705-7835. To order by e-mail, the address is: [CAA@wsdot.wa.gov](mailto:CAA@wsdot.wa.gov).*

***Electronic Project Plans, Specifications, Geotechnical Reports, Addenda, Planholders Lists, Award/Bid Results, and Bid Tabulations are available on the Internet at: <http://www.wsdot.wa.gov/biz/contaa>***

**SMALL WORKS ROSTER:** The Department of Transportation is soliciting contractors interested in qualifying for placement on the department's Small Works Roster. The small works roster process as authorized by RCW 39.04.155 and WAC 468-15 may be used to secure bids for the Agency's small works projects with a total cost less than \$300,000. Contractors that are currently Prequalified may be placed on the Small Works Roster by completing the Small Works Roster Supplement located on the Contract Ad & Award website. For contractors who are not currently prequalified, application for prequalification for small works roster shall be submitted on DOT Form 420-020 (Small Works Questionnaire). Both forms are available by emailing [prequal@wsdot.wa.gov](mailto:prequal@wsdot.wa.gov) or can be printed from the WSDOT Contract Ad & Award website at: <http://www.wsdot.wa.gov/biz/contaa/prequal/default.htm> Applications for placement on the Department of Transportation Small Works Roster will be accepted by emailing [prequal@wsdot.wa.gov](mailto:prequal@wsdot.wa.gov)

**Title VI Notice to Public**

It is the Washington State Department of Transportation's (WSDOT) policy to assure that no person shall, on the grounds of race, color, national origin or sex, as provided by Title VI of the Civil Rights Act of 1964, be excluded from participation in, be denied the benefits of, or be otherwise discriminated against under any of its federally funded programs and activities. Any person who believes his/her Title VI protection has been violated, may file a complaint with WSDOT's Office of Equal Opportunity (OEO). For additional information regarding Title VI complaint procedures and/or information regarding our non-discrimination obligations, please contact OEO's Title VI Coordinator Oscar Cerda at (360) 705-7082.

**Americans with Disabilities Act (ADA) Information:** This material can be made available in an alternate format by emailing the WSDOT Diversity/ADA Affairs team at [wsdotada@wsdot.wa.gov](mailto:wsdotada@wsdot.wa.gov) or by calling toll free, 855-362-4ADA(4232). Persons who are deaf or hard of hearing may make a request by calling the Washington State Relay at 711.

**BID OPENING THURSDAY, FEBRUARY 22, 2018**

- \*1. (STEVENS) **SPOKANE RIVER BRIDGE N EMBANKMENT REPAIR** (CL 1, \$2,000,000 – \$2,500,000) **CONTAINS VOLUNTARY MSVWBE GOAL: 26%**. A State Project on SR 25, MP 23.35 to MP 23.70. Requires: Archaeological/historic salvage, removing curb, guardrail and fence, roadway excavation, geotextile and rock for erosion control, drainpipe, catch basin, plug bridge drain, CSBC, paving with HMA, inlet protection, stabilized construction entrance, silt and high visibility fence, seeding, fertilizing and mulching, curb, guardrail, guideposts, paint line, wire fence, traffic control and other work. 45 Working days. Involves 52 items. 13000 CY rdwy excav incl haul, 6220 CY rock CL B, 10000 CY quarry spalls, 310 CY CSBC, 415 T HMA CL 3/8 IN PG 64H-28, 780 LF silt fence, 2 ACRE seed, fert, mulch, 2 ACRE soil amend, 510 LF high vis fence, 215 LF beam guardrail, 845 LF temp barrier, 1395 LF paint line, 362 SF const signs CL A. Lump Sum Bids for: Temp traffic control signal, temp traffic control, SPCC plan. (XL-5689)(602502A)(18Z010)(9210)(4 of 4)(1)
- \*2. (GRAYS HARBOR) **UNNAMED TRIBUTARY TO WYNOOCHEE RIVER – REMOVE FISH BARRIER** (CL 1 or 6, \$2,500,000 - \$3,000,000) **CONTAINS CONDITION OF AWARD UD BE GOAL: 15% F.A.** No. NHPP-0012(221) on US 12, MP 8.84 to MP 9.26. Requires: Temporary stream diversion system, TESC, dewatering, clearing, excavating structure and channel, removing the existing cross culverts, grading, precast reinforced concrete split box culvert, wingwalls, headwalls, fall protection, HMA base lifts, planing, guardrails, stream bed restoration, erosion control, traffic control and other work. 60 Working days. Involves 62 items. 2600 T streambed sediment, 720 T permeable ballast, 786 T CSBC, 3127 SY plane bit pvmt, 1107 T HMA CL 1/2 IN PG 58H-22, 907 LF beam guardrail, 2040 LF temp barrier, 2960 LF paint line, 3320 LF profiled plastic line, 10000 LF temp pvmt marking – short duration, 1080 LF wire fence. Lump Sum Bids for: Earthwork, temp widening remove, temp stream diversion, shore or extra excav CL A, struct shore sys, temp retain wall, temp dewater sys, erosion control and water pollution prevent, temp illum sys, temp traffic control, struct survey, rdwy survey, SPCC plan. (XL-4658) (301268A)(14C517)(9211)(4 of 4)(1)
- \*3. (KING) **E SUNSET WAY I/C VIC TO 436<sup>TH</sup> AVE I/C VIC PAVEMENT REPAIR** (CL 47, Under \$15,000,000) **CONTAINS CONDITION OF AWARD UD BE GOAL: 13% F.A.** No. NHPP-0901(492) on I-90, MP 4.21 to MP 33.29. **CONTAINS APPRENTICE UTILIZATION REQ: 15%**. Requires: Select concrete panel replacement, diamond grinding of lanes, planing & paving outside shoulder and transition/taper segments of ramps with HMA, restoring rumble strip, striping, recessed pavement markers, scarifying the existing surfacing, bridge deck repair, modified concrete overlay, replacing bridge approach slab, constructing rapid cure sealant expansion joints, remove and replace catch basin, manhole frame & covers, temporary erosion and sediment control, traffic control and other work. 285 Working days. Involves 93 items. 3930 CF mod conc overlay, 3540 SY finish & cure mod conc overlay, 3540 scarify conc surface, 229 SY bridge approach slab, 834 T CSBC, 3477 SY replace cement conc panel, 1660 SY precast conc pvmt, 1647 SF partial depth spall repair, 294765 SY cement conc pvmt grind, 36252 SY plane bit pvmt, 21822 grind bit pvmt, 7465 T HMA CL 1/2 IN PG 58H-22, 68252 LF longitudinal jnt seal, 4417 LF compost sock, 738 LF AES. TR. beam guardrail, 10 EA beam guardrail non-flare term, 1990 LF temp barrier, 333065 LF paint line, 178150 LF plastic line, 20016 LF plastic wide lane line, 44 HUND recess pvmt marker, 396714 LF temp pvmt marking – long duration, 400 HR training. **CONTAINS MINIMUM BID ITEM: TYPE C PROGRESS SCH.** Lump Sum Bids for: Traffic data accum & ramp meter sys, temp traffic control, struct survey, rdwy survey reference exist pvmt marking, health & safety plan, Just In Time training, SPCC plan.(XL-5148)(109060F)(17A024)(9213)(4 of 4)(2)
- \*4. (KING) **WB W VALLEY HWY S VIC TO SE 231<sup>ST</sup> ST PAVING & ADA COMPLIANCE** (CL 4, \$6,000,000 - \$7,500,000) **CONTAINS VOLUNTARY MSVWBE GOAL: 26%** A State Project on SR 18 ET AL, MP 2.580 to MP 15.850. **CONTAINS APPRENTICE UTILIZATION REQ: 15%**. Requires: Planing bituminous pavement, paving with HMA, pavement repair, update curb ramps to ADA standards, replacement of traffic loop and signal loop, remove existing overlay, bridge deck repair, waterproof membrane, pavement marking, temporary erosion and water pollution control, traffic control and other work. 120 Working days. Involves 102 items. 1470 CY rdwy excav incl haul, 1350 SY waterproof membrane, 1060 T CSBC, 16680 LF crack seal, 1550 SY remove exist overlay, 277330SY plane bit pvmt, 32580 T HMA CL 1/2 IN PG 58H-22, 1562 LF HMA sawcut and seal, 3000 SY plane bit pvmt, 830 LF compost sock, 1260 LF extruded curb, 3000 LF beam guardrail, 3850 LF remove & reset exist perm barrier, 3450 LF plastic line, 258960 LF profiled plastic line, 39300 LF profiled plastic wide lane line, 607820 LF temp pvmt marking – short duration, 3270 LF plastic crosshatch marking, 5 EA cement conc

curb ramp. CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH. Lump Sum Bids for: Traffic signal sys, temp video detect, traffic data accum & ramp meter sys, temp traffic control, pedestrian traffic control, struct survey, rdwy survey, ADA feature survey, reference exist pvmt marking, SPCC plan.(XL-5316)(101802K)(17A040)(9212)(4 of 4)

- \*5. (SNOHOMISH) **I-5 INTERCHANGE VIC TO SR 9 VIC PAVING & ADA COMPLIANCE** (CL 4, \$5,000,000 - \$6,000,000) CONTAINS CONDITION OF AWARD UDBE GOAL: 16%. F.A. No. STPF-0096(005) on SR 96, MP 0.070 to MP 6.690. **CONTAINS APPRENTICE UTILIZATION REQ: 15%** Requires: Planing bituminous pavement and paving with HMA, overlay with HMA, and BST, retrofitting curb ramps to be compliant with ADA guidelines, minor safety work, erosion control, traffic control and other work. 120 Working Days. Involves 118 items. 1607 SY pvmt repair excav incl haul, 60 T emulsified asph, 9 T asph, 57140 SY furnish and place crushed screen, 146595 SY plane bit pvmt, 2230 T HMA CL 3/8 IN PG 64-22, 15118 T HMA CL 1/2 PG 64-22, 500 T HMA CL 1/2 IN PG 70-22, 115 EA inlet protect, 1025 LF cement conc traffic curb and gutter, 291 LF cement conc traffic curb, 673 LF cement conc pedestrian curb, 1390 LF precast dual faced sloped mountable curb, 109350 LF paint line, 4860 LF plastic wide lane line, 4620 LF plastic crosswalk line, 177470 LF temp pvmt marking, 480 SY cement conc sidewalk, 34 EA cement conc curb ramp. CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH. Lump Sum Bids for: Perm signing, temp video detection sys, traffic signals sys, temp traffic control signal, temp traffic control, pedestrian traffic control, struct survey, rdwy survey, ADA features survey, ref exist pvmt markings, SPCC plan. (XL-5006)(109601B)(17A004)(9198)(8 of 4)8)(4)

### **BID OPENING WEDNESDAY, FEBRUARY 28, 2018**

- \*1. (CLALLAM) **OLSEN CREEK IN VICINITY OF VISTA DR – REMOVE FISH BARRIER** (CL 1 or 6, \$1,500,000 - \$2,000,000) CONTAINS CONDITION OF AWARD UDBE COA: 12%. F.A. No. STPF-0112(031) on SR 112, MP 7.25 to MP 7.45. Requires: Temporary stream diversion system, TESC, dewatering, excavating structure and channel, construct detour road, removing the existing two cross culverts, grading, constructing one prestressed concrete girder bridge, backfilling, HMA base lifts, planing and HMA wearing course, guardrails, streambed restoration, seed and compost, erosion control, traffic control and other work. 90 Working days. Involves 68 items. 590 T streambed sediment, 530 T streambed cobbles, 10600 LB epoxy-coated st rebar, 77 CY conc CL 4000, 214 LF prestressed conc girder, 211 LF bridge rail, 211 LF traffic barrier, 190 SY bridge approach slab, 370 T CSBC, 38 SY plane bit pvmt, 190 T HMA CL 1/2 IN PG 58H-22, 1000 LF temp barrier, 2380 LF paint line, 1362 LF temp pvmt marking short-duration, 480 LF conduit pipe, 400 HR training. CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH. Lump Sum Bids for: Temp stream divert, shoring or extra excav CL A, erosion control and water pollution prevent, temp traffic control, SPCC plan. **SUPERSTRUCTURE INCLUDES:** 100 SF bridge deck test slab, 14900 LB epoxy-coated st rebar, 53 CY conc CL 4000D, 23 CY conc CL 4000, 8 EA elastomeric bearing pad, 16 EA elastomeric girder stop pad. (XL-5118)(311247A)(17C518)(9215)(4 of 4)(1)
- \*2. (WHATCOM) **KICKERVILLE RD INTERSECTION IMPROVEMENT** (CL 4, \$500,000 - \$600,000) CONTAINS CONDITION OF AWARD UDBE GOAL: 14%. F.A. No. STPF-0548(011) on SR 548, MP 4.81 to MP 5.05. Requires: Installation of a roundabout, pavement repair, planing bituminous pavement, roadway excavation, HMA paving, concrete curb, drainage, grading luminaire installation, pavement marking, permanent signing, erosion and sediment control, traffic control and other work. 25 Working days. Involves 56 items. 720 T select borrow incl haul, 180 CY ditch excav incl haul, 103 LF CL V reinf conc culv pipe, 563 T CSBC, 1150 T HMA CL 1/2 IN PG 64-22, 475 LF high vis silt fence, 236 LF rolled mountable curb, 427 LF precast sloped mountable curb, 3140 LF plastic line, 880 SF painted marking of island, 480 SF shoring or extra excav CL B. CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH. Lump Sum Bids for: Perm signing, illum sys, temp traffic control, rdwy survey, SPCC plan. (XL-4736)(154813B)(17A035)(9218)(3 of 3)
- \*3. (KING) **NORTHUP MAINTENANCE FACILITY EQUIPMENT BUILDING** (NO PREQUALIFICATION REQUIRED, \$1,000,000 - \$1,500,000) CONTAINS VOLUNTARY MSVWBE GOAL: 26%. A State Project for Washington State Facilities Branch. Requires: selective site demolition and clearing, earthwork, asphalt and concrete paving, site utilities (storm sewer, sanitary sewer, water, power, phone, data), pile and concrete foundations, wood framing, metal siding & roofing, doors, painting, HVAC, plumbing, electrical, and lighting. 120 working days. Involves 1 item. Lump sum bid for: Construct Maint. Facility Equipment Bldg. (XL-5184)(852028P)(17W606)(9203)(6 of 5)6)(4)

**BID OPENING WEDNESDAY, MARCH 7, 2018**

- \*1. (KING) **SB SR 900 TO COAL CREEK PKWY SE PAVING OUTSIDE LANE** (CL 4, \$1,500,000 - \$2,000,000) **CONTAINS CONDITION OF AWARD UD BE GOAL: 16%. F.A. No. STBG-4053(865)** on I-405, MP 4.50 to MP 10.18. Requires: Planing bituminous pavement, paving with HMA, pavement repair, crack sealing, ITS loop replacement, erosion control, temporary and permanent striping, traffic control and other work. 28 Working days. Involves 36 items. 911 SY pvmt repair excav incl haul, 49900 SY plane bit pvmt, 5550 T HMA CL 1/2 IN PG 58V-22, 59 EA inlet protect, 28790 LF plastic line, 29800 LF profiled plastic line, 4 EA loop replace, 118400 LF temp pvmt marking – short duration. Lump Sum Bids for: Test exist vehicle detect loops, temp traffic control, rdwy survey, ref exist pvmt marking, SPCC plan.(XL-5322)(140504E)(18A005)(9216)(3 of 4)
- \*2. (SKAGIT) **FRANCIS RD INTERSECTION IMPROVEMENTS** (CL 4, \$1,250,000 - \$2,000,000) **CONTAINS CONDITON OF AWARD UD BE GOAL: 15%. F.A. No. STPF-0009(076)** on SR 9, MP 53.15 to MP 53.35. Requires: Replacing one un-signalized intersection with one roundabout, roadway excavation, embankment compaction, grading, vegetated filter strip for storm-water treatment, illumination, concrete curb and gutter, Portland Cement Concrete and HMA paving, striping, permanent signing, erosion and sediment control, planting, traffic control and other work. 53 Working days. Involves 67 items. 3090 CY rdwy excav incl haul, 25 T streambed cobbles, 500 T ballast, 1339 T CSBC, 680 SY textured & pigmented cement conc pvmt, 2855 T HMA CL 1/2 IN PG 58H-22, 169 EA nootka rose, 116 EA pacific cranapple, 70 EA western red cedar, 213 EA red-osier dogwood, 958 EA salal, 267 EA snowberry, 355 EA western sword fern, 2597 SY bark or wood chip mulch, 2383 SY soil amendment, 1946 SY medium compost, 3410 LF plastic line, 5230 LF temp pvmt marking-short duration, 714 SF const signs CL A, 816 LF cement conc roundabout curb & gutter, 1100 SY const geotextile. **CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH.** Lump Sum Bids for: Erosion control & water pollution prevent, perm signing, illum sys, temp traffic control, SPCC plan. (XL-4901)(100938C)(17A041)(9219)(3 of 4)
- \*3. (WHATCOM) **I-5 TO BRITTON ROAD PAVING AND ADA COMPLIANCE** (CL 4, \$3,000,000 - \$3,500,000) **CONTAINS CONDITION OF AWARD UD BE GOAL: 8% F.A. No. STGB-0542(047)** on SR 542, MP 0.00 to MP 2.98. **CONTAINS APPRENTICE UTILIZATION REQ: 15%**. Requires: Pavement repair, planing bituminous pavement, paving with hot mix asphalt, pavement markings, pedestrian facility upgrades, culvert replacement, erosion control, surveying, traffic control and other work. 50 Working days. Involves 80 items. 3610 SY pvmt repair excav incl haul, 80 LF sch A culv pipe, 670 T CSBC, 60050 SY plane bit pvmt, 9880 T HMA CL 3/8 IN PG 58H-22, 2310 LF longitudinal jnt seal, 69 SY seed, fert by hand, 1054 LF cement conc traffic curb & gutter, 641 LF cement conc pedestrian curb, 630 LF precast dual face slope mountable curb, 10070 LF paint line, 17150 LF plastic line, 8560 LF plastic wide lane line, 4310 SF plastic crosswalk line, 77 HUND raised pvmt marker, 56070 LF temp pvmt marking – short duration, 171 SY cement conc sidewalk, 30 EA cement conc curb ramp. **CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH** Lump Sum Bids for: Erosion control & water pollute prevent, perm signing, traffic signal sys, temp video detect sys, temp traffic control, rdwy survey, ADA feature survey, ref exist pvmt marking, SPCC plan. (XL-5327)(154201E)(17A038)(9220)(3 of 4)
- \*4. (KITITAS) **YAKIMA RIVER BRIDGES CLE ELUM TO ELLENSBURG EB & WB – DECK REHAB** (CL 6, Under \$20,000,000) **CONTAINS CONDITION OF AWARD UD BE GOAL: 7%. F.A. No NHPP-0902(450)** on I-90, MP 86.19 to MP 86.28 and MP 102.49 and MP 102.61. **CONTAINS APPRENTICE UTILIZATION REQ: 15%**. Requires: Constructing and removing work access and temporary bridges, scarifying concrete surfaces, performing further deck preparation, placing, finishing and curing concrete overlay, applying fiber reinforced polymer, modifying expansion joint systems on four bridges, constructing and removing temporary support structures, performing hinge repairs on two bridges, delineating the roadway, traffic control and other work. 400 working days. Involves 76 items. 20860 CY rdwy excav incl haul, 4030 CY common borrow incl haul, 10740 CY embank comp, 6 ACRE separation layer, 2130 CY quarry spalls, 3600 SF hinge concrete repair, 27840 SF furnish and apply FRP, 544 CY conc CL 4000D, 420 LF exp jnt mod, 7080 SY scarifying conc surface, 7040 SY remove exist conc overlay, 1400 SF further deck prep, 11220 T CSBC, 7100 T HMA CL 1/2 IN PG 64H-28, 5 ACRE seed, fert, mulch, 8812 LF temp barrier, 30090 LF paint line, 5440 LF plastic line, 1030 LF plastic wide lane line, 70710 LF temp pvmt marking long duration, 1300 SF const signs CL A, 2000 HR training. **CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH.** Lump Sum Bids for: Work access, temp bridge, temp support struct, erosion control and water pollution prevent, environmental compliance lead,

temp traffic control, struct survey, rdwy survey, SPCC plan. (XL-5168)(509013N)(17Y019)(9214)  
(4 of 4)5(1)

### **BID OPENING WEDNESDAY, MARCH 14, 2018**

- \*1. (COWLITZ) **COWLITZ RIVER BRIDGE PAINTING** (CL 8, \$2,000,000 - \$3,000,000) **CONTAINS CONDITION OF AWARD UDBE GOAL: 12%**. F.A. No. NHPP-STBG-0432(025) on SR 432, MP 9.58 to MP 9.93. Requires: Cleaning and painting the metal surfaces, traffic control and other work. 140 Working days. Involves 30 items. 3000 LF clean, seal, caulk pack rust, 60 EA replace vacant/damaged rivet with HS bolt, 2740 LF high vis fence, 2170 LF temp barrier, 3696 LF plastic line, 11390 LF temp pvmt marking – long duration, 800 HR training. Lump Sum Bids: Clean & paint bridge, contain abrasives, temp traffic control, pedestrian traffic control, SPCC plan. (XL-5434)(443219P)(18X311)(9217)(3 of 5)
- \*2. (SKAGIT) **I/S SR 9 & SR 20 TO PARK COTTAGE & HANSEN CK PAVING & ADA COMPLIANCE** (CL 4, \$2,500,000 - \$3,000,000) **CONTAINS CONDITION OF AWARD UDBE GOAL: 15%**. F.A. No. STBG-0020(191) on SR 9, MP 57.17 to MP 58.32 and SR 20, MP 64.82 to MP 67.10. Requires: Planing bituminous pavement, pavement repair, paving with HMA, fog sealing, replacing sidewalk ramps, pavement marking, striping, traffic loops, traffic signal systems, seeding, surveying, traffic control and other work. 51 Working days. Involves 65 items. 2789 SY pvmt repair excav incl haul, 243 T CSBC, 65510 SY plane bit pvmt, 8643 T HMA CL 3/8 IN PG 58H-22, 633 LF cement conc traffic curb and gutter, 636 LF cement conc pedestrian curb, 52630 LF plastic line, 2830 LF plastic wide lane line, 2320 SF plastic cross walk line, 105250 LF temp pvmt marking-short duration, 201 SY cement conc sidewalk, 29 EA curb ramp. **CONTAINS MINIMUM BIDS ITEM: TYPE B PROGRESS SCH.** Lump Sum Bids for: Erosion control and water pollution prevent, perm signing, temp video detection sys, traffic signal sys, temp traffic control, ADA features survey, reference exist pvmt marking, SPCC plan. (XL-5319)(100957B)(17A043)(9221)(2 of 4)
3. (SPOKANE & STEVENS) **CHARLES RD TO SUNCREST PAVING** (CL 4, \$1,500,000 - \$2,000,000) **CONTAINS CONDITION OF AWARD UDBE GOAL: 3%**. F.A. No. STPF-0291(024) on SR 291, MP 9.36 to MP 14.31. Requires: Planing bituminous pavement, pavement repair excavation, drainage repair, crack sealing, paving with HMA, inlet protection, erosion/water pollution control, high visibility fence, curb guardrail, guide posts, rumble strips, pavement marking, adjust valve boxes, traffic control and other work. 30 Working days. Involves 46 items. 290 SY pvmt repair excav incl haul, 10 MI crack sealing, 89100 SY plane bit pvmt, 9990 T HMA CL 3/8 IN PG 64H-28, 33680 LF jnt adhesive, 1500 LF high vis fence, 1300 LF extruded curb, 9885 LF remove & reset guardrail element, 80500 LF paint line, 197 LF grooved plastic stop line, 3 MI centerline rumble strip, 29570 LF temp pvmt marking – short duration, 334 SF const signs CL A. Lump Sum Bids for: Temp traffic control, SPCC plan. (XL-5305)(62910T)(18Z009)(9223)(1 of 3)
4. (SNOHOMISH) **SR 9 VIC TO SNOHOMISH RIVER BR PAVING & BRIDGE DECK & RUMBLE STRIP** (CL 4, \$3,000,000 - \$4,000,000) **CONTAINS CONDITION OF AWARD UDBE GOAL: 14%**. F.A. No. NHPP-0522(061) on SR 522, MP 14.290 to MP 20.830. **CONTAINS APPRENTICE UTILIZATION REQ: 15%**. Requires: Planing bituminous pavement, pavement repair, HMA paving, signal loop replacement, bridge deck and expansion joint repair, repairing polymer overlay, modifying strip seal expansion joint, pavement markings, temporary erosion control, minor electrical work, traffic control and other work. 80 Working days. Involves 65 items. 1798 SY pvmt repair excav incl haul, 32 LF expansion jnt mod strip seal, 390 T CSBC, 7930 LF crack seal, 5740 SY remove exist overlay, 132120 SY plane bit pvmt, 13770 T HMA CL 1/2 IN 58H-22, 810 T HMA CL 1/2 IN PG 58V-22, 434 EA flex guidepost, 85090 LF plastic line, 52410 LF profiled plastic line, 1740 LF plastic wide lane line, 5 MI shoulder rumble strip, 238060 LF temp pvmt marking – short duration, 180 HR radar speed display sign, 376 LF const signs CL A. **CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH.** Lump Sum Bids for: Traffic signal sys, temp video detect sys, temp traffic control, struct survey, reference exist pvmt markings, SPCC plan. (XL-5375)(152212G)(17A037)(9227)(1 of 3)

### **BID OPENING WEDNESDAY, MARCH 21, 2018**

- \*1. (CLARK & COWLITZ) **E FORK LEWIS RIVER BR TO WEIGH STATION VIC PAVING/BR DECK REPAIR** (CL 4, Under \$12,000,000) **CONTAINS CONDITION OF AWARD UDBE GOAL:**

- 10%. F.A. No. NHPP-0051(302) on I-5, MP 18.21 to MP 43.92. **CONTAINS APPRENTICE UTILIZATION REQ: 15%**. Requires: Pavement repair, planing bituminous surface, paving with HMA, shoulder rebuild, replacing traffic signal loops, repair bridge decks, install a waterproof membrane, repairs expansion joints, structure surveying, pavement markings, longitudinal joint repair, shoulder rumble strips, traffic control and other work. 95 Working days. Involves 64 items. 630 CY rdwy excav incl haul, 1412 SY pvmt repair excav incl haul, 48 LF expansion jnt mod, 167 SF bridge deck repair, 7674 SY waterproof membrane, 340 CY CSBC, 7674 SY remove exist overlay, 608165 SY plane bit pvmt, 67544 T HMA CL 3/8 IN PG 58V-22, 2609 LF HMA sawcut and seal, 301330 LF paint line, 283853 LF profiled plastic line, 25397 LF plastic wide lane line, 53 MI shoulder rumble strip, 1103170 LF temp pvmt marking – short duration, 3642 SF const signs CL A. CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH. Lump Sum Bids for: Traffic signal sys mod, temp traffic control, struct survey, SPCC plan. (XL-5431)(400518A)(18X304)(9222)(2 of 5)
2. (GRAYS HARBOR) **JCT SR 109 TO N OF OCEAN BEACH RD – CHIP SEAL** (CL 3, \$600,000 - \$700,000) CONTAINS CONDITION OF AWARD UDBE GOAL: 17%. F.A. No. NHPP-0101(379) on US 101, MP 89.12 to MP 92.75. Requires: Deck repair, replacing waterproof membrane and HMA overlay on Bridge 101/132, joint seal, pavement repair, bituminous surface treatment, pavement markings, guideposts, removing and resetting permanent concrete barrier, traffic control and other work. 30 Working days. Involves 37 items. 505 SY waterproof membrane, 108 T emulsified asph, 112460 SY furnish & place crushed screen, 650 SY remove exist overlay, 280 T HMA CL 1/2 IN PG 58-H22, 263 LF remove & reset exist perm barrier, 58440 LF paint line, 2210 LF plastic wide lane line, 21920 LF temp pvmt marking – short duration. Lump Sum Bids for: Temp traffic control, struct survey, SPCC plan. (XL-5534)(310132H)(17C523)(9226)(1 of 4)
3. (GRAYS HARBOR) **SARGENT BLVD TO WYNOOCHEE RIVER BRIDGE – PAVING & BRIDGE DECK REPAIR** (CL 4, \$2,000,000 - \$2,500,000) CONTAINS CONDITION OF AWARD UDBE GOAL: 9%. F.A. No. NHPP-0012(239) on US 12, MP 1.71 to MP 8.42. Requires: Pavement repair, planing, hot mix asphalt, pavement markings, bridge deck resurfacing, waterproof membrane, expansion joint repair, traffic control and other work. 35 Working days. Involves 42 items. 187 LF expansion jnt mod, 1400 SY waterproof membrane, 1400 SY remove exist overlay, 115450 SY plane bit pvmt, 11762 T HMA CL 1/2 IN PG 58H-22, 315 LF paved panel jnt seal, 105 EA channelization device, 101510 LF paint line, 53440 LF profiled plastic line, 3950 LF plastic wide lane line, 57 EA plastic traffic arrow, 13 HUND recessed pvmt marker, 138500 LF temp pvmt marking – short duration. Lump Sum Bids for: Temp traffic control, struct survey, SPCC plan. (XL-5536)(311203B)(17C522)(9225)(1 of 4)
4. (ADAMS, FERRY, LINCOLN & STEVENS) **2018 EASTERN REGION CHIP SEAL** (CL 3 or 4, \$7,500,000 - \$10,000,000) CONTAINS CONDITION OF AWARD UDBE GOAL: 4%. F.A. No. STPF-9999(784) on SR 21 ET AL. CONTAINS APPRENTICE UTILIZATION REQ: 15%. Requires: Removing existing overlay from bridges, bridge deck repair, waterproof membrane, planing bituminous pavement, crack sealing, HMA for pavement repair, prelevel, BST, CSTC, centerline rumble strips, fog seal, pavement markings, guardrail, guideposts, sidewalk, traffic control and other work. 58 Working days. Involves 82 items. 18941 SY pvmt repair excav incl haul, 100 SF bridge deck repair, 562 SY waterproof membrane, 2183 CY CSTC, 2738 T emulsified asph CRS-2P, 1436 T emulsified asph CVRS-2P, 688 T asph, 4348346 SY furnish and place crushed screen, 102 MI crack sealing, 562 SY remove exist overlay, 1562 SY plane bit pvmt, 14512 T HMA 3/8 IN PG 64H-28, 439 LF HMA sawcut & seal, 3 ACRE seed, fert, mulch, 1500 LF high vis fence, 68 EA beam guardrail post, 400 LF remove & reset beam guardrail, 337 LF raise exist beam guardrail, 1360 EA flex guidepost, 1506 LF painted stop line, 742340 LF temp flex raised pvmt marker, 611850 LF temp pvmt marking –short duration, 4212 HR flaggers, 4621 HR other traffic control labor, 12910 SF const signs CL A. Lump Sum Bids for: Temp traffic control, struct survey, SPCC plan. (XL-5386)(600045E)(18Z002)(9225)(1 of 4)

Projects awarded the week of February 12, 2018.

(King & Pierce) White River Bridge Painting - #9200 – Panther Industrial Painting, LLC, Mishawaka, IN 46545-1600 - \$1,681,803.00

(Lewis) S. Fork Newaukum River Bridge Replacement- #9197 – Oregon State Bridge Construction, Inc., Scio, OR  
97374-9515 - \$5,010,135.15

(Yakima) Naches River Nelson Bridges Bridge Painting - #9206 – Liberty Maintenance, Inc., Youngstown, OH  
44509-1006 - \$4,386,659.00

(Whitman) Eastern Region Bridge Deck Repairs - #9204 – N.A. Degerstom, Inc., Spokane Valley, WA 99216-1676  
- \$2,075,511.00

Roger Millar

**Secretary of Transportation**

\*Previously Advertised \*\*Extended \*\*\* Revised