


**PLAN TRAFFIC BARRIER**

BARRIER CONTINUOUS BETWEEN ROADWAY EXPANSION JOINTS.  
CONSTRUCTION JOINTS WITH SHEAR KEYS ARE PERMISSIBLE AT DUMMY JOINT LOCATIONS.  
FORM JOINTS BETWEEN DUMMY JOINTS SHALL NOT BE PERMITTED.



**OUTSIDE ELEVATION TRAFFIC BARRIER - GUARDRAIL CONNECTION**  
(WHERE SHOWN ON LAYOUT)

- \* TOE HEIGHT MAY VARY, 2" MIN. TO 6" MAX.
- \*\* HEIGHT MAY VARY IF REQUIRED TO PROVIDE A PROFILE PLEASING TO THE EYE
- \*\*\* FOR TRANSVERSE ROADWAY SLOPES GREATER THAN 8%, CHANGE THE NOTE TO THE FOLLOWING:  
FOR THE LOW SIDE OF THE BRIDGE OR MEDIAN BARRIER - "PERPENDICULAR TO 8% TRANSVERSE ROADWAY SLOPE"  
FOR THE HIGH SIDE OF THE BRIDGE BARRIER - "PERPENDICULAR TO TRANSVERSE ROADWAY SLOPE"

**NOTE TO DESIGNERS**


1. If transverse roadway slope is greater than 8%, S1 and S2 bar bends need to be modified to account for the difference between the actual slope and 8% on the low side only of the bridge or median barrier. The barrier geometry needs to be checked also.
2. The non-applicable text should be removed from the actual bridge plans.

**NW REGION:**



TERMINATE EACH CONDUIT PIPE AT SEPARATE TYPE 1 JUNCTION BOXES OFF END OF BRIDGE AS SHOWN ON LAYOUT.

**ALL OTHER REGIONS:**

STUB OUT & CAP 3'-4" FROM END OF BRIDGE BARRIER, EXCEPT TERMINATE IN JUNCTION BOX WHERE AND WHEN SHOWN ON LAYOUT.



**OUTSIDE ELEVATION END OF MODIFIED TRAFFIC BARRIER**



**TYPICAL SECTION TRAFFIC BARRIER**

SR JOB NO. 10.2-A5-1 SHEET 1

Bridge Design Engr.	M:\STANDARDS\Traffic Barriers\Shape F\42IN SHAPE F BARRIER SHT 1.MAN				REGION NO.	STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
Supervisor					10	WASH.			
Designed By									
Checked By									
Detailed By									
Bridge Projects Engr.									
Prelim. Plan By									
Architect/Specialist	DATE	REVISION	BY	APPD					

**BRIDGE AND STRUCTURES OFFICE**



**STANDARD TRAFFIC BARRIERS**

TRAFFIC BARRIER - SHAPE F 42"  
DETAIL 1 OF 3

BRIDGE SHEET NO.  
SHEET  
OF  
SHEETS