




DRAWN BY: FERN LIDDELL




PLAN VIEW



COMPOST SOCK DETAIL



SECTION A



**ISOMETRIC VIEW
CATCH BASIN INSTALLATION**

NOTES

1. Compost Sock shall be in accordance with **Standard Specification 9-14.5(6)**.
2. Securely knot each end of Compost Sock. Overlap adjacent Compost Sock ends 12" behind one another and securely tie together.
3. Compost to be dispersed on site as determined by the Engineer, when vegetation covers the surface.
4. If Erosion Control Blanket is specified, place Compost Sock on top of blanket. See **Standard Plan I-60.10**.
5. Install Compost Sock perpendicular to flow along contours.
6. Remove sediment from the up slope side of the Compost Sock when accumulation has reached 1/2 of the effective height of the Compost Sock.
7. Perform maintenance in accordance with **Standard Specification 8-01.3(15)**.
8. Refer to **Standard Specification 8-01.3(16)** for removal.

8" DIAMETER COMPOST SOCK SPACING TABLE	
SLOPE	MAXIMUM SPACING
1H : 1V	10' - 0"
2H : 1V	20' - 0"
3H : 1V	30' - 0"
4H : 1V	40' - 0"



STATE OF
WASHINGTON
REGISTERED
LANDSCAPE ARCHITECT

Sandra L. Salisbury
SANDRA L. SALISBURY
LICENSE NO. 860
DATE: June 6, 2013

NOTE: THIS PLAN IS NOT A LEGAL ENGINEERING DOCUMENT BUT AN ELECTRONIC DUPLICATE. THE ORIGINAL, SIGNED BY THE ENGINEER AND APPROVED FOR PUBLICATION, IS KEPT ON FILE AT THE WASHINGTON STATE DEPARTMENT OF TRANSPORTATION. A COPY MAY BE OBTAINED UPON REQUEST.

COMPOST SOCK

STANDARD PLAN I-30.40-01

SHEET 1 OF 1 SHEET

APPROVED FOR PUBLICATION

Pasco Bakotich III 6/10/13
STATE DESIGN ENGINEER DATE

