




NOTES

1. THIS PLAN SHOWS A RETROFIT CONDITION. FOR DESIGN REFERENCE, "EXISTING" MAY BE INTERPRETED AS "TO BE CONSTRUCTED". FOR NEW CONSTRUCTION, OMIT THE EXISTING PAVEMENT AND SAWCUTS FROM THE DESIGN.
2. REMOVE A MINIMUM OF 3'(FT) OF EXISTING PAVED SHOULDER AT THE BOTTOM OF THE RAMP, FOR EMBEDMENT OF NEW HMA.



RAMP LENGTH	
H EXISTING CURB HEIGHT	L RAMP LENGTH
6"	10'- 0"
7"	11'- 8"
8"	13'- 4"
9"	15'- 0"
10"	16'- 8"



FILE NAME	S:\Desgn R P& S\4-Standards\2-Plan Sheet Library\01-Published PSL(GD) Curbs, Sidewalks, and Driveways Geometric Design(GD-14) Sidewalk Ramp Retrofit Details\GD-14.dgn				Plot 1
TIME	1:54:07 PM	REGION NO.	STATE	FED.AID PROJ.NO.	PLAN REF NO
DATE	10/6/2014		WASH		GD-14
PLOTTED BY	FletcCo	JOB NUMBER			SHEET
DESIGNED BY		CONTRACT NO.	LOCATION NO.		1
ENTERED BY					OF
CHECKED BY					1
PROJ. ENGR.					SHEETS
REGIONAL ADM.					
REVISION		DATE	BY	DATE	

Washington State
Department of Transportation

SIDEWALK RAMP RETROFIT DETAILS