

Permit No.

Applicable provisions are denoted by ()

- 1. No work provided for herein shall be performed until the Grantee is authorized by the following Department representative:

- 2. Prior to the beginning of construction, a preconstruction conference shall be held at which the Department and the Grantee and Grantee's engineer, contractor, and inspector shall be present.

- 3. Should the Grantee choose to perform the work outlined herein with other than its own forces, a representative of the Grantee shall be present at all times unless otherwise agreed to by the Department representative. All contact between the Department and the Grantee's contractor shall be through the representative of the Grantee. Where the Grantee chooses to perform the work with its own forces, it may elect to appoint one of its own employees engaged in the construction as its representative. Failure to comply with this provision shall be grounds for restricting any further work by the Grantee within the State right of way until said requirement is met. The Grantee, at its own expense, shall adequately police and supervise all work on the above described project by itself, its contractor, subcontractor, agent, and others, so as not to endanger or injure any person or property.

- 4. A copy of the permit must be on the job site and protected from the elements at all times during any of the construction authorized by said permit.

- 5. This permit does not give the Grantee or any agent or contractor of the Grantee any rights to cut, spray, retard, remove, destroy, damage, disfigure or in any way modify the physical condition of any vegetative material located on the highway right of way, except by written permission from the Department or for purposes as described by No. 6 if denoted below. All restoration shall be done to the satisfaction of the Department at the sole expense of the Grantee.

- 6. If necessary to increase sight distance, brush shall be removed from both sides of the access connection and stumps shall be removed. The indiscriminate cutting of merchantable timber or disfiguring of any feature of scenic value shall not be permitted.

- 7. The access connection(s) shall be constructed in accordance with the attached _____ . Sufficient length of _____ millimeter (_____ inch) diameter culvert pipe shall be placed in ditch and laid to a true line and grade. The access connection(s) shall be surfaced to the limits as shown on the plan with a 150 millimeter (6 inch) minimum compacted depth of gravel base material and a 80 millimeter (3 inch) compacted depth of crushed surfacing top course. Asphalt paving will not be required. Finished grade of the access connection shall be in accordance with the profile control as shown on the attached plan. Directing of surface water from private property to Department right of way will not be permitted, unless otherwise approved by the Department.

- 8. The access connection(s) shall be constructed in accordance with the attached _____ . Sufficient length of _____ millimeter (_____ inch) diameter culvert pipe shall be placed in ditch and laid to a true line and grade. The access connection(s) shall be surfaced to the limits as shown on the plan with a 150 millimeter (6 inch) minimum compacted depth of gravel base material, a 80 millimeter (3 inch) minimum compacted depth of crushed surfacing top course, and paved with a 80 millimeter (3 inch) minimum compacted depth of Asphaltic Concrete Class B unless otherwise specified by the Department. Any existing oil mat on shoulder or roadway shall be removed and new pavement laid to a butt joint with existing pavement. Finished grade of new pavement shall be in accordance with the profile control as shown on attached plan. Directing of surface water from private property onto Department right of way will not be permitted, unless otherwise approved by the Department.

- 9. All buildings and appurtenances shall be so located at a distance from the right of way line of any State Highway that none of the right of way therefore is required for use of the patrons or customers of any such establishment. Grantee shall comply with local building codes. Set-back requirements for the location of buildings in relation to the right of way line are a function of local authorities, and they should be consulted regarding requirements that must be adhered to.

- 10. The Grantee agrees to schedule the work herein referred to and perform said work in such a manner as not to delay the Department's contractor in the performance of his contract.
- 11. Work within the right of way shall be restricted to between the hours of _____ and _____, and no work shall be allowed on the right of way Saturday, Sunday, or holidays, unless authorized by the Department. Any lane closures must be submitted for approval in advance of use. The hours of permitted closure may differ from the above noted hours.
- 12. The shoulders, where disturbed, shall be surfaced with crushed surfacing top course _____ millimeter (_____ inch) minimum compacted depth, or as directed by the Department. The surface of the finished shoulder shall slope down from the edge of pavement at the rate of 5% unless otherwise directed. The restored shoulder must not have any strips or sections less than 0.6 meter (2 feet) wide. The restored shoulder shall be surfaced with _____.
- 13. The Grantee shall be responsible for constructing and maintaining the access connection(s) and appurtenances between the shoulder line of the highway and the right of way line inclusive of surfacing and drainage. The Department has the right to inspect all installations at the time of construction and at any time afterward and to require that necessary changes and repairs be made. Unsatisfactory work will be corrected by the Department, at the Grantee's expense, or access may be removed at the Grantee's expense. Directing of surface water from private property onto Department right of way will not be permitted.
- 14. The access connection shall be sufficiently surfaced back an adequate distance from the edge of the pavement to prevent any tracking of material onto the highway. Any tracking of material onto the highway shall be subject to enforcement of Chapter 46.61.655 RCW and shall be immediately cleaned up by the Grantee or the Grantee's agent.
- 15. Standard highway warning signs designated as "Truck Crossing" sign, plate W11-6, shall be placed and maintained at Grantee's expense on each side of the access connection. Signs shall be in evidence only when access is actually being used. If necessary, flagmen shall be provided. Sufficient parking space shall be provided by the Grantee outside Department right of way so no vehicles will be parked on said right of way.
- 16. All manholes, valve covers, and like appurtenances shall be constructed at such an elevation to conform to the shoulder slope from the edge of pavement or as directed by the Department.
- 17. All slopes, slope treatment, top soil, ditches, pipes, etc., disturbed by this operation shall be restored to their original cross section and condition. All hazards shall be marked by warning signs, barricades, and lights. If necessary, flagmen shall be employed for the purpose of protecting the traveling public. Roadside operations shall be specified by the Department's representative.
- 18. During the construction and/or maintenance of this facility, the Grantee shall comply with the Manual on Uniform Traffic Control Devices for Streets and Highways, (Federal Highway Administration) and Washington modifications thereto. If determined necessary by the Department, the Grantee shall submit a signing and traffic control plan to the Department's representative for approval prior to construction or maintenance operations. No lane closures shall be allowed except as approved by the Department representative. Approvals may cause revision of special provisions, including hours of operation.
- 19. Bond coverage required to ensure proper compliance with all terms and conditions of said permit will be furnished by a Blanket Surety Bond held by the Department at the WSDOT Headquarters.
- 20. A surety bond in the amount of \$ _____ written by a surety company authorized to do business in the State of Washington, shall be furnished to ensure compliance with any and all of the terms and conditions of this permit and shall remain in force until all work under this permit has been completed and approved by the Department.
- 21. Relative to advertising adjacent to all State highways, we wish to call your attention to the Scenic Vistas Act of 1971, Chapter 47.42 RCW and State Transportation Commission ruling Chapter 468-66 WAC. Violation of this section of the statutes will be sufficient cause for cancellation of this permit. On-premise signs are allowed.
- 22. The Grantee shall notify the Department's representative upon completion of the work under this permit so that a final inspection can be made.
- 23. The responsibility of the Grantee for proper performance, safe conduct, and adequate policing and supervision of the project shall not be lessened or otherwise affected by Department approval of plans, specifications, or work, or by the presence at the work site of Department representatives, or by compliance by the Grantee with any requests or recommendations made by such representatives.
- 24. All material and workmanship shall conform to the Washington State Department of Transportation Standard Specifications for Road, Bridge and Municipal Construction, current edition, and amendments thereto, and shall be subject to inspection by the Department.

- 25. For UTILITY work that requires permit coverage under the "CONSTRUCTION STORMWATER GENERAL PERMIT - National Pollutant Discharge Elimination System and State Waste Discharge General Permit for Stormwater Discharges Associated with Construction Activity" (hereinafter "Construction Stormwater General Permit"), the UTILITY shall obtain said permit coverage and shall comply with all requirements of the Construction Stormwater General Permit. The UTILITY shall provide the STATE with documentation of coverage under the Construction Stormwater General Permit within thirty (30) days of the date issued by the State of Washington Department of Ecology. In the event that the STATE covers the UTILITY work under the STATE's Construction Stormwater General Permit coverage, the UTILITY shall comply with all requirements of the Construction Stormwater General Permit for the UTILITY work.

- 26. The UTILITY, on behalf of itself and its contractors, officers, officials, employees, and agents, shall indemnify, hold harmless, and defend at its sole cost and expense the STATE, its officers, officials, employees, and agents from any and all fines, costs, claims, judgments, and/or awards of damages (to regulatory agencies, persons, and/or property), arising out of, or in any way resulting from the UTILITY's failure to (1) obtain coverage under the Construction Stormwater General Permit for UTILITY work or (2) comply with the Construction Stormwater General Permit's requirements. Nothing in the Section is intended to be construed as a requirement for an indemnification against the sole negligence of the STATE.