

(January 5, 2015)
"Smoothness Compliance Adjustment" by calculation.

Smoothness Compliance Adjustments

Section 5-04.5(1) is supplemented with the following:

Smoothness Compliance Adjustments will be based on the requirements in Section 5-04.3(13) and the following calculations:

1. Final IRI acceptance and incentive/disincentive payments for pavement smoothness will be calculated on an IRI value per 0.10 mile in accordance with the price adjustment schedule.
 - a. For sections of a lane that are a minimum of 0.01 mile and less than 0.10 mile, the price adjustment will be calculated using the average of the 0.01 mile IRI values and the price adjustment prorated for the length of the section.
 - b. For bridges, approach slabs and 0.02 miles on either side the price adjustment will be calculated independently from other measured lanes.
 - c. IRI values per 0.01 miles that were measured prior to corrective work will be included in the 0.10 mile price adjustment for sections with corrective work.
2. A smoothness compliance adjustment will be calculated in the sum of minus \$250.00 for each and every section of single traffic lane 0.01 miles in length in that does not meet the 10-foot straight edge requirements in Section 5-04.3(13).

The price adjustment schedule for this contract shall be *** \$1\$ ***.

Price Adjustment Schedule

IRI for each 0.10 mi. section	Pay Adjustment Schedule 1	Pay Adjustment Schedule 2	Pay Adjustment Schedule 3
in. / mi.	\$ / 0.10 mi.	\$ / 0.10 mi.	\$ / 0.10 mi.
< 30	600	600	600
30	600	600	600
31	580	580	580
32	560	560	560
33	540	540	540
34	520	520	520
35	500	500	500
36	480	480	480
37	460	460	460
38	440	440	440
39	420	420	420
40	400	400	400

41	380	380	380
42	360	360	360
43	340	340	340
44	320	320	320
45	300	300	300
46	280	280	280
47	260	260	260
48	240	240	240
49	220	220	220
50	200	200	200
51	180	180	180
52	160	160	160
53	140	140	140
54	120	120	120
55	100	100	100
56	80	80	80
57	60	60	60
58	40	40	40
59	20	20	20
60	0	0	0
61	0	0	0
62	0	0	0
63	0	0	0
64	0	0	0
65	0	0	0
66	-20	0	0
67	-40	0	0
68	-60	0	0
69	-80	0	0
70	-100	0	0
71	-120	0	0
72	-140	0	0
73	-160	0	0
74	-180	0	0
75	-200	0	0
76	-220	-20	0
77	-240	-40	0
78	-260	-60	0
79	-280	-80	0
80	-300	-100	0
81	-320	-120	0
82	-340	-140	0
83	-360	-160	0
84	-380	-180	0
85	-400	-200	0
86	-420	-220	0
87	-440	-240	0
88	-460	-260	0
89	-480	-280	0
90	-500	-300	0

91	-520	-320	0
92	-540	-340	0
93	-560	-360	0
94	-580	-380	0
95	-600	-400	0
96	-620	-420	0
97	-640	-440	0
98	-660	-460	0
99	-680	-480	0
100	-700	-500	0
101	-720	-520	0
102	-740	-540	0
103	-760	-560	0
104	-780	-580	0
105	-800	-600	0
106	-820	-620	0
107	-840	-640	0
108	-860	-660	0
109	-880	-680	0
110	-900	-700	0
111	-920	-720	0
112	-940	-740	0
113	-960	-760	0
114	-980	-780	0
115	-1000	-800	0
116	-1020	-820	0
117	-1040	-840	0
118	-1060	-860	0
119	-1080	-880	0
120	-1100	-900	0
121	-1120	-920	0
122	-1140	-940	0
123	-1160	-960	0
124	-1180	-980	0
≥125	-1200	-1000	0