

1 **(October 29, 2020)**

2 **Surfacing Removal and Paving Equipment Load and Spacing Restrictions**

3 The following bridge(s) is (are) subject to the requirements and restrictions of this  
4 Special Provision:

5 \*\*\* \$\$1\$\$ \*\*\*  
6  
7

8 The gross vehicle weight (GVW) of the surfacing removal and paving train vehicles  
9 (planers, scrapers, haul trucks, asphalt pavers, MTD/V, and rollers) allowed on the  
10 bridge shall not exceed the maximum GVW specified in the Plans and the spacing of  
11 the vehicles shall not be less than that specified in the Plans unless otherwise accepted  
12 as described in the **Submittal of Alternative Surfacing Removal and HMA Paving**  
13 **Trains** subsection of this Special Provision.

14  
15 The Contractor shall submit a Type 2 Working Drawing consisting of the proposed  
16 methods and equipment to be used to remove surfacing and apply HMA overlay to the  
17 bridge deck. The Working Drawing shall include catalogue cuts, make, model, axle  
18 spacing, and gross weights of all surfacing removal equipment, pavers, rollers, and haul  
19 trucks used to conduct surfacing removal and paving operations on the bridge. The  
20 Working Drawing shall show the surfacing removal train units and paving train units and  
21 associated support equipment that is simultaneously on the bridge, in longitudinal  
22 section. The longitudinal section shall show the units in operational order. The details  
23 shall show or specify means of confirming in the field that the equipment units conform  
24 to and do not exceed the load limits specified in the Plans.

25  
26 **Submittal of Alternative Surfacing Removal and HMA Paving Trains**

27 During the Bid period, prospective Bidders may submit a maximum of two surfacing  
28 removal and HMA paving trains for review and comment. The submittal shall consist of  
29 the maximum gross vehicle weights including loaded weights for removal equipment,  
30 haul trucks, rollers, pavers, etc., the axle spacing of the equipment and the minimum  
31 spacing between adjacent pieces of equipment. Submittals must be received by the  
32 Contracting Agency's representative identified in the Notice to All Planholders by 5:00  
33 PM one week prior to Bid opening. Electronic submittals will be accepted. All  
34 submittals received by the required date and time, both accepted and not accepted, will  
35 be posted on the Contract Ad & Award information page no later than the Friday prior to  
36 Bid opening.