

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49

DIVISION9.GR9

MATERIALS

03.GR9

AGGREGATES

0308.GR9

Aggregates for Hot Mix Asphalt

03082.FR9

HMA Test Requirements

(January 5, 2004)

Include in all projects using HMA.

Fill-in (number of ESAL's) is included in the pavement design report.

(1 fill-in)

03020.GR9

Test Methods for Aggregates

03020A.GR9

Statistical Aggregate Specification

(August 3, 2009)

When to use Statistical Aggregate Specification:

This General Special Provision is an alternative to aggregate acceptance for unbound materials. The items which it may be used are Crushed Screening, Ballast, Shoulder Ballast, Crushed Surfacing, Maintenance Rock, Gravel base, Gravel Backfill for Foundation Class A, Gravel Backfill for Foundation Class B, Gravel Backfill for Walls, Gravel Backfill for Pipe Zone Bedding, Gravel Backfill for Drains, Gravel Backfill for Drywells, Backfill for Sand Drains, Sand Drainage Blanket, Gravel Borrow, Select Borrow, Foundation Materials Class A, Foundation Material Class B, Foundation Material Class C, and Bank Run Gravel For Trench Backfill.

What this specification does is to recognize the variability of these materials and documents a procedure to adjust the payment for these items based on the Quality Level provided. In the past this would have required a Change Order.

The process is particularly suited for production of aggregates stockpiled for use on future contracts or aggregates to be used on current contracts.

A bid item "Aggregate Compliance Price Adjustment" needs to be included in the contract.

06.GR9

STRUCTURAL STEEL AND RELATED MATERIALS

06016.GR9

Roadside Sign Structures

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18

[APPENDIX1.FR9](#)

APPENDICES
(July 12, 1999)
Must be used when only one appendix is included. Must be used with 010201.GB6 when the Log of Test Borings is the only appendix included.
(1 fill-in)

[APPENDIX2.FR9](#)

APPENDICES
(July 12, 1999)
Must be used when multiple appendices are included. If 010201.GB6 is used, the Log of Test borings must be included as part of the fill-in.
(1 fill-in)

[STDPLANS.GR9](#)

STANDARD PLANS
(December 7, 2009)
Use in projects requiring Standard Plans.