
## The Interstate Bridge was built in 1917 with Railroad Tracks for Transit and Freight service



Trolley Wire for Electric Trains

Three rails for running narrow gage Trolley
Cars and standard gage for Interurban
Streetcars and freight trains

Submitted by David L. Rowe 8817 NE 275<sup>th</sup> St Battle Ground, Washington 98604 360-687-9178 E-mail: dlrowe3162@aol.com My name is David L. Rowe, I live in Battle Ground.

I retired from Tri-Met after thirty years of observing how public transportation benefits the taxpayers of Oregon.

I am here today to give you facts on why rail service should be included in the Columbia River Crossing solution.

The Amtrak Cascades ranks among the <u>top Amtrak rail lines</u> in the United States. This Railroad runs from Eugene, Oregon to Vancouver, British Columbia, following the I-5 Corridor. In 2005 the passenger count increased 5.6 percent to 636,892 passengers.

The American Public Transportation Association (APTA) reports 9.7 billion transit trips were made in the United States during the year 2005. This was a 100 million ride increase over 2004 public transit usage. Light Rail picked up the largest increase in passengers. (MAX rider ship is approaching 100,000 rides per day)

Minneapolis Light Rail increased by 168% in 2005. Houston Light Rail trips increased 38% Salt Lake Light Rail increased 13%

APTA also reported Commuter Rail trips increased significantly in 2005.

San Carlos, California Commuter Rail trips increased by 12.5%

Indiana saw an increase of 7.3%

(Tri-Met is building a Commuter Rail Line to be completed in two years.)

Referring to the Columbia River Crossing Draft Component Step A Screening Report dated March 22, 2006

### On page 3-2 figure 3-1:

The Oregon origins and Washington destinations shows where potential Interstate Bridge usage would occur in 2020. It is quite evident most are in close proximity of the Interstate 5 corridor. Light Rail is most effective when there is a concentration of potential riders as portrayed in this diagram.

Today the Light Rail Yellow line along Interstate 5 picks up 12,000 rides daily. If the Yellow line were extended to Clark County it could pick up 12,000 rides during each rush hour by the year 2020.

Planning and building Rail options are the best and less costly solutions in solving congestion in I-5 corridor. This includes a Light Rail bridge at the Interstate Bridge location. Adding a 22 foot wide Light Rail double track supported between the north and south lanes of the I-205 Bridge. Upgrading the present heavy rail to enhance Amtrak passenger service and future Commuter Rail service is important too. In addition to improvements for rail passenger service, the rail freight infrastructure must be improved at the Columbia River crossing. Rail freight efficiency has improved dramatically in the last 20 years. It is estimated a freight train can move one ton of goods 400 miles with one gallon of diesel. A truck can move one ton of goods only 60 miles with one gallon of diesel. Due to the rising price of fuel Rail traffic use will increase.

Rail improvements are the most effective options for the Columbia River Crossing.

# Cost of Light rail to Vancouver

(All calculated results below are from data on the wife parameter important)

Compared to Express Bus-Short:

\$302,000 per increased rider

Compared to Express Bus-Long:

\$495,000 per increased rider

It would literally be cheaper to buy a Pearl district condo for each of those light rail riders that would not ride the bus.

### Effect of Light Rail on Traffic Congestion

The proposed light rail system is forecasted to increase the capacity across the Columbia by only 7%.

### Are new riders attracted to transit by Light Rail?

Compared to Express Bus-Short, rail gives a 31% increase in ridership for \$1.2 billion. Compared to Express Bus-Long, rail gives an 18% increase in ridership for \$1.19 billion.

(Spending 37 times the money increases transit ridership by only18%.)

### Questions that should have been asked:

- 1. How much must we spend on a deluxe bus system to match the ridership of light rail?
- 2. How many riders would we get if we spent \$1.2 billion on a really good bus system?
- 3. For a given amount of money, which option will give the highest transit use?
- 4. How accurate are the projections? (The tram is now 700% over its original estimate.)

Portland is a national leader in light rail construction.

Portland was also the nation's leader in increased traffic congestion.

These two facts are not un-related. It is time to admit that light rail is a failed experiment that didn't deliver on its promise to reduce congestion.

## Light Rail:

# Costs too much, does too little.

		<u>(</u>

# Cost of Light rail to Vancouver

The Portland/Vancouver I-5 Transportation and Trade Partnership was formed by the governors of Oregon & Washington to make recommendations about the congestion problem on I-5 between the Rose Quarter and SR-500. They forecasted the costs and riderships of two bus options and light rail for a loop going up I-5, over to I-205 and down I-205 to Gateway.

(all data is for the evening rush hour and is from the I-5 partnership -- see bottom of next page):

### **Express Bus-Short**

3 lane/LRT loop cost: \$1,222 million for 13,000 riders 3 lane/Express Bus-Short cost: \$14 million for 9,000 riders

Increase due to rail cost: \$1,208 million for 4,000 more riders (subtracting the two)

Cost per increased rider:  $$1,208,000,000 \div 4000 = $302,000$  per increased rider

### **Express Bus-Long**

3 lane/LRT loop cost: \$1,222 million for 13,000 riders 3 lane/Express Bus-Long cost: \$32 million for 10,600 riders

Increase due to rail cost: \$1,190 million for 2,400 more riders (subtracting the two)

Cost per increased rider:  $$1,190,000,000 \div 2400 = $495,000$  per increased rider

It would literally be cheaper to buy a Pearl district condo for each of those ridders that would not ride the bus. (Of course it would hard to identify those individuals)

# **Effect of Light Rail on Traffic Congestion**

The proposed light rail system is forecasted to carry only 2400-4000 passengers that would not have otherwise taken the bus, thus its real effect is to remove those 2400-4000 people from the road.

Using the higher number of riders: Since the study period was a four hour evening rush period, those 4000 people are 1000 people per hour. At an average car loading of 1.2 people, that is 833 cars per hour removed from the road. The capacity of a freeway lane is about 2000 cars per hour, so the effect is to add 42% of one lane of freeway capacity (or 25% of one freeway lane if you use the 2500 riders forecast).

Considering that the current capacity is 6 lanes (the forecast was for I-5 and I-205 river crossings combined), the added 42% of one lane is an increase in capacity of 7% to the current 6 lanes in the study area (or 4% if you use the 2500 number). ——— For \$1.2 Billion.

(Over)

### Are new riders attracted to transit by Light Rail?

Another way to look at the projected data is how much does constructing light rail increase transit rider ship?

(Repeating the charts)

3 lane/LRT loop cost: \$1,222 million for 13,000 riders 3 lane/Express Bus-Short cost: \$14 million for 9,000 riders

Increase due to rail cost: \$1,208 million for 4,000 more riders (subtracting the two)

Increased ridership:  $4,000 \div 13,000 = 0.31 - A 31\%$  increase in ridership for

spending an additional \$1.2 billion

### **Express Bus-Long**

3 lane/LRT loop cost: \$1,222 million for 13,000 riders 3 lane/Express Bus-Long cost: \$32 million for 10,600 riders

Increase due to rail cost: \$1,190 million for 2,400 more riders (subtracting the two)

Increased ridership:  $2,400 \div 13,000 = 0.18$  - An 18% increase in ridership for

spending an additional \$1.19 billion. This is spending 37 time.

the money for an additional 18% transit rider ship.

Notice that as the bus system got better, it captured even more of the light rail riders. A spending increase of 229% got 15% (9,000 to 10,600) more riders. Would another 229% spending increase get another 15% ridership increase? If so, the bus would be carrying around 12,484. This is only 515 riders less than rail, or only 4% less than rail, for a cost of only \$74 million compared to \$1.2 BILLION.

Here is the question that should have been asked:

How much must we spend on a deluxe bus system to match the ridership of light rail? Look at dedicated bus ways AND buses on HOV lanes.


Date source: <a href="http://www.i-5partnership.com/reports/q3.html">http://www.i-5partnership.com/reports/q3.html</a> (Attached).

Rider Ship is from the "Travel Time" section (circled in red).

Costs are from the 'Cost' section (circled in red).

According ODOT, the cost estimate was made by consultant Parsons Brinkerhoff in cooperation with Tri-Met and the ridership projections were by Metro and David Evans.

Also see the video: Evaluation of Rail Transit Projects with Tom Rubin (19 meg file) at <a href="http://www.saveportland.com/">http://www.saveportland.com/</a>



# (See <u>Details</u> of Summary Findings below)

Light Rail Loop

Light rail system

New bridge to

carry light rail

expanded park

more feeder bus

and ride and

Includes

service

in Clark County

### Least Meets the Best Meets the Objective Objective

Measure	Baseline 2020	Express Bus - Short	Express Bus - Long	Light Rail Loop
Reduce transit travel times Downtown Portland to downtown Vancouver in p.m. peak period	41 min.	35 min.	26 min.	25 min.
Increase ridership Number of people crossing the Columbia River using transit in the p.m. peak period	6,500 riders	9,000 riders	10,600 riders	13,100 riders

b205

Promote transportation choice Percent increase in people using transit from downtown Vancouver to all destinations in p.m. peak				
Flexibility of service Ability to re-route service to meet changing travel demands				
Serves a variety of transit markets All day service, 7 days a week, available for multiple trip purposes		The state of the s		
Encourages compact communities Improved transit service and predictability of service remaining in corridor		Total de la constanta de la co		
Minimizes environmental Impacts Impacts to natural resources such as fish, wildlife, plants, wetlands	Moderate	Moderate	Moderate	to
Minimizes displacements Number of residential and other displace-ments given conceptual design	12 (Rose Quarter)	+1 See 3 lane	+1 See 3 lane	+79 with current alignment (w/o bridge)
Cost (2001 dollars)	NA	+\$14 M plus \$668 M hwy upgrades	\$1,477 M	+\$1,222 M

### **Summary Details**

Express Bus - Short Travel Time	Express Bus - Long	Light Rail Loop
Provides greater speed and reliability over Baseline 2020 transit operations in the corridor.	Provides better speed and reliability compared to short express bus.	Provides the best speed and reliability of the transit options because LRT is in its own right-of-way.
Improves time to travel on transit between downtown Portland and downtown Vancouver in the evening peak period:	Significantly improves time to travel on transit between downtown Portland and downtown Vancouver in the evening peak period:	Significantly improves time to travel on transit between downtown Portland and downtown Vancouver in the evening peak period:
Baseline = 41 min. Express Bus - Short = 36 min.	Baseline = 41 min. Express Bus - Long = 15 min.	Baseline = 41 min. Light rail loop = 16 min.

Does not maintain transit Maintains transit travel Maintains transit travel times travel times in the I-5 times in the I-5 corridor: in the I-5 corridor: corridor: Transit travel times with Transit travel times with light Transit travel times with express bus long will be rail will be approximately the express bus short will be approximately the same same as they are today approximately 9 minutes as they are today longer than they are today. Least change in transit High transit travel time High travel time savings travel time between savings - is equal to the equal to Express Bus - Long. Portland and Vancouver LRT Loop option. Increases transit ridership Increases transit Increases transit ridership over baseline. Number of ridership over baseline. over baseline. Number of people using transit during Number of people using people using transit during the the evening peak period: transit during the evening peak period: evening peak period: Baseline 2020 = Baseline 2020 = 6500 6500 riders Baseline 2020 = riders Express Bus -Light Rail Loop = Short = 900 Express Bus -2,600 Long = 10,600This oftion, however, has This option has the This option has the highest the west ridership second highest ridership ridership attraction compa action compared to attraction compared to to other transit options: her transit options: other transit options: . Express Bus - Short = Express Bus -Express Bus -9000 riders Short = 9000 riders Short = 9000Express Bus - Long = Express Bus riders 10.600 riders Long = 10,600 Express Bus -Light rail loop = 13,000 riders riders Long = 10,600Light rail loop = riders 13,000 riders Light rail loop = 13,000 riders Does little to promote Like Express Bus -Does the most to prog transportation choice. For Short does little to transportation choice instance, promote transportation instance, choice. For instance. Transit ridership in Transit ridership in downtown Transit ridership downtown Vancouver Vancouver in downtown increases by 40-50% increases by 8% Vancouver for LRT compared to 8increases by for express bus-10% with Express short option 10% for express Bus. compared to 40bus-long option 50% with LRT compared to 40-50% with LRT Express Bus - Short Express Bus - Long Light Rail Loop Environmental Impraels

impacts that are difficult to impacts that are difficult impacts. Refinement of avoid and will need to be mitigated.

Least impacts of construction on the natural environment and land use impact of any transit option.

be mitigated.

Moderate environmental Moderate environmental Moderate environmental to avoid and will need to various alignment options design could reduce or av many of these impacts.

#### Express Bus - Short

#### Express Bus - Long

### Light Rail Loop

### Displacements

One displacement directly. One displacement from express bus due to the fact that it operates on bus due to the fact that the highway in already established right-of-way.

directly from express it operates on the highway in already established right-of-way.

Highest number of displacements of the transit options (79)

The number of displacements may be reduced with alternative routes or alignments of light rail.

The high number of displacements is due to the fact that light rail has its own new right of way

### E loress Bus - Short

### Express Bus - Long

- \$14 million (\$2001)
- Least cost of any transit option.
- Express bus is the least cost transit option due to the fact that it operates on the highway in an already established right-ofway (see 3 vs. 4 Lane).
- \$32 million (\$2001)
- Express bus is a lower cost transit option due to the fact that it operates on the highway in an already established rightof-way (see 3 vs. 4 Lane).
- \$1,222 million (\$20)
- Highest cost of the transit options.
- High cost is due to the fact that it operates on its own right-of-way and with a track system.

#### Express Lis - Short

#### Express Bus - Long

#### Light Ran Loop

### Other

Compared to light rail transit (LRT), buses have the following advantages:

buses have the following advantages:

Compared to express bus, LRT has the following advantages:

- Buses can be flexibly routed to serve different origins and destinations, and to address particular traffic congestion problems
- Buses can effectively serve
- Buses can be flexibly routed to serve different origins and destinations, and to address particular traffic congestion problems.
- Buses can more effectively serve
- Does the most to promote transportation choice (transit ridership in downtown Vancouver increases by 40-50% with LRT, compared to 8-10% for express bus options).
- Serves a range of trip purposes throughout

- outlying population centers such as Battle Ground and Ridgefield
- Buses can readily be placed on new routes
- Compared to light rail, express bus serves a more limited transportation market. Express bus, as evaluated, is point-to-point service that serves the commuter market and runs Monday - Friday in the a.m. and p.m. peak periods only.
- outlying population centers such as Battle Ground and Ridgefield
- Buses can readily be placed on new routes.
- Compared to light rail, express bus serves a more limited transportation market. Express bus, as evaluated, is point-to-point service that serves the commuter market and runs Monday - Friday in the a.m. and p.m. peak periods only

- the day, seven days a week.
- Light rail can provide service to multiple points along the line and be a catalyst for community redevelopment.
- Reinforces the Vancouver and Portland Central Cities and Regional Centers such as Vancouver Mall and Gateway.
- Across all measures, I-5 performs better when paired with Light Rail Transit than with Express Bus Transit because Light Rail attracts more riders.
- Completing the LRT system is consistent with regional and local goals.
- A low span Columbia River bridge with its occasional bridge lifts would compromise light rail operating reliability.

#### For more information see:

#### Graphs:

Transit

Data Table (Microsoft Word format | Adobe Acrobat format)

#### Maps:

Express Bus - Short/3 Lanes
Express Bus - Long/4 Lanes
Light Rail Loop/3 lanes
Light Rail Loop/4 lanes

Costs of Option Packages Studied

**Environmental Findings** 

# Will Peak Oil Bring Down Modern Society?

To believe that society will be brought to its knees by running out of oil you have to believe:

That, after 100 years of false alarms, we really will run out of oil.

### AND

That, contrary to widely accepted economic laws, higher prices will not reduce demand,.

### AND

That, contrary to widely accepted economic laws, higher prices will not bring additional supplies.

### AND

That the experts are wrong about the amount of shale oil.

### **AND**

That the experts are wrong about the amount of tar sands oil.

### **AND**

That we cannot use hydrogen because we will run out of uranium to run the nuclear power plants necessary to make hydrogen.

### **AND**

That we cannot make gas from our huge reserves of coal like the Germans did to run their war machine in 1943.

### AND

That, after harnessing steam power, electric power and the atom. Placing a man on the moon and exploring other planets. Creating the telegraph, telephone, radio, television and computers. Conquering plagues, famine, polio, smallpox and dozens of other diseases and decoding the genetic code. After centuries of solving every kind of problem imaginable, mankind will suddenly lose his ability to solve problems.

#### **COLUMBIA RIVER CROSSING PROJECT**

Robert A. Johnson 360-571-8348 Vancouver, Wa April 26, 2006

Degree: Environmental studies, Regional and City Planning

Congress has just passed a law, stating that gasoline can not longer be used by people for commuting to and from their work place, if the driving distance is 6 miles or more in each direction.

If such a law were passed, it would require a "change of life style". Could such an event happen, you bet. Shall we follow our old style of thinking and wait until it happens; no, the time to starting plan for this life changing event is now, before such a law is passed. The solution is not to build more roads and more freeway lanes (traffic expands to fill all available freeway); it's to stop or reduce the need for people to commuting to and from the work place. This would require people to work at home or in offices closer to their homes and connect these locations with their existing work places; through the use of modern communication methods. The UK and Japan are way ahead of us in solving these problems; so it does not require reinventing the wheel. We need to reduce or stop the waste of work and free time hours caused by commuting. Use the available gasoline for recreational purposes and not for commuting would be one of the benefits.

The bridge needs to be replaced to resolve public safety issues and to provide for the unimpaired movement of commercial and private vehicles. But it plays only a small part in the problem of moving people or reducing traffic congestion. Going from three lanes to two lanes and back to three lanes on the freeways in it's self causes traffic congestion; along with changing speed limits. Replacing the bridge and adding or realigning lanes will improve the congestion in that area; but it will only move the congestion problem north and south of the bridge project.

Implementing such a plan will not be easy. But we must take the first step.