

E1-1

1/06

ADVANCE GUIDE SIGNS



| SIZE CODE | DIMENSIONS (MILLIMETERS) | | | | | | | | | |
|-----------|--------------------------|------|--------|--------------|--------------------|------------|----------------|--------|------|--------------|
| | EXIT PANEL | | | ROUTE MARKER | CARDINAL DIRECTION | PLACE NAME | ACTION MESSAGE | | | BORDER WIDTH |
| | WORD | NUM. | LETTER | | | | NUM. | FRACT. | WORD | |
| B | 200E | 300E | 300E | 600 | 250E/200E | 265/200 | 250E | 200E | 200E | 38 |
| C | 250E | 375E | 375E | 900 | 300E/250E | 332/250 | 300E | 250E | 250E | 50 |
| D | 300E | 450E | 450E | 900 | 375E/300E | 400/300 | 375E | 300E | 300E | 50 |
| E | 300E | 450E | 450E | 900 | 375E/300E | 400/300 | 375E | 300E | 300E | 50 |


| SIZE CODE | DIMENSIONS (INCHES) | | | | | | | | | |
|-----------|---------------------|------|--------|--------------|--------------------|------------|----------------|--------|------|--------------|
| | EXIT PANEL | | | ROUTE MARKER | CARDINAL DIRECTION | PLACE NAME | ACTION MESSAGE | | | BORDER WIDTH |
| | WORD | NUM. | LETTER | | | | NUM. | FRACT. | WORD | |
| B | 8E | 12E | 12E | 24 | 10E/8E | 10.6/8 | 10E | 8E | 8E | 1 1/2 |
| C | 10E | 15E | 15E | 36 | 12E/10E | 13.3/10 | 12E | 10E | 10E | 2 |
| D | 10E | 15E | 15E | 36 | 15E/12E | 16/12 | 15E | 12E | 12E | 2 |
| E | 12E | 18E | 18E | 36 | 15E/12E | 16/12 | 15E | 12E | 12E | 2 |

COLORS

LEGEND — WHITE (REFL)
 BACKGROUND — GREEN (REFL)

E1-4

8/03



NOTE: SEE APPENDIX FOR TYPICAL ARROW DETAILS. SEE PLANS FOR SPECIFIC ARROW DETAILS.

* LANE STRIPE BLACK

| SIZE CODE | DIMENSIONS (MILLIMETERS) | | | | |
|-----------|--------------------------|------------|------------|--------------|--------------|
| | ROUTE MARKER | CARD. DIR. | PLACE NAME | ARROW DIMEN. | BORDER WIDTH |
| B | 600 | 250E/200E | 265/200 | SEE PLANS | 37.5 |
| C | 900 | 300E/250E | 332/250 | | 50 |
| D | 900 | 375E/300E | 400/300 | | 50 |

| SIZE CODE | DIMENSIONS (INCHES) | | | | |
|-----------|---------------------|--------------------|------------|--------------|--------------|
| | ROUTE MARKER | CARDINAL DIRECTION | PLACE NAME | ARROW DIMEN. | BORDER WIDTH |
| B | 24 | 10E/8E | 10.6/8 | SEE PLANS | 1 1/2 |
| C | 36 | 12E/10E | 13.3/10 | | 2 |
| D | 36 | 15E/12E | 16/12 | | 2 |

GRAPHIC COMPONENT

Lane Width
 Lane Lines
 Space between Lane Lines
 Arrowheads
 Stem Height (to upper point of departure-minimum)
 Space between arrowheads and route shield and
 between route shield and cardinal direction

SIZE

5' (125 mm)
 1" x 6" (25 x 150 mm)
 6" (150 mm)
 Standard "up" Arrow
 30" (750 mm)
 12" (300 mm)

COLORS

LEGEND - WHITE (REFL)
 BACKGROUND - GREEN (REFL)

E1-5

11/97



NOTE: WHITE ON BROWN MAY BE SPECIFIED ON THE PLANS FOR RECREATION SIGNING. SIZE CODE SHOULD BE USED FOR OVERHEAD INSTALLATIONS.

| SIZE CODE | DIMENSIONS (MILLIMETERS) | | | | | |
|-----------|--------------------------|-----|----|------|------|-----|
| | A | B | C | D | E | F |
| B | VA | 450 | 38 | 300E | 200E | VAR |
| D | VA | 600 | 50 | 375E | 250E | VAR |
| E | VA | 750 | 50 | 400E | 300E | VAR |


| SIZE CODE | DIMENSIONS (INCHES) | | | | | |
|-----------|---------------------|----|-------|-----|-----|-----|
| | A | B | C | D | E | F |
| B | VAR | 18 | 1 1/2 | 12E | 8E | VAR |
| D | VAR | 24 | 2 | 15E | 10E | VAR |
| E | VAR | 30 | 2 | 18E | 12E | VAR |

COLORS

LEGEND - WHITE (REFL)
BACKGROUND - GREEN (REFL)

E2-1

11/97



NOTE: WHITE ON BROWN MAY BE SPECIFIED ON THE PLANS FOR RECREATION SIGNING. SIZE CODE "E" SHOULD BE USED FOR OVERHEAD INSTALLATION.

| SIZE CODE | DIMENSIONS (MILLIMETERS) | | | | |
|-----------|--------------------------|-----|----|------|-----|
| | A | B | C | D | E |
| A | 3600 | 600 | 38 | 200E | 100 |
| B | 4500 | 750 | 50 | 250E | 150 |

| SIZE CODE | DIMENSIONS (INCHES) | | | | |
|-----------|---------------------|----|-------|-----|---|
| | A | B | C | D | E |
| A | 144 | 24 | 1 1/2 | 8E | 4 |
| B | 180 | 30 | 2 | 10E | 6 |

COLORS

LEGEND - WHITE (REFL)
BACKGROUND - GREEN (REFL)

E2-1A

11/97



NOTE: WHITE ON BROWN MAY BE SPECIFIED ON THE PLANS FOR RECREATION SIGNING. SIZE CODE "E" SHOULD BE USED FOR OVERHEAD INSTALLATION.

| SIZE CODE | DIMENSIONS (MILLIMETERS) | | | | | |
|-----------|--------------------------|------|----|------|-----|-----|
| | A | B | C | D | E | F |
| A | 2100 | 900 | 38 | 200E | 138 | 100 |
| B | 2700 | 1200 | 50 | 250E | 200 | 150 |


| SIZE CODE | DIMENSIONS (INCHES) | | | | | |
|-----------|---------------------|----|-------|-----|-------|---|
| | A | B | C | D | E | F |
| A | 84 | 36 | 1 1/2 | 8E | 5 1/2 | 4 |
| B | 108 | 48 | 2 | 10E | 8 | 6 |

COLORS

LEGEND — WHITE (REFL)
BACKGROUND — GREEN (REFL)

E3-101

1/06



OPTIONAL

| SIZE CODE | DIMENSIONS (MILLIMETERS) | | |
|--------------|--------------------------|-----------------|-----------------|
| | PLACE NAME | ACTION MESS. | BORDER WIDTH |
| B | 265/200 | 200E | 38 |
| C | 325/250 | 250 | 50 |

| SIZE CODE | DIMENSIONS (INCHES) | | |
|--------------|---------------------|-----------------|-----------------|
| | PLACE NAME | ACTION MESS. | BORDER WIDTH |
| B | 10.6/8 | 8E | 1 1/2 |
| C | 13/10 | 10E | 2 |

COLORS

LEGEND — WHITE (REFL)
BACKGROUND — GREEN (REFL)

E4-301

4/03



| SIZE CODE | DIMENSIONS (MILLIMETERS) | | | | | | | |
|--------------|--------------------------|------|--------|-----------------|-----------------------|---------------|-----------------|-----------------|
| | EXIT | | | ROUTE MARKER | CARDINAL DIRECTION | PLACE NAME | ACTION MESS. | BORDER WIDTH |
| | WORD | NUM. | LETTER | | | | | |
| B | 200E | 300E | 300E | 600 | 250E/200E | 265/200 | 200E | 38 |
| C | 250E | 375E | 375E | 900 | 300E/250E | 332/250 | 250E | 50 |
| D | 250E | 375E | 375E | 900 | 375E/300E | 400/300 | 300E | 50 |
| E | 300E | 450E | 450E | 900 | 375E/300E | 400/300 | 300E | 50 |

| SIZE CODE | DIMENSIONS (INCHES) | | | | | | | |
|--------------|---------------------|------|--------|-----------------|-----------------------|---------------|-----------------|-----------------|
| | EXIT | | | ROUTE MARKER | CARDINAL DIRECTION | PLACE NAME | ACTION MESS. | BORDER WIDTH |
| | WORD | NUM. | LETTER | | | | | |
| B | 8E | 12E | 12E | 24 | 10E/8E | 10.6/8 | 8E | 1 1/2 |
| C | 10E | 15E | 15E | 36 | 12E/10E | 13.3/10 | 10E | 2 |
| D | 10E | 15E | 15E | 36 | 15E/12E | 16/12 | 12E | 2 |
| E | 12E | 18E | 18E | 36 | 15E/12E | 16/12 | 12E | 2 |

COLORS

LEGEND — WHITE (REFL)
BACKGROUND — GREEN (REFL)

E4-501

1/06



THE EXIT ONLY PORTION SHALL BE NON-REFLECTIVE BLACK MESSAGE ON A REFLECTIVE YELLOW BACKGROUND. THE BORDER SHALL BE BLACK FOR THE YELLOW REFLECTIVE BACKGROUND PORTION OF THE SIGN AND WHITE FOR THE GREEN REFLECTIVE BACKGROUND PORTION OF THE SIGN. THE WHITE AND BLACK BORDER SHALL MATCH EVENLY.

SEE E11-I FOR PANEL DETAILS WHEN REVISING EXISTING GUIDE SIGN INSTALLATIONS.

* WHEN USED

** SEE APPENDIX FOR STANDARD ARROW DETAILS

| SIZE CODE | DIMENSIONS (MILLIMETERS) | | | | | | | | |
|--------------|--------------------------|------|--------|-----------------|-----------------------|---------------|---------------|----------------|-----------------|
| | * EXIT PANEL | | | ROUTE MARKER | CARDINAL DIRECTION | PLACE NAME | ARROW SIZE | "EXIT ONLY" | BORDER WIDTH |
| | WORD | NUM. | LETTER | | | | | | |
| B | 250E | 375E | 375E | 600 | 250E/200E | 265/200 | NO.7 | 200E | 38 |
| C | 300E | 450E | 450E | 900 | 300E/250E | 332/250 | NO.8 | 250E | 50 |
| E | 300E | 450E | 450E | 900 | 375E/300E | 400/300 | NO.8 | 300E | 50 |


| SIZE CODE | DIMENSIONS (INCHES) | | | | | | | | |
|--------------|---------------------|------|--------|-----------------|-----------------------|---------------|---------------|----------------|-----------------|
| | * EXIT PANEL | | | ROUTE MARKER | CARDINAL DIRECTION | PLACE NAME | ARROW SIZE | "EXIT ONLY" | BORDER WIDTH |
| | WORD | NUM. | LETTER | | | | | | |
| B | 10E | 15E | 15E | 24 | 10E/8E | 10.6/8 | NO.7 | 8E | 1 1/2 |
| C | 12E | 18E | 18E | 36 | 12E/10E | 13.3/10 | NO.8 | 10E | 2 |
| E | 12E | 18E | 18E | 36 | 15E/12E | 16/12 | NO.8 | 12E | 2 |

COLORS

LEGEND — WHITE (REFL)
BACKGROUND — GREEN (REFL)

E5-1

10/03



* SEE APPENDIX FOR STANDARD ARROW DETAILS

| SIGN | DIMENSIONS (MILLIMETERS) | | | | | | | |
|------|--------------------------|----|-----|------|------------|-----|-----|-----|
| | A | B | C | D | ARROW SIZE | E | F | G |
| A | 1200 | 38 | 200 | 250E | NO.3 | 409 | 141 | 100 |
| B | 1500 | 50 | 250 | 300E | NO.4 | 591 | 109 | 150 |


| SIGN | DIMENSIONS (INCHES) | | | | | | | |
|------|---------------------|-------|----|-----|------------|--------|-------|---|
| | A | B | C | D | ARROW SIZE | E | F | G |
| A | 48 | 1 1/2 | 8 | 10E | NO.3 | 16 3/8 | 5 5/8 | 4 |
| B | 60 | 2 | 10 | 12E | NO.4 | 23 5/8 | 4 3/8 | 6 |

COLORS

LEGEND— WHITE (REFL)
BACKGROUND— GREEN (REFL)

E5-1A

1/06



* SEE APPENDIX FOR STANDARD ARROW DETAILS

| SIGN | DIMENSIONS (MILLIMETERS) | | | | | | | | | | |
|------|--------------------------|----|-----|------|------|-----|-----|------------|-----|-----|-----|
| | A | B | C | D | E | F | G | ARROW SIZE | H | J | K |
| A | 1200 | 38 | 200 | 250E | 300E | 250 | 369 | NO.2 | 200 | 150 | 100 |
| B | VAR | 50 | 250 | 250E | 375E | 325 | 506 | NO.5 | 250 | 188 | 150 |


| SIGN | DIMENSIONS (INCHES) | | | | | | | | | | |
|------|---------------------|-------|----|-----|-----|----|--------|------------|----|-------|---|
| | A | B | C | D | E | F | G | ARROW SIZE | H | J | K |
| A | 48 | 1 1/2 | 8 | 10E | 12E | 10 | 14 3/4 | NO.2 | 8 | 6 | 4 |
| B | VAR | 2 | 10 | 12E | 15E | 13 | 20 1/4 | NO.5 | 10 | 7 1/2 | 6 |

COLORS

LEGEND— WHITE (REFL)
BACKGROUND— GREEN (REFL)

E5-2

6/03



E5-2A

6/03



E5-2B

6/03




| DIMENSIONS (MILLIMETERS) | | | | | | | | |
|--------------------------|-----|----|----|-----|------|-----|------|----|
| A | B | C | D | E | F | G | H | J |
| 1200 | 900 | 19 | 31 | 150 | 200E | 175 | 200D | 75 |

| DIMENSIONS (INCHES) | | | | | | | | |
|---------------------|----|-----|-------|---|----|---|----|---|
| A | B | C | D | E | F | G | H | J |
| 48 | 36 | 3/4 | 1 1/4 | 6 | 8E | 7 | 8D | 3 |

COLORS
 LEGEND - BLACK
 BACKGROUND - ORANGE (REFL)

E5-3

1/06



| DIMENSIONS (MILLIMETERS) | | | | | |
|--------------------------|-----|----|----|-----|------|
| A | B | C | D | E | F |
| VAR | 600 | 38 | 75 | 150 | 300E |
| VAR | 600 | 38 | 75 | 113 | 375E |


| DIMENSIONS (INCHES) | | | | | |
|---------------------|----|-------|---|-------|-----|
| A | B | C | D | E | F |
| VAR | 24 | 1 1/2 | 3 | 6 | 12E |
| VAR | 24 | 1 1/2 | 3 | 4 1/2 | 15E |

COLORS

LEGEND - WHITE (REFL)
 BACKGROUND - GREEN (REFL)

E5-4

1/06



| DIMENSIONS (MILLIMETERS) | | | | | | |
|--------------------------|-----|----|----|----|-----|------|
| A | B | C | D | E | F | G |
| 1800 | 600 | 25 | 31 | 75 | 150 | 300E |

| DIMENSIONS (INCHES) | | | | | | |
|---------------------|----|---|-------|---|---|-----|
| A | B | C | D | E | F | G |
| 72 | 24 | 1 | 1 1/4 | 3 | 6 | 12E |

COLORS

LEGEND - BLACK (NON-REFL)
 BACKGROUND - YELLOW (REFL)

E6-101

1/06



* SEE APPENDIX FOR STANDARD ARROW DETAILS

| SIZE CODE | DIMENSIONS (MILLIMETERS) | | | | | | | | | | |
|-----------|--------------------------|------|--------|--------------|--------------------|------------|----------------|--------|------|--------------|------------|
| | EXIT PANEL | | | ROUTE MARKER | CARDINAL DIRECTION | PLACE NAME | ACTION MESSAGE | | | BORDER WIDTH | ARROW SIZE |
| | WORD | NUM | LETTER | | | | NUM. | FRACT. | WORD | | |
| B | 200E | 300E | 300E | 600 | 250E/200E | 265/200 | 200E | 250E | 200E | 37.5 | 3 OR 4 |
| C | 250E | 375E | 375E | 900 | 300E/250E | 332/250 | 300E | 250E | 250E | 50 | 3 OR 4 |
| D | 250E | 375E | 375E | 900 | 300E/250E | 400/300 | 375E | 300E | 300E | 50 | 5 OR 6 |
| E | 300E | 450E | 450E | 900 | 375E/300E | 400/300 | 375E | 300E | 300E | 50 | 5 OR 6 |

| SIZE CODE | DIMENSIONS (INCHES) | | | | | | | | | | |
|-----------|---------------------|-----|--------|--------------|--------------------|------------|----------------|--------|------|--------------|------------|
| | EXIT PANEL | | | ROUTE MARKER | CARDINAL DIRECTION | PLACE NAME | ACTION MESSAGE | | | BORDER WIDTH | ARROW SIZE |
| | WORD | NUM | LETTER | | | | NUM. | FRACT. | WORD | | |
| B | 8E | 12E | 12E | 24 | 10E/8E | 10.6/8 | 10 E | 8 E | 8 E | 1 1/2 | 3 OR 4 |
| C | 10E | 15E | 15E | 36 | 12E/10E | 13.3/10 | 12 E | 10 E | 10 E | 2 | 3 OR 4 |
| D | 10E | 15E | 15E | 36 | 15E/12E | 16/12 | 15 E | 12 E | 12 E | 2 | 5 OR 6 |
| E | 12E | 18E | 18E | 36 | 15E/12E | 16/12 | 15 E | 12 E | 12 E | 2 | 5 OR 6 |

COLORS

LEGEND— WHITE (REFL)
BACKGROUND— GREEN (REFL)

E6-2

1/06



*** SEE APPENDIX FOR STANDARD ARROW DETAILS WITH OR WITHOUT DOWN ARROW

| SIZE CODE | DIMENSIONS (MILLIMETERS) | | | | |
|-----------|--------------------------|--------------------|------------|--------------|--------------|
| | ROUTE MARKER | CARDINAL DIRECTION | PLACE NAME | ARROW DIMEN. | BORDER WIDTH |
| B | 600 | 250E/200E | 265/200 | NO. 7 | 38 |
| C | 900 | 300E/250E | 332/250 | NO. 8 | 50 |
| D | 900 | 375E/300E | 400/300 | NO. 8 | 50 |

| SIZE CODE | DIMENSIONS (INCHES) | | | | |
|-----------|---------------------|--------------------|------------|--------------|--------------|
| | ROUTE MARKER | CARDINAL DIRECTION | PLACE NAME | ARROW DIMEN. | BORDER WIDTH |
| B | 24 | 10E/8E | 10.6/8 | NO. 7 | 1 1/2 |
| C | 36 | 12E/10E | 13.3/10 | NO. 8 | 2 |
| D | 36 | 15E/12E | 16/12 | NO. 8 | 2 |

COLORS

LEGEND — WHITE (REFL)
BACKGROUND — GREEN (REFL)

E7-1

1/06



NOTE: USE 18" SHIELD WITH SIZE CODE A & B. USE 24" SHIELD WITH SIZE C. ADD 6" TO VERTICAL DIMENSION FOR EACH SHIELD USED.

| SIZE CODE | DIMENSIONS (MILLIMETERS) | | | | | | | | |
|--------------|--------------------------|------|-----------------|--------|--------|-----------------|---------------|--------|--------|
| | LETTER SIZE | | VERT. DIMENSION | | | BORDER WIDTH | CORNER RADIUS | | |
| | PLACE | NUM. | 1 LINE | 2 LINE | 3 LINE | | 1 LINE | 2 LINE | 3 LINE |
| A | 200/150 | 200 | 600 | 900 | 1200 | 38 | 75 | 150 | 150 |
| B | 265/200 | 265 | 750 | 1200 | 1650 | 38 | 75 | 150 | 225 |
| C | 332/250 | 332 | 900 | 1500 | 2100 | 50 | 150 | 225 | 300 |

| SIZE CODE | DIMENSIONS (INCHES) | | | | | | | | |
|--------------|---------------------|------|-----------------|--------|--------|-----------------|---------------|--------|--------|
| | LETTER SIZE | | VERT. DIMENSION | | | BORDER WIDTH | CORNER RADIUS | | |
| | PLACE | NUM. | 1 LINE | 2 LINE | 3 LINE | | 1 LINE | 2 LINE | 3 LINE |
| A | 8/6 | 8 | 24 | 36 | 48 | 1 1/2 | 3 | 6 | 6 |
| B | 10.6/8 | 10.6 | 30 | 48 | 66 | 1 1/2 | 3 | 6 | 9 |
| C | 13.3/10 | 13.3 | 36 | 60 | 84 | 2 | 6 | 9 | 12 |

COLORS

LEGEND — WHITE (REFL)
BACKGROUND — GREEN (REFL)

E8-1

1/06



NOTE: SIZE CODE B IS INTENDED FOR USE ON EXPRESSWAYS

| SIZE CODE | DIMENSIONS (MILLIMETERS) | | | | | | | |
|--------------|--------------------------|------|-------|-----------------|--------|-----------------|---------------|--------|
| | LETTER SIZE | | | VERT. DIMENSION | | BORDER WIDTH | CORNER RADIUS | |
| | PLACE | NUM. | FRACT | 2 LINE | 3 LINE | | 2 LINE | 3 LINE |
| B | 265/200 | 265 | 200 | 1200 | 1650 | 38 | 150 | 225 |
| C | 332/250 | 332 | 250 | 1500 | 2100 | 50 | 225 | 300 |


| SIZE CODE | DIMENSIONS (INCHES) | | | | | | | |
|--------------|---------------------|------|-------|-----------------|--------|-----------------|---------------|--------|
| | LETTER SIZE | | | VERT. DIMENSION | | BORDER WIDTH | CORNER RADIUS | |
| | PLACE | NUM. | FRACT | 2 LINE | 3 LINE | | 2 LINE | 3 LINE |
| B | 10.6/8 | 10.6 | 8 | 48 | 66 | 1 1/2 | 6 | 9 |
| C | 13.3/10 | 13.3 | 10 | 60 | 84 | 2 | 9 | 12 |

COLORS

LEGEND — WHITE (REFL)
BACKGROUND — GREEN (REFL)

E8-2

1/06



SIZE CODE B IS INTENDED FOR USE ON EXPRESSWAYS

| SIZE CODE | DIMENSIONS (MILLIMETERS) | | | | | | | |
|--------------|--------------------------|------|-------|-----------------|--------|-----------------|---------------|--------|
| | LETTER SIZE | | | VERT. DIMENSION | | BORDER WIDTH | CORNER RADIUS | |
| | PLACE | NUM. | FRACT | 3 LINE | 4 LINE | | 2 LINE | 3 LINE |
| B | 265/200 | 265 | 200 | 1650 | 2100 | 38 | 150 | 300 |
| C | 332/250 | 332 | 250 | 2100 | 2700 | 50 | 225 | 300 |

| SIZE CODE | DIMENSIONS (INCHES) | | | | | | | |
|--------------|---------------------|------|-------|-----------------|--------|-----------------|---------------|--------|
| | LETTER SIZE | | | VERT. DIMENSION | | BORDER WIDTH | CORNER RADIUS | |
| | PLACE | NUM. | FRACT | 3 LINE | 4 LINE | | 3 LINE | 4 LINE |
| B | 10.6/8 | 10.6 | 8 | 66 | 84 | 1 1/2 | 6 | 12 |
| C | 13.3/10 | 13.3 | 10 | 84 | 108 | 2 | 9 | 12 |

COLORS

LEGEND — WHITE (REFL)
BACKGROUND — GREEN (REFL)

E9-1

1/06



| SIZE CODE | DIMENSIONS (MILLIMETERS) | | | | | | | |
|--------------|--------------------------|------|----|-----|-----|------|-----|-----|
| | A | B | C | D | E | F | G | H |
| B | VA | 1200 | 38 | 265 | 200 | 200E | 237 | 150 |
| C | VA | 1500 | 50 | 332 | 250 | 250E | 300 | 225 |


| SIZE CODE | DIMENSIONS (INCHES) | | | | | | | |
|--------------|---------------------|----|-------|------|----|-----|-------|---|
| | A | B | C | D | E | F | G | H |
| B | VA | 48 | 1 1/2 | 10.6 | 8 | 8E | 9 1/2 | 6 |
| C | VA | 60 | 2 | 13.3 | 10 | 10E | 12 | 9 |

COLORS


LEGEND — WHITE (REFL)
BACKGROUND — GREEN (REFL)

E11-1


1/06



E11-1A



E11-1B



* SEE APPENDIX FOR STANDARD ARROW DETAILS

| SIZE CODE | DIMENSIONS (MILLIMETERS) | | | | | | | | | | | ARROW NO. |
|-----------|--------------------------|-----|----|-----|-----|-----|-----|------|-----|------|-----|-----------|
| | A | B | C | D | E | F | G | H | J | K | L | |
| VAR | 4200 | 900 | 50 | 300 | 975 | 300 | 800 | 1225 | 350 | 300E | 250 | 8 |

| SIZE CODE | DIMENSIONS (INCHES) | | | | | | | | | | | ARROW NO. |
|-----------|---------------------|----|---|----|----|----|----|----|----|-----|----|-----------|
| | A | B | C | D | E | F | G | H | J | K | L | |
| VAR | 168 | 36 | 2 | 12 | 39 | 12 | 32 | 49 | 14 | 12E | 10 | 8 |

COLORS

LEGEND — BLACK (NON-REFL)
BACKGROUND — YELLOW (REFL)

E12-101

11/97



E12-201



NOTE: DIMENSIONS TYPICAL BOTH SIGNS

| SIGN | DIMENSIONS (MILLIMETERS) | | | | | |
|------|--------------------------|-----|----|------|----|----|
| | A | B | C | D | E | F |
| STD. | 900 | 600 | 13 | 150C | 88 | 56 |


| SIGN | DIMENSIONS (INCHES) | | | | | |
|------|---------------------|----|-----|----|-------|-------|
| | A | B | C | D | E | F |
| STD. | 36 | 24 | 1/2 | 6C | 3 1/2 | 2 1/4 |

COLORS

LEGEND — WHITE (REFL)
BACKGROUND — GREEN (REFL.)

E13-1

11/97



| SIGN | DIMENSIONS (MILLIMETERS) | | | | | | |
|------|--------------------------|------|----|------|-----|-----|----|
| | A | B | C | D | E | F | G |
| STD. | 2100 | 1200 | 31 | 200E | 138 | 700 | 75 |

| SIGN | DIMENSIONS (INCHES) | | | | | | |
|------|---------------------|----|-------|----|-------|----|---|
| | A | B | C | D | E | F | G |
| STD. | 84 | 48 | 1 1/4 | 8E | 5 1/2 | 28 | 3 |

SEE PLANS FOR REQUIRED BUS AND CARPOOL SYMBOLS


BUS AND CARPOOL SIGNS ARE OPTIONAL. IF USED INDEPENDENTLY, SYMBOL WILL BE PLACED ON THE UPPER LEFT OF SIGN.

COLORS

LEGEND — WHITE (REFL)
BACKGROUND — GREEN (REFL.)

E13-2

1/06



| DIMENSIONS (MILLIMETERS) | | | | | | | |
|--------------------------|----|------|------|-------------|-----|-----|-----|
| A | B | C | D | E | F | G | H |
| 2400 | 38 | 375E | 250E | 333/250E(M) | 200 | 250 | 100 |

| DIMENSIONS (INCHES) | | | | | | | |
|---------------------|-------|-----|-----|-------------|---|----|---|
| A | B | C | D | E | F | G | H |
| 96 | 1 1/2 | 15E | 10E | 13.3/10E(M) | 8 | 10 | 4 |

SEE PLANS FOR REQUIRED BUS AND CARPOOL SYMBOLS
 BUS AND CARPOOL SIGNS ARE OPTIONAL. IF USED INDEPENDENTLY,
 PLACE SYMBOL ON THE UPPER LEFT OF SIGN.

COLORS

LEGEND— WHITE (REFL)
 BACKGROUND— GREEN (REFL)