

## SR 520 Montlake Project

Noise Monitoring Weekly Report Summary for **Monday, November 4, 2019** to **Sunday, November 10, 2019**

**PUBLISHED NOVEMBER 13, 2019**

Monitoring times: Weekdays, 10 p.m. to 7 a.m.; weekends, 10 p.m. to 9 a.m.

**How to use this report:** This document summarizes the weekly nighttime noise data for the SR 520 Montlake Project. In it, you'll find:

- Page 1 - Summary of noise levels recorded above the limits allowed under the Major Public Project Construction Noise Variance, for this week and throughout the project. This includes non-project-related noise exceedances
- Page 2 - Map of the project limits and locations of the seven stationary monitor locations
- Pages 3 – 9 - Night-by-night noise recordings for each of the project noise monitors, along with a description of the work that night, comments received from the public regarding Project noise, and explanations for any noise limit exceedances and actions taken in response
- Page 10 - Log of public comments regarding nighttime noise issues and resolutions for the week

WSDOT is sharing this information as per the terms of the Major Public Project Construction Noise Variance (Permit #3030792).

**MPPCNV start date:** **Friday, August 16, 2019**

**MPPCNV days to date:** **87**

### WEEKLY TOTALS


<b>Nights worked this week (under the MPPCNV)</b>	<b>5</b>
<b>Project related exceedances this week</b>	<b>0</b>
<b>Nighttime noise issue comments to the project</b>	<b>2</b>
<b>Non-project-related noise exceedances this week</b>	<b>48</b>

### PROJECT TOTALS TO DATE

<b>Total Nights Worked (under the MPPCNV)</b>	<b>27</b>
<b>Total Project related non-compliance</b>	<b>8</b>
<b>Total noise issue comments to the project</b>	<b>17</b>
<b>Total non-project related exceedances</b>	<b>490</b>

**Noise Monitoring Locations:** the map below shows the work limits of the SR 520 Montlake Project and the locations of the seven stationary noise monitoring sites

**EXHIBIT 5. CONSTRUCTION AREA AND NOISE MEASUREMENT LOCATIONS**



**SR 520 Montlake Project  
Major Public Project Construction Noise Variance  
NOISE MONITORING - WEEKLY REPORT**

Monday, November 4, 2019 to Sunday, November 10, 2019 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Monday, November 4, 2019</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	63.3	61.1	58.9	54.8	53.3	53.0	57.7	63.7	68.2	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	64.4	60.5	58.4	55.1	54.4	54.7	57.8	63.0	65.2	N/A	N/A
Site 3 - 3810 E. McGilvra St	62	53.9	52.4	50.4	47.7	46.9	47.2	48.4	52.1	56.0	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	66.0	63.3	60.9	58.4	59.7	58.7	64.0	67.7	69.8	N/A	N/A
Site 5 - 2565 22nd Av E.	65	61.7	58.0	55.9	52.3	52.0	52.8	55.4	60.3	62.6	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	58.0	55.2	53.0	45.8	46.7	46.3	48.9	53.1	55.9	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	58.8	55.9	54.0	50.4	48.4	48.9	52.0	57.4	61.5	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	60.8	58.0	54.0	48.3	49.0	48.4	51.7	56.1	58.7	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	62.9	60.0	58.9	54.5	52.3	53.1	56.2	62.2	66.6	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	65.8	63.8	61.5	57.1	55.9	55.1	60.3	66.7	71.2	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

No night time construction work performed.

**Public Comments:**

No public comments received related to nighttime noise.

**Non-Compliance:**

Not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

# = No contract work . Portable monitors are not being used (not needed).

**SR 520 Montlake Project  
Major Public Project Construction Noise Variance  
NOISE MONITORING - WEEKLY REPORT**

Monday, November 4, 2019 to Sunday, November 10, 2019 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Tuesday, November 5, 2019</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	64.9	61.9	58.4	55.4	54.8	55.2	59.1	64.0	68.9	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	63.4	61.4	57.8	55.9	54.5	55.5	58.3	62.1	66.0	N/A	N/A
Site 3 - 3810 E. McGilvra St	62	55.9	52.4	49.5	47.9	47.3	48.1	50.0	53.3	58.1	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	65.9	63.7	60.8	59.9	58.1	59.1	64.1	67.2	69.8	N/A	N/A
Site 5 - 2565 22nd Av E.	65	61.1	59.7	55.1	53.3	51.6	52.9	55.4	59.0	63.4	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	55.9	51.9	47.8	45.7	43.6	46.2	50.7	54.0	56.0	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	59.0	56.0	52.0	49.4	48.5	49.4	53.2	58.0	62.1	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	58.3	54.1	50.6	48.9	47.5	49.1	52.5	55.4	58.9	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	63.9	59.9	56.1	53.1	52.6	53.4	60.1	62.4	67.0	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	67.6	64.6	60.8	58.2	57.3	58.1	62.3	66.9	72.1	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

No night time construction work performed.

**Public Comments:**

No public comments received related to nighttime noise.

**Non-Compliance:**

Not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**  
Monday, November 4, 2019 to Sunday, November 10, 2019 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Wednesday, November 6, 2019</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	65.6	62.6	59.7	57.2	56.4	56.4	59.3	64.4	69.2	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	65.1	61.6	59.3	57.6	60.1	58.0	59.8	64.5	67.2	N/A	N/A
Site 3 - 3810 E. McGilvra St	62	56.6	54.1	51.0	49.7	48.5	49.2	50.2	54.1	59.5	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	67.0	64.6	61.5	59.3	60.2	60.7	64.5	68.0	70.2	N/A	N/A
Site 5 - 2565 22nd Av E.	65	62.5	59.3	57.0	55.1	56.6	55.3	57.3	62.3	65.0	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	59.3	57.0	54.4	52.1	52.1	53.1	53.2	57.7	61.4	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	61.7	57.1	54.6	52.6	57.4	53.8	55.0	59.5	63.7	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	60.2	57.7	54.7	53.0	53.1	53.2	54.7	59.5	62.6	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	69.3	61.6	59.2	57.3	60.6	61.4	60.5	64.3	69.4	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	68.6	64.9	62.6	60.0	61.2	60.9	62.6	67.1	71.6	N/A	N/A
*Hourly-Average Leq (dBA)												

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

Clear and grub in the median gore strip.  
Contractor worked between 8:00pm and 5:55am.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Not project related. Exceedances are caused by public traffic driving by the noise monitors.  
Site #9, #10; 10pm-11pm - No alerts received, Gary Stensland with Graham was notified.

**Non-Compliance:**

The Contractor used dump trucks that did not have lined beds with sand, rubber or plastic.

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

**SR 520 Montlake Project  
Major Public Project Construction Noise Variance  
NOISE MONITORING - WEEKLY REPORT**

Monday, November 4, 2019 to Sunday, November 10, 2019 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Thursday, November 7, 2019</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	64.6	62.6	59.8	57.4	56.2	56.4	58.3	63.9	67.7	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	63.5	62.0	59.6	57.5	55.9	55.9	58.7	62.9	65.1	N/A	N/A
Site 3 - 3810 E. McGilvra St	62	56.1	54.1	51.4	49.7	48.9	47.9	49.6	51.9	56.7	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	66.8	64.9	61.6	60.0	58.7	59.4	63.4	68.1	68.6	N/A	N/A
Site 5 - 2565 22nd Av E.	65	61.0	59.5	57.0	55.2	53.4	53.5	55.8	60.0	62.7	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	58.2	57.7	54.7	53.0	51.9	51.0	53.2	57.2	60.5	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	59.5	57.7	54.8	52.8	51.8	54.7	54.4	58.8	62.6	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	59.1	58.2	55.1	53.3	52.3	51.3	54.6	58.3	61.2	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	64.0	62.1	57.0	56.6	56.5	59.8	60.4	63.5	67.6	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	67.6	65.3	62.5	60.1	59.2	62.6	62.7	67.0	70.6	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

Clear and grub in the median gore, placement of crush surfacing base course, and install drainage.  
Contractor worked between 8:00pm to 5:30am.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Not project related. Exceedances are caused by public traffic driving by the noise monitors.

**Non-Compliance:**

The Contractor used dump trucks that did not have lined beds with sand, rubber or plastic.

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**

Monday, November 4, 2019 to Sunday, November 10, 2019 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Friday, November 8, 2019</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	65.3	60.7	56.0	54.8	58.1	54.6	55.0	54.9	57.9	63.1	62.4
Site 2 - 2015 E. Roanoke St	78	62.5	63.1	66.7	68.1	66.2	59.6	60.8	62.6	63.3	64.3	65.1
Site 3 - 3810 E. McGilvra St	62	53.4	47.3	45.9	46.3	45.6	46.1	46.0	46.9	47.6	48.2	50.4
Site 4 - 2800 Montlake Blvd E	66	67.3	65.6	63.8	63.3	62.1	59.4	61.4	64.0	67.9	68.1	70.8
Site 5 - 2565 22nd Av E.	65	60.4	60.4	62.2	64.3	62.0	56.2	57.5	59.5	60.6	61.3	62.5
Site 6 - 2160 E. Hamlin St	63	58.8	56.1	57.9	55.0	53.7	54.3	52.6	52.2	55.4	55.1	56.5
Site 7 - 2209 E. Lake Wa Blvd	66	59.8	57.5	59.5	58.4	56.3	57.0	57.5	56.1	58.7	60.5	60.7
Site 8 - Portable Between Sites 4 and 6	63	59.4	57.0	58.2	57.9	56.6	56.5	56.2	55.0	57.4	57.4	58.8
Site 9 - Portable Between Sites 1 and 7	66	64.6	65.4	68.1	64.5	61.1	61.5	60.4	63.3	62.1	67.2	67.0
Site 10 - Portable Between Sites 1 and 7	66	68.3	65.5	62.2	61.1	62.4	60.0	60.1	62.3	63.8	69.2	69.3

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**  
 Install MOT Phase 1 class A Signs, Pin Type 2 Barrier, Install Drainage, Remove Concrete Paving, Roadway Paving for EB Mainline Traffic Shift.  
 Contractor start work at 11:00pm and continued through the weekend.

**Public Comments:**  
 11:16pm - November 8th - a call to the hotline was received from a resident near sites #8 requesting 2 hotel rooms for tonight due to the project noise. Resident was informed about the night work being done under TNV #6755617-NV. The caller did not require a to follow-up. **See Public Notice Log for additional details.**  
 1:36am - November 9th - a call to the hotline was received from a resident located on Edgar St (across Portage Bay) about the loud noise from the demolition on SR 520. Resident was informed about the night work being done under TNV #6755617-NV. The caller did not require a to follow-up. **See Public Notice Log for additional details.**

**Exceedances:**  
 Site #4, #10 for 10pm-11pm & after 6am; Not project related. Exceedances are caused by public traffic driving by the noise monitors.  
 Contract work between 10pm Friday 11/8 and 5am Monday 11/11 is covered under the temporary noise variance permit #6755617-NV.

**Non-Compliance:**  
 The contractor had one piece of equipment (Sweeper) with a tonal back-up alarm. The contractor immediately shut down the equipment.  
 The contractor used dump trucks that did not have lined beds with sand, rubber or plastic.

**Legend**  
 Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.  
 N/A = Time Period not applicable to MPPCNV  
 Red = Noise Level Exceedance, project related  
 Blue = Noise level exceedance, not project related  
 ~ = No Data Available

**SR 520 Montlake Project**  
**Major Public Project Construction Noise Variance**  
**NOISE MONITORING - WEEKLY REPORT**

Monday, November 4, 2019 to Sunday, November 10, 2019 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Saturday, November 9, 2019</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	59.9	59.2	56.6	55.9	54.9	55.3	54.6	59.3	57.0	60.7	59.3
Site 2 - 2015 E. Roanoke St	78	61.3	59.6	58.2	58.0	56.5	56.0	55.2	58.2	61.1	61.1	62.3
Site 3 - 3810 E. McGilvra St	62	46.6	46.4	46.5	46.0	46.3	46.3	46.4	46.6	47.3	47.8	48.8
Site 4 - 2800 Montlake Blvd E	66	67.1	65.7	64.0	62.8	61.8	60.5	59.5	62.2	65.9	66.2	67.4
Site 5 - 2565 22nd Av E.	65	58.8	57.4	56.0	55.7	54.0	54.3	52.9	55.7	58.5	58.4	60.3
Site 6 - 2160 E. Hamlin St	63	52.0	52.3	50.8	50.9	50.0	49.2	49.2	50.0	51.0	53.5	54.9
Site 7 - 2209 E. Lake Wa Blvd	66	58.4	57.7	55.4	56.7	54.7	54.6	52.0	53.9	55.4	57.7	60.3
Site 8 - Portable Between Sites 4 and 6	63	55.7	55.0	52.5	54.3	52.7	52.0	51.6	52.7	55.8	56.7	58.6
Site 9 - Portable Between Sites 1 and 7	66	63.2	61.6	60.5	60.2	59.4	59.5	58.5	58.2	59.2	63.2	64.7
Site 10 - Portable Between Sites 1 and 7	66	66.2	64.6	62.7	61.6	60.1	60.6	59.7	62.2	61.7	64.9	67.0

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

Prep and Pave MOHA construction access, install MOT Phase 1 Class A Signs, Pin Type 2 Barrier, roadway paving for eastbound mainline traffic shift.

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site #4 & #10 are not project related. Exceedances are caused by public traffic driving by the noise monitors.

Contract work between 10pm Friday 11/8 and 5am Monday 11/11 is covered under the temporary noise variance permit #6755617-NV.

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available



**SR 520 Montlake Project  
Major Public Project Construction Noise Variance  
NOISE MONITORING - WEEKLY REPORT**

Monday, November 4, 2019 to Sunday, November 10, 2019 10 pm to 7 am (weekdays) / 9am (weekends)

The table below includes data gathered from noise monitoring equipment located at seven stationary and three portable locations throughout the Montlake Project area

<b>Sunday, November 10, 2019</b>												
Site	Site limit*	10pm - 11pm	11pm - 12am	12am - 1am	1am - 2am	2am - 3am	3am - 4am	4am - 5am	5am - 6am	6am - 7am	7am - 8am	8am - 9am
Site 1 - 2449 E. Lk WA Blvd	67	56.2	58.5	54.8	53.2	55.1	55.4	54.3	55.2	59.2	N/A	N/A
Site 2 - 2015 E. Roanoke St	78	59.6	58.9	56.1	54.8	53.8	56.0	59.0	61.4	63.9	N/A	N/A
Site 3 - 3810 E. McGilvra St	62	46.9	50.3	46.4	45.8	45.6	45.4	46.4	48.0	50.4	N/A	N/A
Site 4 - 2800 Montlake Blvd E	66	65.2	63.5	61.1	59.7	58.1	58.0	62.3	66.5	68.8	N/A	N/A
Site 5 - 2565 22nd Av E.	65	57.2	56.2	53.6	52.1	51.1	52.4	56.9	58.5	61.2	N/A	N/A
Site 6 - 2160 E. Hamlin St	63	49.9	52.9	48.3	46.9	50.0	47.1	49.3	50.1	53.5	N/A	N/A
Site 7 - 2209 E. Lake Wa Blvd	66	56.2	57.5	53.4	55.5	56.3	51.6	52.9	54.0	58.2	N/A	N/A
Site 8 - Portable Between Sites 4 and 6	63	53.2	53.2	51.8	50.3	49.4	48.5	53.2	52.7	55.2	N/A	N/A
Site 9 - Portable Between Sites 1 and 7	66	61.5	62.1	57.8	59.6	61.6	58.4	59.5	58.7	63.4	N/A	N/A
Site 10 - Portable Between Sites 1 and 7	66	62.8	62.9	59.2	56.9	58.4	59.6	59.5	61.2	65.0	N/A	N/A

\*Hourly-Average Leq (dBA)

**Notes recorded by the on-site Independent Noise Monitor**

**Work:**

Install MOT signs, install/pin barrier, cut power for light poles along bridge, stripe eastbound SR 520.  
Contractor completed weekend work at 5:00am

**Public Comments:**

No public comments received related to nighttime noise.

**Exceedances:**

Site #4 & #10 are not project related. Exceedances are caused by public traffic driving by the noise monitors.  
Contract work between 10pm Friday 11/8 and 5am Monday 11/11 is covered under the temporary noise variance permit #6755617-NV.

**Legend**

Leq = Leq means the equivalent sound level, which is the constant sound level in a given time period.

N/A = Time Period not applicable to MPPCNV

Red = Noise Level Exceedance, project related

Blue = Noise level exceedance, not project related

~ = No Data Available

**SR 520 Montlake to Lake Washington I/C and Bridge Replacement Project**

**Major Public Project Construction Noise Variance**

**NOISE MONITORING - WEEKLY REPORT**

Monday, November 4, 2019 to Sunday, November 10, 2019

10 p.m. to 7 a.m. (weekdays)/ 9a.m. (weekends)

<b>Public Comment Log</b>			
<b>Date / Time</b>	<b>To/From</b>	<b>Issue</b>	<b>Resolution</b>
11/08/2019 - 11:16pm	To: Hotline From: Resident	A resident called on the project hotline from E. Hamlin St requesting two hotel rooms tonight due to the project noise.	Bob Derry (Hotline Communication) called Shane and he reserved two rooms for the resident. No follow-up needed. Bob Derry explained the work being done under the temporary noise variance (TNV) #6755617-NV
11/09/2019 - 1:36am	To: Hotline From: Resident	A resident called the project hotline complaining of noise from demolition on SR 520. The resident lives on East Edgar Street. The resident said she and her children have been woken up multiple times by the noise.	Bob Derry (Hotline Communication) asked if she wanted a hotel for the rest of the night and she declined but said if the kids continued to be woken up she might call back. Bob Derry explained the work being done under the temporary noise variance (TNV) #6755617-NV. The resident did not call back to follow up.